

MYOB Advanced Business

Technical Release Notes

2015.1

Cloud Solutions
for Bigger Business

Contents

Introduction	4
What's New in this Release?	4
New Features	5
Universal Search	5
MySQL and Amazon RDS Support	5
Versioned Web Service Endpoints	6
Redesigned Customization Manager	7
Technical Notes	8
Important Changes	8
.NET Framework 4.5.1	8
NotId Field Changed to GUID	8
Name-value Pair Support	8
Universal Search (Full-text Indexing) Support	8
Breaking Changes	9
Removed Screens	9
Removed Tables	9
Removed Fields	9
Modified Field Types	12
Removed Data Access Classes (DACs)	13
Removed Graphs	17
Removed Constants	18
Other Removed Classes in PX.Data	22
Other Removed Classes in PX.Objects	26
Modified Interfaces and Abstract Classes in PX.Data	31
Modified Interfaces and Abstract Classes in PX.Objects	32
Breaking Changes in Data Access Classes (DACs)	33

Breaking Changes in Graphs	50
Other Breaking Changes in PX.Data	78
Other Breaking Changes in PX.Objects.....	94
Resolved Issues	99
Known Issues	100

Introduction

Welcome to the 2015.1 release of MYOB Advanced Business. The purpose of this document is to provide essential information on the changes included in this release that affect organisations who are involved in developing reports, customizations and integrations for the MYOB Advanced system.

What's New in this Release?

The 2015.1 release is a major update to the MYOB Advanced system. The following sections provide details of the features included in this release.

New Features

The new features introduced in this release of the MYOB Advanced Business are detailed below.

Universal Search

A full-text search engine is implemented that works with the Microsoft SQL Server and the MySQL database servers. The engine searches in help, entities, files, and site map. The search results are ranked according to relevance. Because the search engine is so flexible, you do not need type exact words; however, if you are searching for exact words, you can use quotation marks around the words to receive exact matches.

Notes

- Search has been redesigned and rebuilt from the ground-up to leverage the full-text search engine in SQL Server and MySQL.
- When you type something in the search box, a suggestions drop-down appears and allows you to search inside the current module, across all entities (more than 60 screens are supported), help or files. Any screen or report matching the current search term is also listed, allowing for quick access to any screen by name. Pressing enter triggers the default search option (search in current module).
- You can search for a word by entering only the first few characters of this word. For example, searching for *inv* will find *invoice*. The system is able to locate documents by number without searching for the leading zeros (ex: 1058 will locate 00001058). It is not possible however to search in the middle or at the end of a string.
- Putting search terms inside quotes will search for the exact terms instead of individual words. For example, "*Asahi Sun Tours*" will only locate customers named exactly Asahi Sun Tours, but will not return any other matches which may contain one of the words.
- After upgrade, you must run the Rebuild Full-Text Entity Index process (SM.20.95.00).

MySQL and Amazon RDS Support

The MYOB Advanced Business application can now be installed on MySQL database servers. Moreover, company snapshots created in the application are portable between Microsoft SQL Server and MySQL.

Also, you can deploy the application on the Amazon Relational Database Service (Amazon RDS) directly from the MYOB Advanced Business configuration wizard.

Both improvements may significantly reduce licensing and hosting costs.

Notes

- During deployment of a new site, you may now select between MySQL and Microsoft SQL Server.
- Snapshots made with MySQL can be restored on Microsoft SQL Server installations and vice-versa.
- BQL queries and application code built using our standard data access layer will work transparently on both MySQL and Microsoft SQL Server sites.
- Deployment of databases on Amazon RDS-backed servers is now supported.

Versioned Web Service Endpoints

Now you can create predefined and static web service endpoints, and select which fields and actions should be exposed in your web service to its internal counterpart. These improvements make upgrades easier and ensure compatibility of integration with multiple versions of MYOB Advanced Business. These web service end points can easily be replicated across your MYOB Advanced Business installations, which makes it easy to maintain compatibility between different installations and versions of MYOB Advanced Business.

Notes

- You can now create custom web service endpoints from the Web Service Endpoints (SM.20.70.60) screen.
- Versioned Web Service endpoints allow you to select which fields and actions should be exposed in your web service, and to set a predefined and fixed name for the fields and actions that are exposed.

Redesigned Customization Manager

The Customization Manager has been completely redesigned. The WYSIWYG screen editor has been replaced by a layout editor, similar to the layout editor used when developing new screens in Visual Studio. From the layout editor, you can easily drag and drop elements to reorganize the screen, and you can preview changes without publishing.

It is now possible to add completely new screens, or add smart panels to existing screens through the layout editor.

New data fields can now be created without modifying the database schema by selecting the **NameValuePair** option during the creation process. The new field data will be stored in a special table, which can accommodate custom fields without the need to alter the database structure.

Customizations are now published as extensions based on the MYOB Advanced Extensibility Framework, and are no longer injected into PX.Objects.dll. The extensions will be dynamically loaded at runtime and will not trigger a restart of the application upon publishing.

Existing customization projects are compatible with the new designer.

Technical Notes

Important Changes

.NET Framework 4.5.1

All assemblies compiled for MYOB Advanced 2015.1 should use version 4.5.1 of the .NET Framework.

NoteID Field Changed to GUID

During the upgrade process, all NoteID fields will be converted from INT to GUID.

Note: The data type of this field in custom data-access classes (DACs) must be updated to reflect this change.

Name-value Pair Support

To enable customizations in a multi-tenant environment, this release adds the ability to add custom fields that are stored in a key-value store rather than a new database column. This data is stored in a special table name, which has the same name as the base table + "KvExt", e.g. BAccountKvExt. This table is created and managed automatically by the application.

Universal Search (Full-text Indexing) Support

To make your custom entities searchable, your entity must have a NoteID field, and you must attach the PXSearchable attribute to it. The PXSearchable attribute includes a number of properties that will determine which fields will be indexed, how the results will be presented, and where this entity will be searchable from.

Breaking Changes

This section lists all the changes made since version 1.x that may affect reports, customizations and integrations that were built in a prior version.

Removed Screens

AP.50.20.20 – Update Vendor Prices (*replaced by AP.20.20.10 – Supplier Prices Worksheet*)

AR.20.20.20 – Customer Prices (*replaced by AR.20.20.00 – Sales Prices*)

AR.50.20.20 – Update Customer Prices (*replaced by AR.20.20.10 – Sales Prices Worksheet*)

CO.00.00.00 – Communications Overview (old informational page)

CR.50.60.00 – Import Leads (*replaced by import scenarios*)

EP.20.70.00 – Compensation Codes (*was not used, will be included in a future release*)

EP.20.70.10 – Pay Groups (*was not used, will be included in a future release*)

IN.50.30.00 – Update Base Prices (*base price is replaced by default price, which can be set directly without using the update process*)

PO.50.40.00 – Update Vendor Prices (*replaced by AP.20.20.10 – Supplier Prices Worksheet*)

Removed Tables

APSalesPrice

DiscountDetail

EPCompensationCode

EPPayGroup

EPTimeCardRecord

PMAccountGroupItemType

PMRestriction

Removed Fields

APRegister.BatchSeq

ARSalesPrice.IsCustClassPrice

ARSalesPrice.LastBreakQty

ARSalesPrice.LastDate

ARSalesPrice.LastPrice

ARSalesPrice.LastTaxID

ARSalesPrice.PendingBreakQty

ARSalesPrice.PendingPrice

ARSalesPrice.PendingTaxID

ARSetup.PaymentAutoProcessingTermsID

BAccount.UsrDateOfBirth
Contact.Birthday
ContractDetail.AccountID
ContractDetail.AccountSource
ContractDetail.CuryInfoID
ContractDetail.CuryItemFee
ContractDetail.ItemFee
ContractDetail.SubID
ContractDetail.SubMask
ContractDetail.TaskID
CRContactClass.Active
CRSetup.RestrictEmailRecipients
CRSetup.VerifyActivitySource
Currency.CuryCaption
Currency.CurySymbol
Currency.DecimalPlaces
Currency.Description
CustomerPaymentMethod.SynchronizeDeletion
EmailAccount.UserName
EPEmployee.HireDate
EPEmployee.PositionID
EPEmployee.Terminated
EPEmployee.TerminationDate
EPEmployeeRate.CompensationCode
EPEmployeeRateByProject.CompensationCode
EPExpenseClaim.CuryOrigDocAmt
EPExpenseClaim.LineCntr
EPExpenseClaim.OrigDocAmt
EPExpenseClaimDetails.LineNbr
EPSetup.RequireControlTotal
EPTax.LineNbr
FASetup.AcceleratedDepreciation
InventoryItem.BasePriceDate
InventoryItem.LastBasePrice
InventoryItem.PendingBasePrice
InventoryItem.PendingBasePriceDate
LocalizationResource.IDlr
LocalizationTranslation.IDlt

LocalizationTranslation.ResKey
LocalizationValue.IDlv
Note.CompanyNoteID
PreferencesGeneral.AcctName
PreferencesGeneral.FirstDayOfWeek
PreferencesGeneral.UserWelcomeNotificationId
SOLine.BaseReceivedQty
SOLine.Cancelled
SOLine.ReceivedQty
SOLineSplit.Cancelled
UserPreferences.EditorFontName
UserPreferences.EditorFontSize

Modified Field Types

Field Name	Old Type	New Type
<All NoteID fields>	bigint	uniqueidentifier
ARInvoice.RUTROTClaimDate	date	smalldatetime
Company.CompanyCD	nvarchar(60)	nvarchar(256)
Contact.DateOfBirth	datetime	smalldatetime
EMailAccount.IncomingAttachmentType	varchar(100)	varchar(max)
EPEmployeeRate.RegularHours	int	decimal(19,4)
GLConsolData.ConsolAmtCredit	decimal(15,6)	decimal(19,4)
GLConsolData.ConsolAmtDebit	decimal(15,6)	decimal(19,4)
INItemXRef.AlternateID	nvarchar(60)	nvarchar(100)
LocalizationResource.ResKey	nvarchar(510)	nvarchar(max)
LocalizationTranslation.Locale	nvarchar(12)	nvarchar(24)
LocalizationTranslation.Value	nvarchar(1024)	nvarchar(max)
LocalizationValue.NeutralValue	nvarchar(1024)	nvarchar(max)



Field Name	Old Type	New Type
PMTran.OrigRefID	bigint	uniqueidentifier

Removed Data Access Classes (DACs)

Namespace	Class Name
PX.Objects.AP	APSalesPrice
PX.Objects.AP	APSalesPriceFilter
PX.Objects.AP	APUpdateVendorPrice+ItemFilter
PX.Objects.AP	MassUpdateFilter
PX.Objects.AR	ARSalesPriceEx
PX.Objects.AR	ARUpdateCustomerPrice+ItemFilter
PX.Objects.AR	ARUpdateSalesPrice+ItemFilter
PX.Objects.AR	MassCalcFilter
PX.Objects.AR	MassCopyFilter
PX.Objects.AR	MassUpdateFilter

Namespace	Class Name
PX.Objects.AR	OperationParam
PX.Objects.CR	EmailFilter
PX.Objects.CR	FieldValue
PX.Objects.EP	EmployeeClaimsEnqFilter
PX.Objects.EP	EPApprovalFilter
PX.Objects.EP	EPCompensationCode
PX.Objects.EP	EPPayGroup
PX.Objects.EP	EPTimeCardRecord
PX.Objects.EP	MyExpenseClaimsEnqFilter
PX.Objects.EP	TimecardInquiry+TimecardFilter
PX.Objects.IN	ARSalesPriceEx
PX.Objects.IN	INUpdateBasePrice+ItemFilter
PX.Objects.IN	INUpdateBasePrice+UpdateBasePriceRecord
PX.Objects.IN	MassUpdateFilter

Namespace	Class Name
PX.Objects.PM	RegisterEntry+ContractDetailEx
PX.Objects.PO	POOrderEntry+SOLine3
PX.Objects.PO	POVendorInventoryEnqFilter
PX.Objects.PO	POVendorInventoryExt
PX.Objects.SO	ARDiscount
PX.Objects.SO	ARDiscountSequenceMaint+ARDiscountEx
PX.Objects.SO	ARDiscountSequenceMaint+UpdateSettingsFilter
PX.Objects.SO	ARUpdateDiscounts+ItemFilter
PX.Objects.SO	ARUpdateDiscounts+SelectedItem
PX.Objects.SO	DiscountBranch
PX.Objects.SO	DiscountCustomer
PX.Objects.SO	DiscountCustomerPriceClass
PX.Objects.SO	DiscountDetail
PX.Objects.SO	DiscountInventoryPriceClass

Namespace	Class Name
PX.Objects.S0	DiscountItem
PX.Objects.S0	DiscountSequence
PX.Objects.S0	DiscountSite
PX.Objects.S0	RecalcDiscountsParamFilter
PX.Translation.DAC	LangFilter
PX.Translation.DAC	LocalizationGridChild
PX.Translation.DAC	LocalizationGridParent
PX.Translation.DAC	LocalizationResource
PX.Translation.DAC	LocalizationTranslation
PX.Translation.DAC	LocalizationValue
PX.Translation.DAC	SkippedResources

Removed Graphs

Namespace	Class Name
PX.Objects.AP	APUpdateSalesPriceProcess
PX.Objects.AP	APUpdateVendorPrice
PX.Objects.AP	APVendorSalesPriceMaint
PX.Objects.AR	ARCustomerSalesPriceMaint
PX.Objects.AR	ARUpdateCustomerPrice
PX.Objects.AR	ARUpdateSalesPrice
PX.Objects.AR	ARUpdateSalesPriceProcess
PX.Objects.EP	EmployeeClaimsEnq
PX.Objects.EP	EPCompCodeMaint
PX.Objects.EP	EPPayGroupMaint
PX.Objects.EP	MyExpenseClaimsEnq
PX.Objects.EP	TimecardInquiry
PX.Objects.IN	INUpdateBasePrice

PX.Objects.IN	INUpdateBasePriceProcess
PX.Objects.PO	POVendorCatalogueEnq
PX.Objects.PO	POVendorInventoryUpdatePriceProcess
PX.Objects.SO	ARDiscountMaint
PX.Objects.SO	ARDiscountSequenceMaint
PX.Objects.SO	ARUpdateDiscounts
PX.Objects.SO	UpdateDiscountProcess

Removed Constants

Namespace	Class Name
PX.Data.Search	PXArticleSearch+Zero
PX.Objects.AP	APDiscount+applicableTo+inventory
PX.Objects.AP	APDiscount+applicableTo+inventoryAndLocation
PX.Objects.AP	APDiscount+applicableTo+location
PX.Objects.AP	APDiscount+applicableTo+unconditional
PX.Objects.CR	CRMassMailStatusesAttribute+approved

PX.Objects.CS	stringEmpty
PX.Objects.EP	EPClaimStatus+approved
PX.Objects.EP	EPClaimStatus+balanced
PX.Objects.EP	EPClaimStatus+closed
PX.Objects.EP	EPClaimStatus+hold
PX.Objects.EP	EPClaimStatus+released
PX.Objects.EP	EPClaimStatus+voided
PX.Objects.EP	EPCompensationCode+type+grossPayBasis
PX.Objects.EP	EPCompensationCode+type+regularHoursBasis
PX.Objects.EP	EPCompensationCode+type+regularPayBasis
PX.Objects.EP	EPCompensationCode+type+regularPortionOfAllPay
PX.Objects.EP	EPCompensationCode+type+totalHoursBasis
PX.Objects.EP	EPPayGroup+payPeriod+biweekly
PX.Objects.EP	EPPayGroup+payPeriod+monthly
PX.Objects.EP	EPPayGroup+payPeriod+semimonthly

PX.Objects.EP	EPPayGroup+payPeriod+weekly
PX.Objects.EP	TasksAndEventsReminder+EventClassId
PX.Objects.EP	TasksAndEventsReminder+TaskClassId
PX.Objects.IN	INPlanConstants+plan6T
PX.Objects.IN	INReplenishmentSource+dropShip
PX.Objects.IN	INReplenishmentSource+transferToOrder
PX.Objects.PO	POOrderType+transfer
PX.Objects.SO	ARDiscount+applicableTo+customer
PX.Objects.SO	ARDiscount+applicableTo+customerAndInventory
PX.Objects.SO	ARDiscount+applicableTo+customerAndInventoryPrice
PX.Objects.SO	ARDiscount+applicableTo+customerPrice
PX.Objects.SO	ARDiscount+applicableTo+customerPriceAndInventory
PX.Objects.SO	ARDiscount+applicableTo+customerPriceAndInventoryPrice
PX.Objects.SO	ARDiscount+applicableTo+inventory
PX.Objects.SO	ARDiscount+applicableTo+inventoryPrice

PX.Objects.S0	ARDiscount+applicableTo+unconditional
PX.Objects.S0	ARDiscount+applicableTo+warehouse
PX.Objects.S0	BreakdownType+AmountBreakdown
PX.Objects.S0	BreakdownType+QuantityBreakdown
PX.Objects.S0	DiscountOption+AmountDiscount
PX.Objects.S0	DiscountOption+FreeItemDiscount
PX.Objects.S0	DiscountOption+PercentDiscount
PX.Objects.S0	DiscountType+DocumentDiscount
PX.Objects.S0	DiscountType+FlatDiscount
PX.Objects.S0	DiscountType+GroupDiscount
PX.Objects.S0	DiscountType+LineDiscount
PX.Objects.S0	S0OrderStatus+order
PX.SM	SynchronizationNamingFormat+date
PX.SM	SynchronizationNamingFormat+revision
PX.SM	SynchronizationOperations+download

PX.SM	SynchronizationOperations+upload
PX.SM	SynchronizationTypes+ftp
PX.SM	SynchronizationTypes+http
PX.SM	SynchronizationTypes+share

Other Removed Classes in PX.Data

Namespace	Class Name
PX.Data	DbMetadata
PX.Data	IncomingMailProtocolsAttribute
PX.Data	IPasswordValidator
PX.Data	OldPXSqlDatabaseProvider
PX.Data	OldPXSqlDatabaseProvider+AuditSetup
PX.Data	OldPXSqlDatabaseProvider+RequiredSubscriber
PX.Data	OldPXSqlDatabaseProvider+SlotClosing
PX.Data	OldPXSqlDatabaseProvider+SubscribersStamp
PX.Data	PXDataFieldDescriptor

PX.Data	PXEmailLoadTemplateAttribute
PX.Data	PXExeededReason
PX.Data	PXLicenseExceededException
PX.Data	PXProcessing<Table>+FinallyProcessselegate<Graph>
PX.Data	PXProcessing<Table>+OuterView
PX.Data	PXProcessing<Table>+ParametersDelegate
PX.Data	PXProcessing<Table>+parametrizedView<TableP>
PX.Data	PXProcessing<Table>+ProcessItemDelegate
PX.Data	PXProcessing<Table>+ProcessItemDelegate<Graph>
PX.Data	PXProcessing<Table>+ProcessListDelegate
PX.Data	SSLRequestAttribute
PX.Data.Access	ActiveDirectoryProvider+Credential
PX.Data.Access	ActiveDirectoryProvider+Group
PX.Data.Access	ActiveDirectoryProvider+Login
PX.Data.Access	ActiveDirectoryProvider+NameInfo

PX.Data.Access	ActiveDirectoryProvider+ReadOnlyCollection<T>
PX.Data.Access	ActiveDirectoryProvider+User
PX.Data.Access	IActiveDirectoryProvider
PX.Data.EP	PXEntityInfoAttribute
PX.Data.Maintenance	PXDateTimeInfo
PX.Data.Search	PXArticleSearch
PX.Data.Search	PXArticleSearch+ArticlesCacheResult
PX.Data.Search	PXArticleSearch+RecordResultCache
PX.Data.Search	PXArticleSearch+Result
PX.Data.Search	PXArticleSearchReplace
PX.Data.Search	PXEntitySearch+Result
PX.Data.Search	PXEntitySearch+ResultDescription
PX.Data.Search	PXFileSearch+FilesCacheResult
PX.Data.Search	PXFileSearch+Result
PX.Data.Search	PXFormsTitleSearch

PX.Data.Search	PXFormsTitleSearch+FormsTitleCacheResult
PX.Data.Search	PXFormsTitleSearch+Result
PX.Data.Search	PXNoteSearch
PX.Data.Search	PXSearch<DACType>
PX.Data.Search	PXSearchCacheable<DACType>
PX.Data.Update	DataTypeFlags
PX.Data.Update	DataTypeInfo
PX.Data.Update	XMLHelper
PX.SM	SynchronizationNamingFormat
PX.SM	SynchronizationNamingFormat+ListAttribute
PX.SM	SynchronizationOperations
PX.SM	SynchronizationOperations+ListAttribute
PX.SM	SynchronizationTypes
PX.SM	SynchronizationTypes+ListAttribute
ScreenApi	TransformClassExtension

Other Removed Classes in PX.Objects

Namespace	Class Name
PX.Objects.AP	APUpdateVendorPrice+DescrUtils
PX.Objects.AP	APVendorSalesPriceMaint+UnitCostItem
PX.Objects.AR	CustomerSalesPriceProcessing<Table,Join,Where,OrderBy>
PX.Objects.AR	PriceBasisType
PX.Objects.AR	PriceBasisType+ListAttribute
PX.Objects.AR	PriceOptionList
PX.Objects.AR	PriceOptionList+ListAttribute
PX.Objects.AR	SalesPriceProcessing<Table,Join,Where,OrderBy>
PX.Objects.CR	IMassProcess<TPrimary>
PX.Objects.CR	PXBaseConditionAttribute
PX.Objects.CR	PXPrimaryGraphCollection
PX.Objects.CR	PXUIEnabledAttribute
PX.Objects.CR	PXUIRequiredAttribute

PX.Objects.CT	GetItemPriceValue<ContractID,ContractItemID,ItemType,ItemPriceType,ItemID,FixedPrice,PriceDate,CurrencyInfoID>
PX.Objects.EP	EPClaimStatus
PX.Objects.EP	EPClaimStatus+ListAttribute
PX.Objects.EP	EPCompensationCode+type+ListAttribute
PX.Objects.EP	EPPayGroup+payPeriod+ListAttribute
PX.Objects.EP	EPViewSelect<TItem,TPView>
PX.Objects.EP	PXParentActivityInfoAttribute
PX.Objects.EP	TasksAndEventsReminder+ActivityListWhere
PX.Objects.EP	TasksAndEventsReminder+ReminderListWhere
PX.Objects.EP	TasksAndEventsReminder+SelectBaseEPGenericActivity
PX.Objects.EP	TasksAndEventsReminder+SelectBaseEPGenericActivity<TJoin,TWhere,TWhere2>
PX.Objects.EP	TasksAndEventsReminder+SelectBaseEPGenericActivity<TWhere,TWhere2>
PX.Objects.EP	TasksAndEventsReminder+SelectBaseEPGenericActivity<TWhere>
PX.Objects.EP	TasksAndEventsReminder+SelectBaseEPGenericActivity2<TJoin>

PX.Objects.EP	TasksAndEventsReminder+SelectNewAndOverdueNewEPGenericActivity<TClassId>
PX.Objects.EP	TasksAndEventsReminder+SelectNewEPGenericActivity<TClassId>
PX.Objects.EP	TasksAndEventsReminder+SelectOpenAndOverdueEPGenericActivity<TClassId,TTomorroy>
PX.Objects.EP	TasksAndEventsReminder+SelectOpenEPGenericActivity<TClassId>
PX.Objects.EP	TasksAndEventsReminder+SelectRemindEPGenericActivityCount
PX.Objects.EP	TasksAndEventsReminder+SelectTodayEPGenericActivity<TClassId>
PX.Objects.GL	AccountByPeriodEnq+SortedSelect
PX.Objects.GL	AccountByPeriodEnq+SortedView
PX.Objects.PO	POVendorCatalogueEnq+Processing<Type>
PX.Objects.PO	POVendorInventoryProjection
PX.Objects.SM	AccessUserExt
PX.Objects.SM. Descriptor	PXSelectPureUsers<TPPrimary,WhereUsers>
PX.Objects.SM. Descriptor	PXSelectPureUsers<TPPrimary>
PX.Objects.SO	AmountLineFields

PX.Objects.S0	AmountLineFields<QuantityField,CuryUnitPriceField,CuryExtPriceField,CuryLineAmountField,UOMField,GroupDiscountRateField,DocumentDiscountRateField>
PX.Objects.S0	ApplicableToCombination
PX.Objects.S0	BqlInterfaceDE
PX.Objects.S0	BreakdownType
PX.Objects.S0	BreakdownType+ListAttribute
PX.Objects.S0	DiscountableValues
PX.Objects.S0	DiscountCode
PX.Objects.S0	DiscountDetailLine
PX.Objects.S0	DiscountEngine
PX.Objects.S0	DiscountEngine+DCCache
PX.Objects.S0	DiscountEngine+DECache<TableType>
PX.Objects.S0	DiscountEngine+DiscountDetailToLineCorrelation<DiscountDetail,Line>
PX.Objects.S0	DiscountEngine<Line>
PX.Objects.S0	DiscountEngine<Line>+UnitPriceVal

PX.Objects.S0	DiscountLineFields
PX.Objects.S0	DiscountLineFields<SkipDiscField,CuryDiscAmtField,DiscPctField,DiscountIDField,DiscountSequenceIDField,ManualDiscField,ManualPriceField, LineTypeField,IsFreeField>
PX.Objects.S0	DiscountOption
PX.Objects.S0	DiscountOption+ListAttribute
PX.Objects.S0	DiscountResult
PX.Objects.S0	DiscountSequenceKey
PX.Objects.S0	DiscountTarget
PX.Objects.S0	DiscountType
PX.Objects.S0	DiscountType+ListAttribute
PX.Objects.S0	IDiscountDetail
PX.Objects.S0	LineEntitiesFields
PX.Objects.S0	LineEntitiesFields<InventoryField,CustomerField,SiteField,BranchField,VendorField>
PX.Objects.S0	ManualDiscountMode
PX.Objects.S0	SOLine2PlanIDAttribute

Modified Interfaces and Abstract Classes in PX.Data

Namespace	Name	Added	Removed
PX.Api.Models.Entity	CustomField	3 methods	0 method
PX.Api.Services	IEntityDescriptionService	13 methods	4 methods
PX.Api.Services	ILoginService	2 methods	0 method
PX.Api.Services	IScreenService	8 methods	3 methods
PX.Data	ComparisonBase<Operand>	2 methods	0 method
PX.Data	IBqlCreator	0 method	1 method
PX.Data	IBqlJoin	1 method	0 method
PX.Data	ICarrierService	1 method	0 method
PX.Data	ISqlDialect	7 methods	1 method
PX.Data	PXBaseMembershipProvider	1 method	0 method
PX.Data	PXCache	5 methods	0 method

PX.Data	PXDatabaseProvider	4 methods	4 methods
PX.Data	PXDatabaseProviderBase	0 method	2 methods
PX.Data	SqlDialectBase	1 method	0 method
PX.Data.Description.GI	IPXValue	1 method	0 method
PX.Data.EP	DynamicAttachmentManager+IHandler	1 method	1 method
PX.Data.EP	IActivityService	1 method	0 method
PX.SM	IPXFileAttachmentProvider	1 method	1 method
PX.Translation	PXTranslator	1 method	1 method

Modified Interfaces and Abstract Classes in PX.Objects

Namespace	Name	Added	Removed
PX.Objects.CR	IActivityList	1 method	1 method
PX.Objects.IN	IStatus	2 methods	0 method
PX.Objects.IN.Overrides.INDocumentRelease	IQtyAllocated	2 methods	0 method
PX.Objects.PO	IAPTranSource	6 methods	0 method

Breaking Changes in Data Access Classes (DACs)

Note: Every DAC containing a NoteID field has been modified to use the new guid data type. Occurrences of this field have been purposely left out from the list below.

Namespace	Class Name	Method Name
PX.Data	GenericResult	get_Num()
PX.Data	GenericResult	set_Num(Nullable<Int32>)
PX.Objects.AP	APRegister	get_BatchSeq()
PX.Objects.AP	APRegister	set_BatchSeq(Nullable<Int16>)
PX.Objects.AP	APRegister	SetStatus()
PX.Objects.AP. Standalone	APQuickCheck	get_BatchSeq()
PX.Objects.AP. Standalone	APQuickCheck	set_BatchSeq(Nullable<Int16>)
PX.Objects.AR	ARChargeInvoices+ PayBillsFilter	get_CustomerID()
PX.Objects.AR	ARChargeInvoices+ PayBillsFilter	get_StatementCycleId()
PX.Objects.AR	ARChargeInvoices+ PayBillsFilter	get_TermsID()

PX.Objects.AR	ARChargeInvoices+PayBillsFilter	set_CustomerID(Nullable<Int32>)
PX.Objects.AR	ARChargeInvoices+PayBillsFilter	set_StatementCycleId(String)
PX.Objects.AR	ARChargeInvoices+PayBillsFilter	set_TermsID(String)
PX.Objects.AR	ARInvoice	SetStatus()
PX.Objects.AR	ARInvoice	StatusSet(String)
PX.Objects.AR	ARRegister	SetStatus()
PX.Objects.AR	ARSalesPrice	get_AvgCost()
PX.Objects.AR	ARSalesPrice	get_BaseCuryID()
PX.Objects.AR	ARSalesPrice	get_IsCustClassPrice()
PX.Objects.AR	ARSalesPrice	get_LastBreakQty()
PX.Objects.AR	ARSalesPrice	get_LastCost()
PX.Objects.AR	ARSalesPrice	get_LastDate()
PX.Objects.AR	ARSalesPrice	get_LastPrice()
PX.Objects.AR	ARSalesPrice	get_LastTaxID()

PX.Objects.AR	ARSalesPrice	get_MinGPPPrice()
PX.Objects.AR	ARSalesPrice	get_PendingBreakQty()
PX.Objects.AR	ARSalesPrice	get_PendingPrice()
PX.Objects.AR	ARSalesPrice	get_PendingTaxID()
PX.Objects.AR	ARSalesPrice	get_RecPrice()
PX.Objects.AR	ARSalesPrice	get_Selected()
PX.Objects.AR	ARSalesPrice	set_AvgCost(Nullable<Decimal>)
PX.Objects.AR	ARSalesPrice	set_BaseCuryID(String)
PX.Objects.AR	ARSalesPrice	set_IsCustClassPrice(Nullable<Boolean>)
PX.Objects.AR	ARSalesPrice	set_LastBreakQty(Nullable<Decimal>)
PX.Objects.AR	ARSalesPrice	set_LastCost(Nullable<Decimal>)
PX.Objects.AR	ARSalesPrice	set_LastDate(Nullable<DateTime>)
PX.Objects.AR	ARSalesPrice	set_LastPrice(Nullable<Decimal>)
PX.Objects.AR	ARSalesPrice	set_LastTaxID(String)
PX.Objects.AR	ARSalesPrice	set_MinGPPPrice(Nullable<Decimal>)

PX.Objects.AR	ARSalesPrice	set_PendingBreakQty(Nullable<Decimal>)
PX.Objects.AR	ARSalesPrice	set_PendingPrice(Nullable<Decimal>)
PX.Objects.AR	ARSalesPrice	set_PendingTaxID(String)
PX.Objects.AR	ARSalesPrice	set_RecPrice(Nullable<Decimal>)
PX.Objects.AR	ARSalesPrice	set_Selected(Nullable<Boolean>)
PX.Objects.AR	ARSalesPriceFilter	get_CuryID()
PX.Objects.AR	ARSalesPriceFilter	get_CustomerID()
PX.Objects.AR	ARSalesPriceFilter	get_CustPriceClassID()
PX.Objects.AR	ARSalesPriceFilter	get_PromotionalPrice()
PX.Objects.AR	ARSalesPriceFilter	set_CuryID(String)
PX.Objects.AR	ARSalesPriceFilter	set_CustomerID(Nullable<Int32>)
PX.Objects.AR	ARSalesPriceFilter	set_CustPriceClassID(String)
PX.Objects.AR	ARSalesPriceFilter	set_PromotionalPrice(Nullable<Boolean>)
PX.Objects.AR	ARSetup	get_PaymentAutoProcessingTermsID()
PX.Objects.AR	ARSetup	get_ZeroPost()

PX.Objects.AR	ARSetup	set_PaymentAutoProcessingTermsID(String)
PX.Objects.AR	ARSetup	set_ZeroPost(Nullable<Boolean>)
PX.Objects.AR	BalancedARDocument	SetStatus()
PX.Objects.AR	CustomerPaymentMethod	get_SynchronizeDeletion()
PX.Objects.AR	CustomerPaymentMethod	set_SynchronizeDeletion(Nullable<Boolean>)
PX.Objects.CR	Contact	get_Birthday()
PX.Objects.CR	Contact	set_Birthday(Nullable<DateTime>)
PX.Objects.CR	CRContactClass	get_Active()
PX.Objects.CR	CRContactClass	set_Active(Nullable<Boolean>)
PX.Objects.CR	CRMarketingList	get_FullName()
PX.Objects.CR	CRSetup	get_RestrictEmailRecipients()
PX.Objects.CR	CRSetup	get_VerifyActivitySource()
PX.Objects.CR	CRSetup	set_RestrictEmailRecipients(Nullable<Boolean>)
PX.Objects.CR	CRSetup	set_VerifyActivitySource(Nullable<Boolean>)
PX.Objects.CR	EPActivity	get_ProcessDate()

PX.Objects.CR	EPAActivity	set_ProcessDate(Nullable<DateTime>)
PX.Objects.CT	ContractDetail	get_AccountID()
PX.Objects.CT	ContractDetail	get_AccountSource()
PX.Objects.CT	ContractDetail	get_CuryInfoID()
PX.Objects.CT	ContractDetail	get_CuryItemFee()
PX.Objects.CT	ContractDetail	get_ItemFee()
PX.Objects.CT	ContractDetail	get_SubID()
PX.Objects.CT	ContractDetail	get_SubMask()
PX.Objects.CT	ContractDetail	get_TaskID()
PX.Objects.CT	ContractDetail	set_AccountID(Nullable<Int32>)
PX.Objects.CT	ContractDetail	set_AccountSource(String)
PX.Objects.CT	ContractDetail	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CT	ContractDetail	set_CuryItemFee(Nullable<Decimal>)
PX.Objects.CT	ContractDetail	set_ItemFee(Nullable<Decimal>)
PX.Objects.CT	ContractDetail	set_SubID(Nullable<Int32>)

PX.Objects.CT	ContractDetail	set_SubMask(String)
PX.Objects.CT	ContractDetail	set_TaskID(Nullable<Int32>)
PX.Objects.CT	ContractDetailAcum	get_AccountID()
PX.Objects.CT	ContractDetailAcum	get_CuryInfoID()
PX.Objects.CT	ContractDetailAcum	get_CuryItemFee()
PX.Objects.CT	ContractDetailAcum	get_ItemFee()
PX.Objects.CT	ContractDetailAcum	get_SubID()
PX.Objects.CT	ContractDetailAcum	get_TaskID()
PX.Objects.CT	ContractDetailAcum	set_AccountID(Nullable<Int32>)
PX.Objects.CT	ContractDetailAcum	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CT	ContractDetailAcum	set_CuryItemFee(Nullable<Decimal>)
PX.Objects.CT	ContractDetailAcum	set_ItemFee(Nullable<Decimal>)
PX.Objects.CT	ContractDetailAcum	set_SubID(Nullable<Int32>)
PX.Objects.CT	ContractDetailAcum	set_TaskID(Nullable<Int32>)

PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter	get_FromDate()
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter	get_TillDate()
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter	set_FromDate(Nullable<DateTime>)
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter	set_TillDate(Nullable<DateTime>)
PX.Objects.EP	EPActivityApprove	get_IsApprove()
PX.Objects.EP	EPActivityApprove	get_OvertimeBillable()
PX.Objects.EP	EPActivityApprove	set_IsApprove(Nullable<Boolean>)
PX.Objects.EP	EPActivityApprove	set_OvertimeBillable(Nullable<Int32>)
PX.Objects.EP	EPApprovalProcess+EPOwned	set_Escalated(Nullable<Int32>)
PX.Objects.EP	EPEmployee	get_HireDate()
PX.Objects.EP	EPEmployee	get_PositionID()
PX.Objects.EP	EPEmployee	get_Terminated()
PX.Objects.EP	EPEmployee	get_TerminationDate()

PX.Objects.EP	EPEmployee	set_HireDate(Nullable<DateTime>)
PX.Objects.EP	EPEmployee	set_PositionID(String)
PX.Objects.EP	EPEmployee	set_Terminated(Nullable<Boolean>)
PX.Objects.EP	EPEmployee	set_TerminationDate(Nullable<DateTime>)
PX.Objects.EP	EPEmployeeRate	get_CompensationCode()
PX.Objects.EP	EPEmployeeRate	get_PayGroupID()
PX.Objects.EP	EPEmployeeRate	set_CompensationCode(String)
PX.Objects.EP	EPEmployeeRate	set_PayGroupID(String)
PX.Objects.EP	EPEmployeeRate	set_RegularHours(Nullable<Int32>)
PX.Objects.EP	EPEmployeeRateByProject	get_CompensationCode()
PX.Objects.EP	EPEmployeeRateByProject	set_CompensationCode(String)
PX.Objects.EP	EPExpenseClaim	get_CuryOrigDocAmt()
PX.Objects.EP	EPExpenseClaim	get_LineCntr()
PX.Objects.EP	EPExpenseClaim	get_OrigDocAmt()
PX.Objects.EP	EPExpenseClaim	set_CuryOrigDocAmt(Nullable<Decimal>)

PX.Objects.EP	EPExpenseClaim	set_LineCntr(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaim	set_OrigDocAmt(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_LineNbr()
PX.Objects.EP	EPExpenseClaimDetails	set_LineNbr(Nullable<Int32>)
PX.Objects.EP	EPSetup	get_RequireControlTotal()
PX.Objects.EP	EPSetup	set_RequireControlTotal(Nullable<Boolean>)
PX.Objects.EP	EPTax	get_LineNbr()
PX.Objects.EP	EPTax	set_LineNbr(Nullable<Int32>)
PX.Objects.EP	EPTaxTran	get_LineNbr()
PX.Objects.EP	EPTaxTran	set_LineNbr(Nullable<Int32>)
PX.Objects.FA	FASetup	get_AcceleratedDepreciation()
PX.Objects.FA	FASetup	set_AcceleratedDepreciation(Nullable<Boolean>)
PX.Objects.GL	AccountByPeriodFilter	ClearTotals()
PX.Objects.GL	GLTrialBalanceImportDetails	get_DisplayStatus()
PX.Objects.GL	GLTrialBalanceImportDetails	set_DisplayStatus(Nullable<Int32>)

PX.Objects.IN	INPlanType	op_ExclusiveOr(INPlanType,INPlanType)
PX.Objects.IN	INPlanType	op_Multiply(INPlanType,INPlanType)
PX.Objects.IN	InventoryItem	get_BasePriceDate()
PX.Objects.IN	InventoryItem	get_LastBasePrice()
PX.Objects.IN	InventoryItem	get_PendingBasePrice()
PX.Objects.IN	InventoryItem	get_PendingBasePriceDate()
PX.Objects.IN	InventoryItem	set_BasePriceDate(Nullable<DateTime>)
PX.Objects.IN	InventoryItem	set_LastBasePrice(Nullable<Decimal>)
PX.Objects.IN	InventoryItem	set_PendingBasePrice(Nullable<Decimal>)
PX.Objects.IN	InventoryItem	set_PendingBasePriceDate(Nullable<DateTime>)
PX.Objects.PM	PMTran	get_ResourceLocID()
PX.Objects.PM	PMTran	set_OrigRefID(Nullable<Int64>)
PX.Objects.PM	PMTran	set_ResourceLocID(Nullable<Int32>)
PX.Objects.PO	POCreate+POCreateFilter	get_ReplenishmentSourceSiteID()
PX.Objects.PO	POCreate+POCreateFilter	set_ReplenishmentSourceSiteID(Nullable<Int32>)

PX.Objects.PO	POFixedDemand	get_ReplenishmentSourceSiteID()
PX.Objects.PO	POFixedDemand	get_UnitVolume()
PX.Objects.PO	POFixedDemand	get_UnitWeight()
PX.Objects.PO	POFixedDemand	set_ReplenishmentSourceSiteID(Nullable<Int32>)
PX.Objects.PO	POFixedDemand	set_UnitVolume(Nullable<Decimal>)
PX.Objects.PO	POFixedDemand	set_UnitWeight(Nullable<Decimal>)
PX.Objects.PO	POReceipt	get_LCEnabled()
PX.Objects.PO	POReceipt	set_LCEnabled(Nullable<Boolean>)
PX.Objects.PO	POReceiptEntry+POLines	get_BaseShippedQty()
PX.Objects.PO	POReceiptEntry+POLines	set_BaseShippedQty(Nullable<Decimal>)
PX.Objects.PO	POVendorInventory	get_EffDate()
PX.Objects.PO	POVendorInventory	get_EffectivePriceValue()
PX.Objects.PO	POVendorInventory	get_EffPrice()
PX.Objects.PO	POVendorInventory	get_PendingDate()
PX.Objects.PO	POVendorInventory	get_PendingPrice()

PX.Objects.PO	POVendorInventory	set_EffDate(Nullable<DateTime>)
PX.Objects.PO	POVendorInventory	set_EffectivePriceValue(Nullable<Decimal>)
PX.Objects.PO	POVendorInventory	set_EffPrice(Nullable<Decimal>)
PX.Objects.PO	POVendorInventory	set_PendingDate(Nullable<DateTime>)
PX.Objects.PO	POVendorInventory	set_PendingPrice(Nullable<Decimal>)
PX.Objects.SO	SOCreat+SOFixedDemand	get_ReplenishmentSourceSiteID()
PX.Objects.SO	SOCreat+SOFixedDemand	set_ReplenishmentSourceSiteID(Nullable<Int32>)
PX.Objects.SO	SOLine	get_BaseReceivedQty()
PX.Objects.SO	SOLine	get_Cancelled()
PX.Objects.SO	SOLine	get_OrigPOLineNbr()
PX.Objects.SO	SOLine	get_OrigPONbr()
PX.Objects.SO	SOLine	get_OrigPOType()
PX.Objects.SO	SOLine	get_PlanID()
PX.Objects.SO	SOLine	get_POLineNbr()
PX.Objects.SO	SOLine	get_PONbr()

PX.Objects.S0	SOLine	get_POType()
PX.Objects.S0	SOLine	get_ReceivedQty()
PX.Objects.S0	SOLine	set_BaseReceivedQty(Nullable<Decimal>)
PX.Objects.S0	SOLine	set_Cancelled(Nullable<Boolean>)
PX.Objects.S0	SOLine	set_OrigPOLineNbr(Nullable<Int32>)
PX.Objects.S0	SOLine	set_OrigPONbr(String)
PX.Objects.S0	SOLine	set_OrigPOType(String)
PX.Objects.S0	SOLine	set_PlanID(Nullable<Int64>)
PX.Objects.S0	SOLine	set_POLineNbr(Nullable<Int32>)
PX.Objects.S0	SOLine	set_PONbr(String)
PX.Objects.S0	SOLine	set_POType(String)
PX.Objects.S0	SOLine	set_ReceivedQty(Nullable<Decimal>)
PX.Objects.S0	SOLine2	get_PlanID()
PX.Objects.S0	SOLine2	get_S0OrderTypeOperationOrderType()
PX.Objects.S0	SOLine2	get_S0OrderTypeOrderType()

PX.Objects.S0	SOLine2	set_PlanID(Nullable<Int64>)
PX.Objects.S0	SOLine2	set_S0OrderTypeOperationOrderType(String)
PX.Objects.S0	SOLine2	set_S0OrderTypeOrderType(String)
PX.Objects.S0	SOLine4	get_PlanID()
PX.Objects.S0	SOLine4	get_POLineNbr()
PX.Objects.S0	SOLine4	get_PONbr()
PX.Objects.S0	SOLine4	get_POType()
PX.Objects.S0	SOLine4	set_PlanID(Nullable<Int64>)
PX.Objects.S0	SOLine4	set_POLineNbr(Nullable<Int32>)
PX.Objects.S0	SOLine4	set_PONbr(String)
PX.Objects.S0	SOLine4	set_POType(String)
PX.Objects.S0	SOLineSplit	get_Cancelled()
PX.Objects.S0	SOLineSplit	get_Released()
PX.Objects.S0	SOLineSplit	set_Cancelled(Nullable<Boolean>)
PX.Objects.S0	SOLineSplit	set_Released(Nullable<Boolean>)

PX.Objects.S0	SOLineSplit2	get_S0OrderTypeOperationOrderType()
PX.Objects.S0	SOLineSplit2	get_S0OrderTypeOrderType()
PX.Objects.S0	SOLineSplit2	set_S0OrderTypeOperationOrderType(String)
PX.Objects.S0	SOLineSplit2	set_S0OrderTypeOrderType(String)
PX.Objects.S0	S0Order	get_OrigPONbr()
PX.Objects.S0	S0Order	get_OrigPOType()
PX.Objects.S0	S0Order	set_OrigPONbr(String)
PX.Objects.S0	S0Order	set_OrigPOType(String)
PX.Objects.S0	S0OrderShipment	get_OrigPONbr()
PX.Objects.S0	S0OrderShipment	get_OrigPOType()
PX.Objects.S0	S0OrderShipment	set_OrigPONbr(String)
PX.Objects.S0	S0OrderShipment	set_OrigPOType(String)
PX.Objects.S0	S0Setup	get_SalesPriceUpdateUnit()
PX.Objects.S0	S0Setup	set_SalesPriceUpdateUnit(String)
PX.Objects.S0	S0ShipLine	op_Implicit(PXResult<POReceiptLine,S0Line>)

PX.SM	EMailAccount	get_UserName()
PX.SM	EMailAccount	set_UserName(String)
PX.SM	PreferencesGeneral	get_AcctName()
PX.SM	PreferencesGeneral	get_FirstDayOfWeek()
PX.SM	PreferencesGeneral	get_UserWelcomeNotificationId()
PX.SM	PreferencesGeneral	set_AcctName(String)
PX.SM	PreferencesGeneral	set_FirstDayOfWeek(Nullable<Int32>)
PX.SM	PreferencesGeneral	set_UserWelcomeNotificationId(Nullable<Int32>)
PX.SM	PreferencesSecurity	get_PasswordSecurityForAdmin()
PX.SM	PreferencesSecurity	get_PasswordSecurityForAll()
PX.SM	PreferencesSecurity	set_PasswordSecurityForAdmin(String)
PX.SM	PreferencesSecurity	set_PasswordSecurityForAll(String)
PX.SM	UPCompany	get_CompanyName()
PX.SM	UPCompany	set_CompanyName(String)
PX.SM	UserPreferences	get_EditorFontName()

PX.SM	UserPreferences	get_EditorFontSize()
PX.SM	UserPreferences	set_EditorFontName(String)
PX.SM	UserPreferences	set_EditorFontSize(Nullable<Int32>)
PX.SM	Users	Fill(ActiveDirectoryProvider+User)
PX.SM	Users	GetDomains(IEnumerable<ActiveDirectoryProvider+Login>)
PX.SM	Users	set_Logins(ActiveDirectoryProvider+ReadOnlyCollection<ActiveDirectoryProvider+Login>)

Breaking Changes in Graphs

Namespace	Class Name	Method Name
PX.Api.Soap.Entity	EntityMaint	GetScreenInfo(String)
PX.CS	RMReportReader	appendChildren(PXCache, ARmUnit, String)
PX.CS	RMReportReader	IsBetween(String, String, String)
PX.CS	RMReportReader	IsLike(String, String)
PX.Data	PXGenericInqGrph	exportExcelFile()
PX.Data	PXGenericInqGrph	exportIqyFile()

PX.Data	PXGenericInqGrph	getIqyLink()
PX.Objects.AP	APIInvoiceEntry	APIInvoice_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.AP	APIInvoiceEntry	APTran_AccountID_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.AR	ARCreateWriteOff	viewDocument(PXAdapter)
PX.Objects.AR	ARCustomerCreditHoldProcess	Proc0(DLCustomerUpdate,ARCustomerCreditHoldProcess+DetailsResult)
PX.Objects.AR	ARCustomerCreditHoldProcess	Proc1(DLCustomerUpdate,ARCustomerCreditHoldProcess+DetailsResult)
PX.Objects.AR	ARDocumentRelease	viewDocument(PXAdapter)
PX.Objects.AR	ARIntegrityCheck	ViewCustomer(PXAdapter)
PX.Objects.AR	ARInvoiceEntry	ARInvoiceDiscountDetail_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.AR	ARPaymentsAutoProcessing	ViewDocument(PXAdapter)
PX.Objects.AR	ARPrintInvoices	viewDocument(PXAdapter)
PX.Objects.AR	ARReleaseProcess	get_ZeroPost()
PX.Objects.AR	ARReleaseProcess	ReleaseDocProc(JournalEntry,ARRegister&,PXResult<ARInvoice,CurrencyInfo,Terms,Customer>,PMRegister&)

PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_BaseCuryID_FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_CuryID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_CustPriceClassID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_EffectiveDate_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_InventoryID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_LastDate_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_PendingPrice_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_PendingPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_PendingPrice_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPrice_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPriceFilter_CuryID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ARSalesPriceFilter_CustPriceClassID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	ExecuteUpdate(String,IDictionary,IDictionary,Object[])

PX.Objects.AR	ARSalesPriceMaint	FindSalesPrice(PXCache,String,Nullable<Int32>,Nullable<Int32>,String,Nullable<Decimal>,String,DateTime)
PX.Objects.AR	ARSalesPriceMaint	MassCalcFilter_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	MassCopyFilter_CurrencyDate_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	MassCopyFilter_CuryID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	MassCopyFilter_CustomerID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	MassCopyFilter_PriceOption_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	MassCopyFilter_RateTypeID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	MassCopyFilter_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	MassCopyFilter_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.AR	ARSalesPriceMaint	Preload(PXAdapter)
PX.Objects.AR	ARSalesPriceMaint	PrepareImportRow(String,IDictionary,IDictionary)
PX.Objects.AR	ARSalesPriceMaint	PrepareItems(String,IEnumerable)
PX.Objects.AR	ARSalesPriceMaint	Process(List<ARSalesPrice>)
PX.Objects.AR	ARSalesPriceMaint	records(String)

PX.Objects.AR	ARSalesPriceMaint	recordsForProcessAll()
PX.Objects.AR	ARSalesPriceMaint	RowImported(String,Object,Object)
PX.Objects.AR	ARSalesPriceMaint	RowImporting(String,Object)
PX.Objects.AR	ARSalesPriceMaint	WCalcNext(PXAdapter)
PX.Objects.AR	ARSalesPriceMaint	WCalcSave(PXAdapter)
PX.Objects.AR	ARSalesPriceMaint	WCopyNext(PXAdapter)
PX.Objects.AR	ARSalesPriceMaint	WCopySave(PXAdapter)
PX.Objects.AR	ARScheduleRun	viewSchedule(PXAdapter)
PX.Objects.AR	ARSPCommission Process	Cancel(PXAdapter)
PX.Objects.AR	ARSPCommissionReview	ViewDetails(PXAdapter)
PX.Objects.AR	ARStatementPrint	ViewDetails(PXAdapter)
PX.Objects.AR	CCPaymentProcessing	IsFeatureSupported(Object,CCProcessingFeature)
PX.Objects.AR	CCTransactions HistoryEnq	ViewCustomer(PXAdapter)
PX.Objects.AR	CCTransactions HistoryEnq	ViewPayment(PXAdapter)

PX.Objects.AR	CCTransactions HistoryEnq	ViewPaymentMethod(PXAdapter)
PX.Objects.AR	CustomerMaint	CustomerStatementMC(PXAdapter)
PX.Objects.AR	CustomerPayment MethodMaint	CreatePaymentMethodHF<TPaymentMethodType>(PXGraph,PXSelectBase<TPaymentMet hodType>,TPaymentMethodType)
PX.Objects.AR	CustomerPayment MethodMaint	GetTokenizedPMsString(PXGraph)
PX.Objects.AR	CustomerPayment MethodMaint	ManagePaymentMethodHF<TPaymentMethodType>(PXGraph,TPaymentMethodType)
PX.Objects.AR	CustomerPayment MethodMaint	SyncDeletePMI(PXGraph,PXSelectBase<CustomerPaymentMethod>,PXSelectBase<Cus tomerPaymentMethodDetail>)
PX.Objects.AR	CustomerPayment MethodMaint	SyncNewPMI<TPaymentMethodType,TDetailsType>(PXGraph,PXSelectBase<TPaymentM ethodType>,PXSelectBase<TDetailsType>)
PX.Objects.AR	CustomerPayment MethodMaint	SyncPaymentMethodsHF<TPaymentMethodType,TDetailsType>(PXGraph,PXSelectBase <TPaymentMethodType>,PXSelectBase<TDetailsType>,TPaymentMethodType)
PX.Objects.AR	FailedCCPaymentEnq	ViewCreditCard(PXAdapter)
PX.Objects.AR	FailedCCPaymentEnq	ViewCustomer(PXAdapter)
PX.Objects.AR	FailedCCPaymentEnq	ViewDocument(PXAdapter)

PX.Objects.AR	StatementCycle ProcessB0	DeleteStatement(ARStatementCycle,DateTime)
PX.Objects.AR	StatementCycle ProcessB0	DeleteStatements(ARStatementCycle,IEnumerable<Customer>,DateTime)
PX.Objects.AR	StatementCycle ProcessB0	GenerateStatement(ARStatementCycle,DateTime)
PX.Objects.CA	CABankTransactions Maint	AttemptApplyRules(CABankTran)
PX.Objects.CA	CashAccountMaint	CashAccount_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.CA	CATranEntry	ExecuteUpdate(String,IDictionary,IDictionary,Object[])
PX.Objects.CA	PaymentMethodMaint	CCProcessingCenterPmntMethod_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.CA	PaymentMethodMaint	CCProcessingCenterPmntMethod_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.CA	PaymentMethodMaint	CCProcessingCenterPmntMethod_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.CA	PaymentMethodMaint	PaymentMethodDetail_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.CA	PaymentMethodMaint	PaymentMethodDetail_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.CA	PaymentMethodMaint	ResetUniqueFlags(PaymentMethodDetail,Boolean&)
PX.Objects.CM	TranslationRelease	ViewTranslation(PXAdapter)

PX.Objects.CR	ContactMaint	Contact_BAccountID_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.CR	CRCommunication Deleted	deleteRow()
PX.Objects.CR	CRCommunication Deleted	EPAActivity_Subject_CacheAttached(PXCache)
PX.Objects.CR	CRCommunication Deleted	forward()
PX.Objects.CR	CRCommunication Deleted	reply()
PX.Objects.CR	CRCommunication Deleted	replyAll()
PX.Objects.CR	CRCommunication Deleted	viewEntity()
PX.Objects.CR	CRCommunicationDraft	createNew()
PX.Objects.CR	CRCommunicationDraft	deleteRow()
PX.Objects.CR	CRCommunicationDraft	EPAActivity_Subject_CacheAttached(PXCache)
PX.Objects.CR	CRCommunicationDraft	viewEntity()
PX.Objects.CR	CRCommunicationInbox	createNew()

PX.Objects.CR	CRCommunicationInbox	deleteRow()
PX.Objects.CR	CRCommunicationInbox	EPAActivity_StartDate_CacheAttached(PXCache)
PX.Objects.CR	CRCommunicationInbox	EPAActivity_Subject_CacheAttached(PXCache)
PX.Objects.CR	CRCommunicationInbox	forward()
PX.Objects.CR	CRCommunicationInbox	LongProcessReceive()
PX.Objects.CR	CRCommunicationInbox	receiveAll()
PX.Objects.CR	CRCommunicationInbox	reply()
PX.Objects.CR	CRCommunicationInbox	replyAll()
PX.Objects.CR	CRCommunicationInbox	viewEntity()
PX.Objects.CR	CRCommunication Outbox	createNew()
PX.Objects.CR	CRCommunication Outbox	deleteRow()
PX.Objects.CR	CRCommunication Outbox	EPAActivity_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.CR	CRCommunication Outbox	EPAActivity_Subject_CacheAttached(PXCache)

PX.Objects.CR	CRCommunication Outbox	forward()
PX.Objects.CR	CRCommunication Outbox	reply()
PX.Objects.CR	CRCommunication Outbox	replyAll()
PX.Objects.CR	CRCommunication Outbox	viewEntity()
PX.Objects.CR	CRCommunicationSend	createNew()
PX.Objects.CR	CRCommunicationSend	deleteRow()
PX.Objects.CR	CRCommunicationSend	EPAActivity_Subject_CacheAttached(PXCache)
PX.Objects.CR	CRCommunicationSend	forward()
PX.Objects.CR	CRCommunicationSend	reply()
PX.Objects.CR	CRCommunicationSend	replyAll()
PX.Objects.CR	CRCommunicationSend	viewEntity()
PX.Objects.CR	CREmailActivityMaint	AttachFiles(EPAActivity,Int64,PXCache,IEnumerable<FileInfo>)
PX.Objects.CR	CREmailActivityMaint	EPAActivity_RowPersisted(PXCache,PXRowPersistedEventArgs)

PX.Objects.CR	CEmailActivityMaint	EPAActivity_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.CR	CRTaskMaint	EPAActivity_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.CR	LeadMaint	Contact_ClassID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CR	LeadMaint	Contact_ClassID_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_IsFree_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CS	DimensionMaint	ValidateSubItems()
PX.Objects.CT	ContractBilling	ViewContract(PXAdapter)
PX.Objects.CT	ContractMaint	Contract_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.CT	ContractMaint	Contract_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.CT	ContractMaint	SetDiscounts(PXCache,ContractDetail)
PX.Objects.CT	RenewContracts	ViewContract(PXAdapter)
PX.Objects.EP	ActivitiesEnq	activities()
PX.Objects.EP	ActivitiesEnq	OwnedFilter_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.EP	CRActivityMaint	EPAActivity_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.EP	CRActivityMaint	EPAActivity_RowPersisting(PXCache,PXRowPersistingEventArgs)

PX.Objects.EP	EmployeeActivities Entry	EPActivityApprove_TimeBillable_CacheAttached(PXCache)
PX.Objects.EP	EmployeeActivities Entry	EPActivityFilter_FromDate_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	EmployeeActivities Entry	EPActivityFilter_TillDate_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	EApprovalProcess	Details(PXAdapter)
PX.Objects.EP	EPCustomerBilling Process	InsertARTran(ARInvoiceEntry,EPExpenseClaimDetails,Boolean,Boolean)
PX.Objects.EP	EPCustomerBilling Process	InsertPMTran(RegisterEntry,EPExpenseClaimDetails,EPExpenseClaim,Boolean,Boolean)
PX.Objects.EP	EPEventEnq	createNew()
PX.Objects.EP	EPEventEnq	OwnedFilter_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.EP	EPEventMaint	EPActivity_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.EP	EPEventMaint	EPActivity_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.EP	EPEventMaint	EPActivity_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.EP	EPEventMaint	EPOtherAttendeeWithNotification_Email_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)

PX.Objects.EP	EPEventMaint	Users_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.EP	EPTaskEnq	createNew()
PX.Objects.EP	EPTaskEnq	TaskFilter_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.EP	EPTaskEnq	tasks()
PX.Objects.EP	EquipmentTimeCard Maint	Assign(PXAdapter)
PX.Objects.EP	EquipmentTimeCard Maint	InsertPMTran(RegisterEntry,EPEquipmentDetail,Nullable<Int32>,Nullable<Int32>,Nullable<Decimal>,Nullable<Int32>,Boolean,Boolean)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaim_Approved_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaim_Hold_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaim_Rejected_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_Billable_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_ContractID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_CustomerID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)

PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_CustomerLocationID_FieldUpdating(PXCache,PXFieldUpdatingEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_ExpenseAccountID_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_TaskID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_TaxCategoryID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_UOM_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	ExpenseClaimEntry	get_EPSETUP()
PX.Objects.EP	ExpenseClaimEntry	get_TAXZONE()
PX.Objects.EP	TasksAndEvents Reminder	GetEventsDefaultFilterID()
PX.Objects.EP	TasksAndEvents Reminder	GetNewEventsCount()
PX.Objects.EP	TasksAndEvents Reminder	GetNewTasksCount()
PX.Objects.EP	TasksAndEvents Reminder	GetOpenEventsCount()

PX.Objects.EP	TasksAndEvents Reminder	GetOpenTasksCount()
PX.Objects.EP	TasksAndEvents Reminder	GetTasksDefaultFilterID()
PX.Objects.EP	TasksAndEvents Reminder	GetTodayEventsCount()
PX.Objects.EP	TasksAndEvents Reminder	GetTodayTasksCount()
PX.Objects.EP	TasksAndEvents Reminder	OpenInquiryScreen(Int64)
PX.Objects.EP	TimeCardMaint	Assign(PXAdapter)
PX.Objects.EP	TimeCardMaint	EPTimeCard_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.EP	TimeCardRelease	Release(TimeCardRelease+EPTimeCardRow)
PX.Objects.FA	AssetTranRelease	viewDocument(PXAdapter)
PX.Objects.FA	CalcDeprProcess	ViewAsset(PXAdapter)
PX.Objects.FA	CalcDeprProcess	ViewBook(PXAdapter)
PX.Objects.FA	CalcDeprProcess	ViewClass(PXAdapter)
PX.Objects.FA	DeleteDocsProcess	ViewDocument(PXAdapter)

PX.Objects.FA	Depreciation Calculation	CalculateDepreciationAddition(FABookBalance, FADepreciationMethod, FABookHistory)
PX.Objects.FA	Depreciation Calculation	UseAcceleratedDepreciation(FADepreciationMethod)
PX.Objects.FA	DisposalProcess	ViewAsset(PXAdapter)
PX.Objects.FA	TransferProcess	ViewAsset(PXAdapter)
PX.Objects.GL	AccountByPeriodEnq	Aggregate(AccountByPeriodFilter, GLHistoryEnquiryResult)
PX.Objects.GL	AccountByPeriodEnq	Aggregate(AccountByPeriodFilter, GLTranR)
PX.Objects.GL	AccountByPeriodEnq	gltranenq()
PX.Objects.GL	AllocationProcess	viewAllocation(PXAdapter)
PX.Objects.GL	BatchPost	Batch_BatchNbr_CacheAttached(PXCache)
PX.Objects.GL	BatchPost	ViewBatch(PXAdapter)
PX.Objects.GL	BatchRelease	Batch_BatchNbr_CacheAttached(PXCache)
PX.Objects.GL	BatchRelease	Batch_RowSelected(PXCache, PXRowSelectedEventArgs)
PX.Objects.GL	BatchRelease	GLEditReport(PXAdapter)
PX.Objects.GL	BatchRelease	ViewBatch(PXAdapter)

PX.Objects.GL	GLBudgetRelease	viewArticle(PXAdapter)
PX.Objects.GL	JournalEntry	GLTran_AccountID_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.GL	JournalEntry	GLTran_ProjectID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.GL	JournalEntryImport	ProcessHandler(ICollection<GLTrialBalanceImportDetails>)
PX.Objects.GL	ScheduleRun	newSchedule(PXAdapter)
PX.Objects.GL	ScheduleRun	viewSchedule(PXAdapter)
PX.Objects.IN	INCategoryMaint	INCategory_CategoryCD_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.IN	INCategoryMaint	INCategory_parentID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.IN	INCategoryMaint	INCategory_SortOrder_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.IN	INCategoryMaint	INItemCategory_CategoryID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.IN	INCategoryMaint	items(Nullable<Int32>)
PX.Objects.IN	INCategoryMaint	Left(PXAdapter)
PX.Objects.IN	INCategoryMaint	members(Nullable<Int32>)
PX.Objects.IN	INCategoryMaint	Right(PXAdapter)

PX.Objects.IN	INItemClassMaint	CSAttributeGroup_Description_CacheAttached(PXCache)
PX.Objects.IN	INReplenishmentPolicyMaint	INReplenishmentPolicy_ReplenishmentSource_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	INReplenishmentPolicyMaint	INReplenishmentPolicy_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.IN	INReplenishmentPolicyMaint	INReplenishmentSeason_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.IN	INReplenishmentPolicyMaint	INReplenishmentSeason_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.IN	INReplenishmentPolicyMaint	ValidateOverlap(PXCache,INReplenishmentSeason)
PX.Objects.IN	InventoryAllocDetEnq	ViewItem(PXAdapter)
PX.Objects.IN	InventoryItemMaint	APSalesPrice_InventoryID_CacheAttached(PXCache)
PX.Objects.IN	InventoryItemMaint	APSalesPrice_IsPromotionalPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	APSalesPrice_PendingPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	APSalesPrice_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.IN	InventoryItemMaint	APSalesPrice_RowPersisting(PXCache,PXRowPersistingEventArgs)

PX.Objects.IN	InventoryItemMaint	APSalesPrice_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.IN	InventoryItemMaint	APSalesPrice_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	APSalesPrice_SubItemID_CacheAttached(PXCache)
PX.Objects.IN	InventoryItemMaint	APSalesPrice_VendorID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	APSalesPrice_VendorLocationID_CacheAttached(PXCache)
PX.Objects.IN	InventoryItemMaint	ARSalesPrice_CustPriceClassID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPrice_InventoryID_CacheAttached(PXCache)
PX.Objects.IN	InventoryItemMaint	ARSalesPrice_IsPromotionalPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPrice_PendingPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPrice_RowDeleting(PXCache,PXRowDeletingEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPrice_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPrice_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPrice_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPrice_RowUpdated(PXCache,PXRowUpdatedEventArgs)

PX.Objects.IN	InventoryItemMaint	ARSalesPrice_UOM_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPriceEx_CustomerID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPriceEx_IsPromotionalPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPriceEx_PendingPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPriceEx_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPriceEx_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.IN	InventoryItemMaint	ARSalesPriceEx_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.IN	InventoryItemMaint	InventoryItem_RowDeleting(PXCache,PXRowDeletingEventArgs)
PX.Objects.IN	InventoryItemMaint	UpdateAPVendorPrice(PXAdapter)
PX.Objects.IN	InventoryItemMaint	UpdateCustomerPrice(PXAdapter)
PX.Objects.IN	InventoryItemMaint	UpdateCustPriceClass(PXAdapter)
PX.Objects.IN	InventoryItemMaint	ValidateDuplicateCustomerPrice(PXGraph,PXCache,ARSalesPriceEx)
PX.Objects.IN	InventoryTranDetEnq	ViewItem(PXAdapter)
PX.Objects.IN	InventoryTranHistEnq	ViewItem(PXAdapter)

PX.Objects.IN	InventoryTranSumEnq	ViewItem(PXAdapter)
PX.Objects.IN	NonStockItemMaint	APSalesPrice_InventoryID_CacheAttached(PXCache)
PX.Objects.IN	NonStockItemMaint	APSalesPrice_IsPromotionalPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	APSalesPrice_PendingPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	APSalesPrice_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.IN	NonStockItemMaint	APSalesPrice_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.IN	NonStockItemMaint	APSalesPrice_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.IN	NonStockItemMaint	APSalesPrice_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	APSalesPrice_VendorID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	APSalesPrice_VendorLocationID_CacheAttached(PXCache)
PX.Objects.IN	NonStockItemMaint	ARSalesPrice_CustPriceClassID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPrice_InventoryID_CacheAttached(PXCache)
PX.Objects.IN	NonStockItemMaint	ARSalesPrice_IsPromotionalPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPrice_PendingPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)

PX.Objects.IN	NonStockItemMaint	ARSalesPrice_RowDeleting(PXCache,PXRowDeletingEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPrice_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPrice_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPrice_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPrice_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPrice_UOM_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPriceEx_CustomerID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPriceEx_IsPromotionalPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPriceEx_PendingPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPriceEx_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPriceEx_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.IN	NonStockItemMaint	ARSalesPriceEx_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.IN	NonStockItemMaint	InventoryItem_RowDeleting(PXCache,PXRowDeletingEventArgs)
PX.Objects.IN	NonStockItemMaint	InventoryItem_RowUpdated(PXCache,PXRowUpdatedEventArgs)

PX.Objects.IN	NonStockItemMaint	Persist()
PX.Objects.IN	NonStockItemMaint	UpdateAPVendorPrice(PXAdapter)
PX.Objects.IN	NonStockItemMaint	UpdateCustomerPrice(PXAdapter)
PX.Objects.IN	NonStockItemMaint	UpdateCustPriceClass(PXAdapter)
PX.Objects.PM	PMBillEngine	BillRecurrentItems(PMTask,DateTime,Dictionary<Int32,Decimal>&,Dictionary<Int32,ContractDetail>&)
PX.Objects.PM	PMBillEngine	BillTask(PMTask,PMBillingRule,DateTime,Dictionary<Int32,Decimal>,Dictionary<Int32,ContractDetail>)
PX.Objects.PM	PMBillEngine	ContractDetail_ContractItemID_CacheAttached(PXCache)
PX.Objects.PM	PMBillEngine	ContractDetail_TaskID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_AccountID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_AccountSource_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_ContractID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_ContractItemID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_InventoryID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_LineNbr_CacheAttached(PXCache)

PX.Objects.PM	ProjectTaskEntry	ContractDetail_ResetUsage_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_RevID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_SubID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_SubMask_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ContractDetail_TaskID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	ExecuteSelect(String,Object[],Object[],String[],Boolean[],PXFilterRow[],Int32&,Int32,Int32&)
PX.Objects.PM	ProjectTaskEntry	OnContractDetailInventoryIDFieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	RegisterEntry	PMTran_ResourceID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	TemplateGlobalTaskMaint	ContractDetail_ContractID_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTaskMaint	ContractDetail_ContractItemID_CacheAttached(PXCache)

PX.Objects.PM	TemplateGlobalTask Maint	ContractDetail_InventoryID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	TemplateGlobalTask Maint	ContractDetail_LineNbr_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTask Maint	ContractDetail_PrePayment_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTask Maint	ContractDetail_RevID_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTask Maint	ContractDetail_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.PM	TemplateGlobalTask Maint	ContractDetail_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	TemplateGlobalTask Maint	ContractDetail_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.PM	TemplateGlobalTask Maint	ContractDetail_TaskID_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTask Maint	OnContractDetailInventoryIDFieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	TemplateTaskMaint	ContractDetail_ContractID_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	ContractDetail_ContractItemID_CacheAttached(PXCache)

PX.Objects.PM	TemplateTaskMaint	ContractDetail_InventoryID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	TemplateTaskMaint	ContractDetail_LineNbr_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	ContractDetail_PrePayment_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	ContractDetail_RevID_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	ContractDetail_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.PM	TemplateTaskMaint	ContractDetail_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	TemplateTaskMaint	ContractDetail_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.PM	TemplateTaskMaint	ContractDetail_TaskID_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	OnContractDetailInventoryIDFieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PO	POCreate	CreateSOOrders(List<POFixedDemand>,Nullable<DateTime>)
PX.Objects.PO	POCreate	POCreateFilter_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.PO	P00orderEntry	ExecuteSelect(String,Object[],Object[],String[],Boolean[],PXFilterRow[],Int32&,Int32,Int32&)
PX.Objects.PO	P00orderEntry	SOLine3_POUOM_FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.PO	P00orderEntry	SOLine3_POUOMOrderQty_FieldSelecting(PXCache,PXFieldSelectingEventArgs)

PX.Objects.PO	POReceiptEntry	AddPOTransferLine(POLine)
PX.Objects.PO	POReceiptEntry	POReceipt_AutoCreateInvoice_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.PO	POSetupMaint	POSetupApproval_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.PO	POSetupMaint	POSetupApproval_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.PO	POVendorCatalogue Maint	Persist()
PX.Objects.PO	POVendorCatalogue Maint	POVendorInventory_PendingPrice_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PO	POVendorCatalogue Maint	POVendorInventory_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.PO	POVendorCatalogue Maint	POVendorInventory_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.SO	S0OrderEntry	ExecuteSelect(String,Object[],Object[],String[],Boolean[],PXFilterRow[],Int32&,Int32,Int32&)
PX.Objects.SO	S0OrderEntry	SOLine_Cancelled_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.SO	S0OrderEntry	SOLine_LineType_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.SO	S0OrderEntry	SOLine_POSource_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)

PX.Objects.SO	S0OrderEntry	S0Line_POSource_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.SO	S0OrderEntry	S0Order_OrigPOType_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.SO	S0OrderEntry	S0Order_TransferReqNbr_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.SO	S0ShipmentEntry	S0Line2_PlanID_CacheAttached(PXCache)
PX.Objects.TX	AvalaraMaint	IsActive(PXGraph)
PX.SM	Access	SendLoginInfo(Users)
PX.SM	AUNotificationMaint	CreateGraph(String)
PX.SM	CompanyMaint	PersistUser(UPCompany,Users,PreferencesSecurity,Boolean)
PX.SM	CompanyMaint	PresistSnapshot(UPCompany,ImportSnapshotSettings,UPSnapshot)
PX.SM	MyProfileMaint	Users_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.SM	PreferencesGeneral Maint	Persist()
PX.SM	PreferencesGeneral Maint	RebuildIndex()
PX.SM	PreferencesGeneral Maint	rebuildSearch(PXAdapter)

PX.SM	SMAccessPersonalMaint	UserPreferences_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.SM	TranslationMaint	DoCollectStrings(String)
PX.SM	TranslationMaint	exceptionalResources(String)
PX.SM	TranslationMaint	showSkippedResources(PXAdapter)
PX.SM	TranslationMaint	skippedResourcesView()
PX.SM	UpdateMaint	FillAvialableVersionDetails(UpdateMaint+PXPackageInfo)
PX.SM	UploadAllowedFileTypesMaint	PreferencesGeneral_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.SM	UserAccess	Users_RowSelected(PXCache,PXRowSelectedEventArgs)

Other Breaking Changes in PX.Data

Namespace	Class Name	Method Name
PX.Data	BqlCommand	FindRealTableForType(List<Type>,Type)
PX.Data	BqlCommand	GetTableName(Type,PXGraph,List<PredicateForNestedSelect>,List<BookmarkedParameter>)
PX.Data	companySetting	.ctor(companySetting+companyFlag,String,String,String,String)

PX.Data	ComparisonBase<Operand>	.ctor(Func<Object, Object, Nullable<Boolean>>, Func<Object, Boolean>, String, Boolean)
PX.Data	ComparisonBase<Operand>	parseNonFieldOperand(IBqlCreator, PXGraph, List<IBqlParameter>, List<Type>, List<Type>, List<IBqlSortColumn>, StringBuilder, BqlCommand+Selection)
PX.Data	EntityHelper	GetEntityDescription(Nullable<Int64>)
PX.Data	EntityHelper	GetEntityRow(Nullable<Int64>)
PX.Data	EntityHelper	GetEntityRow(Nullable<Int64>, Boolean)
PX.Data	EntityHelper	GetEntityRow(Type, Nullable<Int64>)
PX.Data	EntityHelper	GetEntityRowID(Nullable<Int64>)
PX.Data	EntityHelper	GetEntityRowID(Nullable<Int64>, String)
PX.Data	EntityHelper	GetEntityRowValues(Nullable<Int64>)
PX.Data	EntityHelper	GetEntityRowValues(Type, Int32)
PX.Data	EntityHelper	GetFriendlyEntityName(Nullable<Int64>)
PX.Data	EntityHelper	NavigateToRow(Nullable<Int64>)
PX.Data	EntityHelper	NavigateToRow(Nullable<Int64>, PXRedirectHelper+WindowMode)

PX.Data	EntityHelper	NavigateToRow(String,Nullable<Int64>)
PX.Data	EntityHelper	NavigateToRow(String,Nullable<Int64>,PXRedirectHelper+WindowMode)
PX.Data	EntityHelper	SelectNote(Nullable<Int64>)
PX.Data	IBqlCreator	Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Data	ISqlDialect	scriptFunctionAdd(StringBuilder,TypeCode,TypeCode,Action<StringBuilder>,Action<StringBuilder>)
PX.Data	JoinBase<Table,On,NextJoin>	ensureNext()
PX.Data	JoinBase<Table,On,NextJoin>	Parse(PXGraph,List<IBqlParameter>,List<Type>,List<Type>,List<IBqlSortColumn>,StringBuilder,BqlCommand+Selection)
PX.Data	Like<Operand>	parseNonFieldOperand(IBqlCreator,PXGraph,List<IBqlParameter>,List<Type>,List<Type>,List<IBqlSortColumn>,StringBuilder,BqlCommand+Selection)
PX.Data	Like<Operand>	parseNonFieldOperandSt(IBqlCreator,PXGraph,List<IBqlParameter>,List<Type>,List<Type>,List<IBqlSortColumn>,StringBuilder,BqlCommand+Selection)
PX.Data	MembershipUserExt	.ctor(String,String,Object,String,String,String,Boolean,Boolean,DateTime,DateTime,DateTime,DateTime,DateTime)

PX.Data	MembershipUserExt	.ctor(String,String,Object,String,String,String,Boolean,Boolean,DateTime,DateTime,DateTime,DateTime,DateTime,String)
PX.Data	MembershipUserExt	get_FromActiveDirectory()
PX.Data	NotLike<Operand>	parseNonFieldOperand(IBqlCreator,PXGraph,List<IBqlParameter>,List<Type>,List<Type>,List<IBqlSortColumn>,StringBuilder,BqlCommand+Selection)
PX.Data	PredicateForNestedSelect	.ctor(Func<Type,PXGraph,Type>,Type,PredicateForNestedSelect)
PX.Data	PredicateForNestedSelect	.ctor(Func<Type,PXGraph,Type>,Type,Type,IBqlUnary)
PX.Data	PredicateForNestedSelect	ConvertField(Type,PXGraph)
PX.Data	PredicateForNestedSelect	makeInheritanceDelegate(Type,Type)
PX.Data	PredicateForNestedSelect	makeProjectionDelegate(Type,Type)
PX.Data	PXAccess+BranchCollection+Info	.ctor(Int32,String,Boolean)
PX.Data	PXActiveDirectorySyncMembershipProvider	ResetPasswordStorage(MembershipPasswordFormat,String,String)
PX.Data	PXCache<TNode>	readItem(TNode,Boolean)

PX.Data	PXCommandPreparingEventArgs	.ctor(Object, Object, PXDBOperation, Type)
PX.Data	PXCopyPasteHiddenFieldsAttribute	IsDefined(PXGraph, String, String, Boolean)
PX.Data	PXCopyPasteHiddenViewAttribute	IsDefined(PXGraph, String)
PX.Data	PXDatabase	ensureFieldParamNameEnquoted(ISqlDialect, PXDataField)
PX.Data	PXDatabase	ensureFieldParamNameEnquoted(ISqlDialect, PXDataFieldParam)
PX.Data	PXDatabase	IsVirtualTable<Table>()
PX.Data	PXDatabase	SelectDate(Boolean)
PX.Data	PXDatabaseMembershipProvider	ResetPasswordStorage(MembershipPasswordFormat, String, String)
PX.Data	PXDatabaseMembershipProvider	ValidateUserPassword(String, String)
PX.Data	PXDatabaseProvider	CreateColumn(String, PXDataFieldDescriptor)
PX.Data	PXDatabaseProvider	get_Maintenance()
PX.Data	PXDatabaseProvider	GetSchemaTable(String)

PX.Data	PXDatabaseProvider	SelectDate(Boolean)
PX.Data	PXDatabaseProviderBase	appendInsertFieldNames(StringBuilder,String,PXDataFieldAssign[],Int32,companySetting,Int32,Boolean,Boolean&,String&,String&)
PX.Data	PXDatabaseProviderBase	appendInsertFieldValues(StringBuilder,String,PXDataFieldAssign[],Int32,companySetting,Int32,Boolean,Boolean&,String,String)
PX.Data	PXDatabaseProviderBase	CreateDbServicesPoint()
PX.Data	PXDatabaseProviderBase	getRestriction(String,String,Boolean)
PX.Data	PXDatabaseProviderBase	isFullTextIndexEnabled()
PX.Data	PXDatabaseProviderBase	SelectDate(Boolean)
PX.Data	PXDBAttributeAttribute	get_IsActive()
PX.Data	PXDBAttributeAttribute	set_IsActive(Boolean)
PX.Data	PXDBBinaryAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBBoolAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBByteAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBDateAndTimeAttribute	GetAttribute(PXCache,Object,String)

PX.Data	PXDBDateAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBDecimalAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBDoubleAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBFloatAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBGuidAttribute	.ctor()
PX.Data	PXDBGuidAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBIntAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBLongAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBShortAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBStringAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXDBTextAttribute	CommandPreparing(PXCache,PXCommandPreparingEventArgs)
PX.Data	PXEmailAccountIDSelector Attribute	.ctor(Boolean)
PX.Data	PXEmailAccountIDSelector Attribute	.ctor(Boolean,Boolean)
PX.Data	PXEmailAccountIDSelector Attribute	get_DescriptionField()

PX.Data	PXEmailAccountIDSelector Attribute	GetRecords(PXGraph)
PX.Data	PXEmailAccountIDSelector Attribute	set_DescriptionField(Type)
PX.Data	PXExtensibleCache<TNode>	readItem(TNode, Boolean)
PX.Data	PXFilteredProcessing<Table, FilterTable>	PendingList()
PX.Data	PXFilterRow	Clone(PXFilterRow)
PX.Data	PXGraph	ProviderExecute(String, PXSPParameter[])
PX.Data	PXGraphSerializationSurrogate	RetoreObject(Type, String[], Object[])
PX.Data	PXGraphSerializationSurrogate	SaveObjectData(PXGraph, Type&, String[]&, Object[]&)
PX.Data	PXIntState	CreateInstance(Object, String, Nullable<Boolean>, Nullable<Int32>, Nullable<Int32>, Nullable<Int32>, Int32[], String[], Type, Nullable<Int32>)
PX.Data	PXLocale	.ctor(String, String, Int16)
PX.Data	PXLogin	InitSession(String, String)
PX.Data	PXLogin	InitUserEnvironment(String, String)

PX.Data	PXNamedAction	AddAction(PXGraph,Type,String,String,String,Boolean,PXButtonDelegate)
PX.Data	PXNoteAttribute	SetFilesExists(Nullable<Int64>,Nullable<Int32>)
PX.Data	PXNoteAttribute	SetNoteTextExists(Nullable<Int64>,String)
PX.Data	PXPageIndexingService	GetDataMembers(String)
PX.Data	PXPopupRedirectException	get__Graph()
PX.Data	PXPopupRedirectException	set__Graph(PXGraph)
PX.Data	PXProcessing<Table>	_EnsureTargetParameters(String&,String&,String&,String&,Boolean)
PX.Data	PXProcessing<Table>	_ProcessScheduled(PXProcessing<Table>+ProcessListDelegate,List<Table>,AUSchedule)
PX.Data	PXProcessing<Table>	AlterFilters(PXFilterRow[])
PX.Data	PXProcessing<Table>	AppendProcessFilter(String,String)
PX.Data	PXProcessing<Table>	get_CustomViewDelegate()
PX.Data	PXProcessing<Table>	GetTargetFill(String,String,String,String,String)
PX.Data	PXProcessing<Table>	GetTargetMenus()
PX.Data	PXProcessing<Table>	Join<join>()

PX.Data	PXProcessing<Table>	OrderByNew<newOrderBy>()
PX.Data	PXProcessing<Table>	ProcessItems(List<Table>,PXProcessing<Table>+ProcessItemDelegate)
PX.Data	PXProcessing<Table>	set_CustomViewDelegate(Delegate)
PX.Data	PXProcessing<Table>	SetAutoPersist(Boolean)
PX.Data	PXProcessing<Table>	SetParametersDelegate(PXProcessing<Table>+ParametersDelegate)
PX.Data	PXProcessing<Table>	SetProcessDelegate(PXProcessing<Table>+ProcessItemDelegate)
PX.Data	PXProcessing<Table>	SetProcessDelegate(PXProcessing<Table>+ProcessListDelegate)
PX.Data	PXProcessing<Table>	SetProcessDelegate<Graph>(PXProcessing<Table>+ProcessItemDelegate<Graph>)
PX.Data	PXProcessing<Table>	SetProcessDelegate<Graph>(PXProcessing<Table>+ProcessItemDelegate<Graph>,PXProcessing<Table>+FinallyProcessDelegate<Graph>)
PX.Data	PXProcessing<Table>	SetProcessTarget(String,String,String,String,Dictionary<String,Object>)
PX.Data	PXProcessing<Table>	SetProcessTarget(String,String,String,String,Object[])

PX.Data	PXProcessing<Table>	SetSelected<Field>()
PX.Data	PXReadDeletedScope	.ctor()
PX.Data	PXRedirectRequiredException	get__Graph()
PX.Data	PXRedirectRequiredException	set__Graph(PXGraph)
PX.Data	PXRedirectToFileException	.ctor(Guid,Int32,Boolean,Boolean)
PX.Data	PXSegment	.ctor(Char,Char,Int16,Boolean,Int16,Int16,Char,Boolean)
PX.Data	PXSiteMap+ScreenInfo+Action	.ctor(String,String,Boolean,PXSpecialButtonType)
PX.Data	PXSqlDatabaseProvider	CreateColumn(String,PXDataFieldDescriptor)
PX.Data	PXSqlDatabaseProvider	CreateDbServicesPoint()
PX.Data	PXSqlDatabaseProvider	get_Maintenance()
PX.Data	PXSqlDatabaseProvider	GetSchemaTable(String)
PX.Data	PXSqlDatabaseProvider	GetTables()
PX.Data	PXSqlDatabaseProvider	isFullTextIndexEnabled()

PX.Data	PXSqlDatabaseProvider	selectMulti(String,PXDataField[])
PX.Data	PXStringState	CreateInstance(Object,Nullable<Int32>,Nullable<Boolean>,String,Nullable<Boolean>,Nullable<Int32>,String,String[],String[],Nullable<Boolean>,String)
PX.Data	PXView	CompareMethod(Object,Object,PXCache,String,Boolean,Boolean,Type,PXCollationComparer)
PX.Data	PXView	prepareFilters(PXFilterRow[])
PX.Data	SqlDialectBase	scriptFunctionAdd(StringBuilder,TypeCode,TypeCode,Action<StringBuilder>,Action<StringBuilder>)
PX.Data.Access	ActiveDirectoryProvider	.ctor()
PX.Data.Access	ActiveDirectoryProvider	.ctor(ActiveDirectoryProvider+Credential)
PX.Data.Access	ActiveDirectoryProvider	.ctor(String)
PX.Data.Access	ActiveDirectoryProvider	.ctor(String,ActiveDirectoryProvider+Credential)
PX.Data.Access	ActiveDirectoryProvider	GetCachedGroups(Func<IEnumerable<ActiveDirectoryProvider+Group>>)
PX.Data.Access	ActiveDirectoryProvider	GetCachedUser(String,Func<ActiveDirectoryProvider+User>)
PX.Data.Access	ActiveDirectoryProvider	GetCachedUsers(Func<IEnumerable<ActiveDirectoryProvider+User>>)

PX.Data.Access	ActiveDirectoryProvider	GetGroups(Boolean)
PX.Data.Access	ActiveDirectoryProvider	GetUser(Object)
PX.Data.Access	ActiveDirectoryProvider	GetUserByLogin(String,Boolean)
PX.Data.Access	ActiveDirectoryProvider	GetUserBySID(String,Boolean)
PX.Data.Access	ActiveDirectoryProvider	GetUserBySIDInternal(String)
PX.Data.Access	ActiveDirectoryProvider	GetUserGroupIDs(String)
PX.Data.Access	ActiveDirectoryProvider	GetUserGroupIDsByLogin(String,Boolean)
PX.Data.Access	ActiveDirectoryProvider	GetUserGroupIDsBySID(String,Boolean)
PX.Data.Access	ActiveDirectoryProvider	GetUsers(Boolean)
PX.Data.Access	ActiveDirectoryProvider	GetUsersByGroupIDs(String[],Boolean)
PX.Data.Access	ActiveDirectoryProvider	ValidateUser(String,String)
PX.Data.Database .Common	PXDatabaseDummyProvider	CreateColumn(String,PXDataFieldDescriptor)
PX.Data.Database .Common	PXDatabaseDummyProvider	CreateDbServicesPoint()
PX.Data.Database .Common	PXDatabaseDummyProvider	get_Maintenance()

PX.Data.Database.Common	PXDatabaseDummyProvider	GetSchemaTable(String)
PX.Data.Database.Common	PXDatabaseDummyProvider	isFullTextIndexEnabled()
PX.Data.Description.GI	PXDesignedQueryProvider	.ctor(PXGraph,GIDesign)
PX.Data.EP	CacheUtility	EnshureCachePersistance(PXGraph,Type)
PX.Data.EP	DynamicAttachmentManager+IHandler	Process(PXGraph,String,Nullable<Int64>,Byte[])
PX.Data.Localizers	PXAutomationLocalizer	Localize(String&,String)
PX.Data.Localizers	PXControlLocalizer	Localize(String,String,String,String)
PX.Data.Localizers	PXListLocalizer	Localize(PXEventSubscriberAttribute,PXCache,String[],String[])
PX.Data.Localizers	PXUIFieldLocalizer	Localize(PXUIFieldAttribute,String,PXCache,UIFieldSourceType)
PX.Data.Search	PXEntitySearch	AddEntityNameForSeparateColumn(String)
PX.Data.Search	PXEntitySearch	CreateRecordsResult(CacheResult,Int32,Int32)

PX.Data.Search	PXEntitySearch	CreateResultDescription(Note,Type,Object,String,Boolean,Dictionary<String,PXEntitySearch+ResultDescription>)
PX.Data.Search	PXEntitySearch	get_MaxDescriptionColumns()
PX.Data.Search	PXEntitySearch	NavigateToResult(PXResultButton,PXSearchResult)
PX.Data.Search	PXEntitySearch+EntitiesCacheResult	.ctor(String,List<Int64>)
PX.Data.Search	PXFileSearch	CreateRecordsResult(CacheResult,Int32,Int32)
PX.Data.Search	PXFileSearch	IsValidResult(CacheResult,String)
PX.Data.Update	CompanyInfo	get_CompanyName()
PX.Data.Update	CompanyInfo	get_Master()
PX.Data.Update	PXCompanyHelper	LoadCompanies(Boolean)
PX.Data.Update	PXDataTypesHelper	get_MasterCompany()
PX.SM	IPXFileAttachmentProvider	AddFile(Int64)
PX.SM	PXSelectUsers<TPPrimary>	RemovePersistHandler()
PX.Translation	PXControllRipper	RipControl(String,String,String,String)

PX.Translation	PXControlPropertiesCollector	CollectRes(String,String,String,String)
PX.Translation	PXControlPropertiesCollector	CollectResource(LocalizationResourceLite)
PX.Translation	PXCultureDictionary	TryGetException(String,String,String)
PX.Translation	PXCultureDictionary	TryGetLocal(String,String)
PX.Translation	PXCultureEx	.ctor(String,String,String)
PX.Translation	PXCultureValue	.ctor(String,String)
PX.Translation	PXDictionaryManager	Translate(String,String)
PX.Translation	PXDictionaryManager	Translate(String,String,String)
PX.Translation	PXSystemTranslator	.ctor(String,String)
PX.Translation	PXSystemTranslator	CollectResources(DirectoryInfo,List<String>,ResourceCollection)
PX.Translation	PXSystemTranslator	get_SkippedResources()
PX.Translation	PXSystemTranslator	GetNeutral(List<LocalizationResourceLite>&)
PX.Translation	PXTranslator	GetNeutral(List<LocalizationResourceLite>&)
PX.Translation	ResourceCollection	Add(LocalizationResourceLite)

PX.Translation	ResourceCollection	get_SkippedResources()
----------------	--------------------	------------------------

Other Breaking Changes in PX.Objects

Namespace	Class Name	Method Name
PX.Objects.AR	ARInvoice+SetStatusAttribute	EmailInvoiceUpdating(PXCache, PXFieldUpdatingEventArgs)
PX.Objects.AR	ARInvoice+SetStatusAttribute	HoldUpdating(PXCache, PXFieldUpdatingEventArgs)
PX.Objects.AR	ARInvoice+SetStatusAttribute	PrintInvoiceUpdating(PXCache, PXFieldUpdatingEventArgs)
PX.Objects.AR	ARInvoice+SetStatusAttribute	RowSelected(PXCache, PXRowSelectedEventArgs)
PX.Objects.AR	ARInvoice+SetStatusAttribute	StatusSet(ARInvoice, Nullable<Boolean>, Nullable<Boolean>, Nullable<Boolean>)
PX.Objects.AR	CCPaymentEntry	CaptureCCPayment<TNode>(TNode, PXSelectBase<CCProcTran>, Boolean)
PX.Objects.AR	InvoiceNbrAttribute	DeleteNumber(String, String, Nullable<Int64>)
PX.Objects.AR	InvoiceNbrAttribute	InsertNumber(PXCache, String, String, Nullable<Int64>)
PX.Objects.AR	InvoiceNbrAttribute	SelectNumber(String, String, Nullable<Int64>)

PX.Objects.CR	CRActivityListBase<TPrimaryView, TActivity>	CheckActivitesForDelete(Object[])
PX.Objects.CR	CRActivityListBase<TPrimaryView, TActivity>	CheckActivitesForDeleteInternal(String, String, Object[])
PX.Objects.CR	CRActivityListBase<TPrimaryView, TActivity>	DeleteActivites(Object[])
PX.Objects.CR	CRActivityListBase<TPrimaryView, TActivity>	FillMailCC(EPActivity, Int64)
PX.Objects.CR	CRDuplicateBAccountList	FillPropertyValue()
PX.Objects.CR	CRRelationsList<TNoteField>	GetEmailsForCC(PXGraph, Int64)
PX.Objects.CR	IActivityList	CheckActivitesForDelete(Object[])
PX.Objects.CS	RMReportMaintGL	EnsureWildcards()
PX.Objects.CS	RMReportPM	get_RequestEndBranch()
PX.Objects.CS	RMReportPM	get_RequestStartBranch()
PX.Objects.CS	RMReportPM	set_RequestEndBranch(Nullable<Boolean>)
PX.Objects.CS	RMReportPM	set_RequestStartBranch(Nullable<Boolean>)
PX.Objects.CS	RMReportReaderGL	get_AcctWildcard()

PX.Objects.CS	RMReportReaderGL	get_BranchWildcard()
PX.Objects.CS	RMReportReaderGL	get_DefaultWildcardChar()
PX.Objects.CS	RMReportReaderGL	get_FinPeriodCache()
PX.Objects.CS	RMReportReaderGL	get_FinPeriods()
PX.Objects.CS	RMReportReaderGL	get_PerWildcard()
PX.Objects.CS	RMReportReaderGL	get_SubWildcard()
PX.Objects.CS	RMReportReaderGL	get_TaskWildcard()
PX.Objects.CS	RMReportReaderGL	get_WildcardChars()
PX.Objects.CS	RMReportReaderGL	GetFinPeriod(String,Nullable<Int16>,Nullable<Int16>)
PX.Objects.CS	RMReportReaderGL	IsBetweenByChar(String,String,String)
PX.Objects.CS	RMReportReaderGL	set_AcctWildcard(String)
PX.Objects.CS	RMReportReaderGL	set_BranchWildcard(String)
PX.Objects.CS	RMReportReaderGL	set_FinPeriodCache(PXCache)
PX.Objects.CS	RMReportReaderGL	set_FinPeriods(List<FinPeriod>)

PX.Objects.CS	RMReportReaderGL	set_PerWildcard(String)
PX.Objects.CS	RMReportReaderGL	set_SubWildcard(String)
PX.Objects.CS	RMReportReaderGL	set_TaskWildcard(String)
PX.Objects.EP	EmployeeCostEngine+Rate	.ctor(Nullable<Int32>,String,Nullable<Decimal>,String,Nullable<Int32>,Nullable<Decimal>)
PX.Objects.EP	EPStartDateAttribute	get_PreserveTime()
PX.Objects.EP	EPStartDateAttribute	set_PreserveTime(Boolean)
PX.Objects.EP	EPViewStatusAttribute	MarkAsViewed(PXGraph,Object)
PX.Objects.EP	EPViewStatusAttribute	MarkAsViewed(PXGraph,Object,Boolean)
PX.Objects.EP	NotificationGenerator	set_AttachmentsID(Nullable<Int64>)
PX.Objects.EP	PXWeekSelector2Attribute+FullWeek List	get_Weeks()
PX.Objects.EP	ReportHandler	Process(PXGraph,String,Nullable<Int64>,Byte[])
PX.Objects.EP	TemplateNotificationGenerator	Create(Object,Int32)
PX.Objects.IN	INPlanConstants	IsPlan66X(String)
PX.Objects.IN	InventoryAllocDetEnqResult+Entity Helper	GetEntityRow(Type,Nullable<Int64>)

PX.Objects.IN	PXDBPriceCostAttribute	Round(PXCache,Decimal)
PX.Objects.IN	PXDBQuantityAttribute	Round(PXCache,Decimal)
PX.Objects.IN	PXDBQuantityAttribute	Round(PXGraph,Decimal)
PX.Objects.IN	PXPriceCostAttribute	Round(PXCache,Decimal)
PX.Objects.IN. Overrides.INDocumentRelease	ItemLotSerialAccumulatorAttribute	ValidateSingleField<Field>(PXCache,Object,Nullable<Int64>,String&)
PX.Objects.PM	ActiveProjectTaskAttribute	get_AllowNullIfContract()
PX.Objects.PM	ActiveProjectTaskAttribute	set_AllowNullIfContract(Boolean)
PX.Objects.PO	POVendorInventorySelect<Table,Join,Where,PrimaryType>	UpdateVendorPrice(PXAdapter)
PX.Objects.SO	LSSOLine	UpdateSchedules(PXCache,SOLine)
PX.Objects.SO	SOPackageEngine	PackByWeight(List<INItemBoxEx>,Decimal)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	SiteStatus_NegAvailQty_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)

Resolved Issues

The following table details the issues that are addressed by this release.

Problem ID	Description
-	The User Guide section of the wiki was missing on some sites. This has been resolved.



Known Issues

The following Known Issues have been identified in this release.

Partner users visible on some forms

User accounts with the licence type MYOB_Partner and the Admin account used exclusively by MYOB are hidden from all other users; they do not appear on user selection lists. However, these user accounts will appear in selection lists on the following forms:

- Event > Attendees (CR.30.60.30)
- Role List (SM.65.10.00)