

# MYOB Advanced Business

## Technical Release Notes

2016.1

Cloud Solutions  
for Bigger Business



# Contents

Introduction	3
Technical Notes	3
Breaking Changes .....	3
Removed Screens .....	3
Removed Tables.....	3
Removed Fields.....	3
Modified Field Types .....	4
Removed Data Access Classes (DACs) .....	4
Removed Graphs.....	4
Removed Constants.....	5
Other Removed Classes .....	5
Modified Interfaces and Abstract Classes .....	9
Other Breaking Methods .....	10
Other Breaking Fields .....	19

# Introduction

Welcome to the 2016.1 release of MYOB Advanced Business. The purpose of this document is to provide essential information on the changes included in this release that affect organisations who are involved in developing reports, customisations and integrations for the MYOB Advanced system.

## Technical Notes

### Breaking Changes

This section lists all the changes that may affect reports, customisations and integrations that were built in prior versions.

#### Removed Screens

Explore Notification Templates (SM.20.40.04)

#### Removed Tables

None

#### Removed Fields

EMailSyncAccount.SyncAccount

EMailSyncOperation.Status

EMailSyncReference.Reference

EPActivity.JobCodeID

EPActivity.ShiftCodeID

EPTimeCardSummary.JobCodeID

EPTimeCardSummary.ShiftCodeID

Notification.MajorStatus

Notification.Status

PORceiptTax.DetailType

PORceiptTaxTran.DetailType

POTax.DetailType

PREmployeeJob.JobCodeID

PRJobCode.JobCodeID

PRShiftCode.ShiftCodeID SOTax.BONbr

SOTaxTran.BONbr

## Modified Field Types

Field Name	Old Type	New Type
ARInvoice.ROTApartment	nvarchar(20)	nvarchar(100)
ARInvoice.ROTEstate	nvarchar(20)	nvarchar(100)
ARSetup.BalanceWriteOff	nvarchar(20)	nvarchar(40)
ARSetup.CreditWriteOff	nvarchar(20)	nvarchar(40)

## Removed Data Access Classes (DACs)

Namespace	Class Name
PX.Api.Soap.Entity	EntityConfigurationMaint+EndpointFilter
PX.Api.Soap.Entity	EntityConfigurationMaint+EndpointInsertModel
PX.Api.Soap.Entity	EntityConfigurationMaint+VersionInsertModel
PX.SM	SMNotificationExplore+SMNotificationFilter
PX.SM	PortalMapMaint+WikiFilter
PX.Objects.CS	EMailAccountSyncFilter
PX.Objects.CS	SyncAccount
PX.Objects.AP	APIInvoiceEntry+POOrderFilter
PX.Objects.CA	CABankTransactionsEnq+CABankTranR

## Removed Graphs

Namespace	Class Name
PX.Data	PXGraphWithActionsBase<TGraph,TPrimary>
PX.SM	SMNotificationExplore
PX.Objects.CS	EmailsSyncMaint
PX.Objects.GL	JournalEntryImport+CurrencyInfoProcessing

## Removed Constants

Namespace	Class Name
PX.SM	Notification+publicMajorStatus
PX.Objects.TX	TaxAdjustmentType+increaseTax
PX.Objects.TX	TaxAdjustmentType+reduceTax
PX.Objects.TX	CSTaxType+pendingVAT
PX.Objects.TX	CSTaxType+reverseVAT
PX.Objects.TX	CSTaxType+directVAT
PX.Objects.TX	CSTaxType+statisticalVAT
PX.Objects.TX	CSTaxType+exemptVAT
PX.Objects.CA	CABankTransactionsEnq+CABankTranStatus+hold
PX.Objects.CA	CABankTransactionsEnq+CABankTranStatus+balanced
PX.Objects.CA	CABankTransactionsEnq+CABankTranStatus+unposted
PX.Objects.CA	CABankTransactionsEnq+CABankTranStatus+posted

## Other Removed Classes

Namespace	Name
PX.Common	DictionarySync
PX.Data	PXDBEmailAttribute+RFC822RegexEmailValidator
PX.Data	PXDBEmailAttribute+PXRegexEmailValidator
PX.Api	UnityDependencyResolver
PX.Api	DependencyResolverExtension
PX.Api.Soap	BaseHandlerFactory
PX.Api.Soap	ServiceTemplateWithDiscoFactoryBase
PX.Api.Soap	ServiceWithDiscoFactoryBase
PX.Api.Soap.Screen	ScreenHandlerFactory
PX.Api.Soap.Entity	EntityConfigurationMaint+EndpointFilter+gateVersion
PX.Api.Soap.Entity	EntityConfigurationMaint+EndpointInsertModel+endpoint
PX.Api.Soap.Entity	EntityConfigurationMaint+VersionInsertModel+version

PX.Api.Soap.Entity	EntityConfigurationMaint+EntityTreeNode+version
PX.Api.Soap.Entity	EntityConfigurationMaint+SelectedNode+interfaceName
PX.Api.Soap.Entity	EntityConfigurationMaint+SelectedNode+mappingKey
PX.Api.Soap.Entity	VersionSelectorAttribute
PX.SM	SMNotificationExplore+SMNotificationFilter+status
PX.SM	SMNotificationExplore+SMNotificationFilter+createdByID
PX.SM	Notification+setPublishedDateTime
PX.SM	Notification+status
PX.SM	Notification+publishedDateTime
PX.SM	Notification+majorStatus
PX.SM	PortalMapMaint+WikiFilter+wikiID
PX.SM	EmailSyncOperation+status
PX.Objects.CM	CMSetup+mCActivated
PX.Objects.PO	LandedCostUtils+INCostAdjustmentInfo
PX.Objects.CS	PXSyncItemID
PX.Objects.CS	PXSyncItemSet
PX.Objects.CS	PXSyncFolderSpecification
PX.Objects.CS	PXSyncDirectFolder
PX.Objects.CS	PXSyncMailboxPreset
PX.Objects.CS	PXSyncMailbox
PX.Objects.CS	PXSyncTag
PX.Objects.CS	PXSyncTag<T>
PX.Objects.CS	PXSyncItemStatus
PX.Objects.CS	PXSyncItemBucket<T1>
PX.Objects.CS	PXSyncItemBucket<T1,T2>
PX.Objects.CS	PXSyncItemBucket<T1,T2,T3>
PX.Objects.CS	PXSyncResult
PX.Objects.CS	PXSyncMovingCondition
PX.Objects.CS	PXSyncMovingMessageCondition

PX.Objects.CS	PXSyncCache
PX.Objects.CS	PXExchangeConversionHelper
PX.Objects.CS	PXEmailSyncHelper
PX.Objects.CS	IEmailSyncProvider
PX.Objects.CS	BaseExchangeSyncProvider
PX.Objects.CS	MicrosoftExchangeSyncProvider
PX.Objects.CS	ExchangeBaseSyncCommand
PX.Objects.CS	ExchangeBaseLogicSyncCommand<GraphType,TPrimary,ExchangeType>
PX.Objects.CS	ExchangeActivitySyncCommand<GraphType,ExchangeType>
PX.Objects.CS	ExchangeTasksSyncCommand
PX.Objects.CS	ExchangeEventsSyncCommand
PX.Objects.CS	ExchangeEmailsSyncCommand
PX.Objects.CS	ExchangeContactsSyncCommand
PX.Objects.CS	EmailsSyncMaint+ProcessingContext
PX.Objects.CS	EmailsSyncMaint+ProcessingBox
PX.Objects.CS	EMailAccountSyncFilter+serverID
PX.Objects.CS	EMailAccountSyncFilter+policyName
PX.Objects.CS	SyncAccount+selected
PX.Objects.CS	SyncAccount+contactsExportedDate
PX.Objects.CS	SyncAccount+contactsImportedDate
PX.Objects.CS	SyncAccount+contactsExportedFolder
PX.Objects.CS	SyncAccount+contactsImportedFolder
PX.Objects.CS	SyncAccount+emailsExportedDate
PX.Objects.CS	SyncAccount+emailsImportedDate
PX.Objects.CS	SyncAccount+emailsExportedFolder
PX.Objects.CS	SyncAccount+emailsImportedFolder
PX.Objects.CS	SyncAccount+tasksExportedDate
PX.Objects.CS	SyncAccount+tasksImportedDate
PX.Objects.CS	SyncAccount+tasksExportedFolder

PX.Objects.CS	SyncAccount+tasksImportedFolder
PX.Objects.CS	SyncAccount+eventsExportedDate
PX.Objects.CS	SyncAccount+eventsImportedDate
PX.Objects.CS	SyncAccount+eventsExportedFolder
PX.Objects.CS	SyncAccount+eventsImportedFolder
PX.Objects.CS	PXSyncOperationDateScalarAttribute
PX.Objects.CS	PXSyncOperationFolderScalarAttribute
PX.Objects.CS	EMailSyncServerMaintExt
PX.Objects.CS	EMailSyncAccountExt
PX.Objects.CS	EMailSyncAccountExt+employeeID
PX.Objects.CS	EMailSyncAccountExt+address
PX.Objects.CS	EMailSyncAccountPreferencesExt+address
PX.Objects.AP	APInvoiceEntry+POOrderFilter+orderNbr
PX.Objects.AP	APInvoiceEntry+POOrderRS+lineQty
PX.Objects.AP	APInvoiceEntry+POOrderRS+curyExtCost
PX.Objects.AP	APInvoiceEntry+POOrderRS+extCost
PX.Objects.AP	APInvoiceEntry+POOrderRS+voucheredQty
PX.Objects.AP	APInvoiceEntry+POOrderRS+curyVoucheredCost
PX.Objects.AP	APInvoiceEntry+POOrderRS+voucheredCost
PX.Objects.AP	Vendor+fATCA
PX.Objects.AR	ARCustomerBalanceEnq+ARHistoryResult+consolidatingCustomerID
PX.Objects.CR	Contact+lastActivity
PX.Objects.CR	Contact+lastModified
PX.Objects.CR	ContactAccount+lastActivity
PX.Objects.CA	CABankTransactionsEnq+CABankTranR+matchedToInvoice
PX.Objects.CA	CABankTransactionsEnq+CABankTranR+status
PX.Objects.CA	CABankTransactionsEnq+CABankTranStatus
PX.Objects.CA	CABankTransactionsEnq+CABankTranStatus+ListAttribute
PX.Objects.EP	PXDefaultWeekAttribute



PX.Objects.Common.Extensions StringExtensions

PX.Objects.FA FABookSettings+midMonthType+IsRequired

## Modified Interfaces and Abstract Classes

Namespace	Name	Added	Removed
PX.Data	ISqlDialect	1 method	0 method
PX.Data	SqlDialectBase	1 method	0 method
PX.Data	PXParentAttribute+ParentCollection	1 method	0 method
PX.Data	IBqlParameter	1 method	0 method
PX.Api.Services	IEntityDescriptionService	2 methods	3 methods
PX.Api.Services	IRecordsService	1 method	1 method
PX.Api.Services	ILoginService	3 methods	2 methods
PX.Objects.PO	IAPTranSource	1 method	0 method
PX.Objects.IN	ILSMaster	4 methods	0 method
PX.Objects.IN	ILSPimary	2 methods	0 method
PX.Objects.CA	ICADocument	2 methods	0 method

## Other Breaking Methods

Namespace	Class Name	Name
PX.Data	PXAccess	GetCompanies(String,String)
PX.Data	PXView	MergeCache(List<Object>,Object[],PXView+PXSearchColumn[],Boolean,Boolean,Boolean)
PX.Data	BqlCommand	GetTableName(Type,PXGraph,IList<IBqlUnary>,List<IBqlParameter>,IEnumerable<Type>)
PX.Data	PXAction	get_ClearDelegateAfterPress()
PX.Data	PXAction	set_ClearDelegateAfterPress(Boolean)
PX.Data	ParametrizedView	PrepareParameters(Object[],Object[])
PX.Data	ParametrizedView	prepareFilters(PXFilterRow[],String)
PX.Data	PXGenericInqGrph	GIUpdateField_FieldName_CacheAttached(PXCache)
PX.Data	PXGenericInqGrph	GINavigationParameter_FieldName_CacheAttached(PXCache)
PX.Data	PXGenericInqGrph	GIRecordDefault_FieldName_CacheAttached(PXCache)
PX.Data	PXGenericInqGrph	GIRecordDefault_Value_CacheAttached(PXCache)
PX.Data	PXGenericInqGrph	PrepareCaches(String,String)
PX.Data	PXGenericInqGrph	PrepareCaches(String,String,Dictionary<String,String>)
PX.Data	PXGenericInqGrph	CreateInstance(Guid)
PX.Data	PXGenericInqGrph	CreateInstance(PXSiteMapNode)
PX.Data	PXSqlDatabaseProvider	SelectVersion()

PX.Data	MsSqlDialect	strlen(String)
PX.Data	PendingCollection	TryGetValue(Object,Object&)
PX.Data	CurrentCollection	TryGetValue(Object,Object&)
PX.Data.Update	PXCompanyHelper	LoadCompanies(DatabaseSetupHelper,Boolean)
PX.Data.Update.WebServices	PXExchangeFolderID	.ctor(String,BaseFolderIdType)
PX.Data.Update.WebServices	PXExchangeServer	EnshureCategory(String,String,CategoryColor,CategoryKeyboardShort cut)
PX.Data.Update.WebServices	PXExchangeServer	EnshureFolders<T>(PXExchangeFolderDefinition[])
PX.Data.Update.WebServices	PXExchangeServer	EnshureFolders<T>(IEnumerable<PXExchangeFolderDefinition>)
PX.Api	ServiceRegistration	RegisterMobileApiServices(IUnityContainer)
PX.Api	ScreenUtils	GetScreenInfo(String,Boolean,Boolean)
PX.Api	ScreenUtils	EnsureScreenInfo(String,String)
PX.Api	ApiConfiguration	Configure(IUnityContainer)
PX.Api	ApiConfiguration	get_ Configuration()
PX.Api	PXVersionAttribute	get_ UriVersion()
PX.Api	PXVersionAttribute	get_ UriName()
PX.Api	PXVersionAttribute	get_ Namespace()
PX.Api.Services	IEntityDescriptionService	GetFieldType(PXGraph,Int32,String)

PX.Api.Services	IEntityDescriptionService	GetEntityDescriptions(PXGraph,String,String,Boolean)
PX.Api.Services	IEntityDescriptionService	GetAllFieldsWithMappings(PXGraph,String,String,Int32,String)
PX.Api.Services	IRecordsService	GetFieldExportCommandForRecord(String,Content,ScreenContainerField[],Field,HashSet<String>)
PX.Api.Services	RecordsService	GetFieldExportCommandForRecord(String,Content,ScreenContainerField[],Field,HashSet<String>)
PX.Api.Services	RecordsService	PrepareValue(String,CultureInfo,Type)
PX.Api.Services	ILoginService	GetLoginWithCompany(String,String,String)
PX.Api.Services	ILoginService	GetCompanies()
PX.Api.Services	LoginService	GetCompanies()
PX.Api.Services	LoginService	GetLoginWithCompany(String,String,String)
PX.Api.Restful.v5_0_1.Controllers	LoginController	GetCompanies()
PX.Api.Soap.Entity	EntityConfigurationMaint	addNewVersion()
PX.Api.Soap.Entity	EntityConfigurationMaint	get_CurrentSelectedNode()
PX.Api.Soap.Entity	EntityConfigurationMaint	viewService()
PX.Api.Soap.Entity	EntityConfigurationMaint	EndpointFilter_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Api.Soap.Entity	EntityConfigurationMaint	addNewEndpointView()
PX.Api.Soap.Entity	EntityConfigurationMaint	addNewVersionView()
PX.Api.Soap.Entity	EntityConfigurationMaint	VersionInsertModel_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Api.Soap.Entity	EntityConfigurationMaint	EndpointInsertModel_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Api.Soap.Entity	EntityTreeNode	get_Version()

PX.Api.Soap.Entity	EntityTreeNode	set_Version(String)
PX.Api.Soap.Entity	SelectedNode	get_MappingKey()
PX.Api.Soap.Entity	SelectedNode	set_MappingKey(String)
PX.Api.Soap.Entity	SelectedNode	get_InterfaceName()
PX.Api.Soap.Entity	MappedFieldSelectorAttribute	FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.SM	SMNotificationMaint	Notification_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.SM	SMNotificationMaint	Notification_SetPublishedDateTime_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.SM	Notification	get_SetPublishedDateTime()
PX.SM	Notification	set_SetPublishedDateTime(Nullable<Boolean>)
PX.SM	Notification	get_Status()
PX.SM	Notification	set_Status(String)
PX.SM	Notification	get_PublishedDateTime()
PX.SM	Notification	set_PublishedDateTime(Nullable<DateTime>)
PX.SM	Notification	get_MajorStatus()
PX.SM	Notification	set_MajorStatus(Nullable<Int32>)
PX.SM	EmailSyncOperation	get_Status()
PX.SM	EmailSyncOperation	set_Status(String)
PX.Objects.CM	CMSetup	get_MCActivated()
PX.Objects.PO	LandedCostProcess	CreateCostAdjustment(INAdjustmentEntry,LandedCostCode,LandedCostTran,List<LandedCostUtils+INCostAdjustmentInfo>)

PX.Objects.PO	LandedCostProcess	GetLCVarianceAccountSub(Nullable<Int32>&,Nullable<Int32>&,PXGraph,LandedCostUtils+INCostAdjustmentInfo)
PX.Objects.CS	EMailSyncAccountPreferencesExt	get_Address()
PX.Objects.CS	EMailSyncAccountPreferencesExt	set_Address(String)
PX.Objects.TX	TaxDetail	get_CuryTaxableAmt()
PX.Objects.TX	TaxDetail	set_CuryTaxableAmt(Nullable<Decimal>)
PX.Objects.TX	TaxDetail	get_TaxableAmt()
PX.Objects.TX	TaxDetail	set_TaxableAmt(Nullable<Decimal>)
PX.Objects.TX	TaxDetail	get_CuryTaxAmt()
PX.Objects.TX	TaxDetail	set_CuryTaxAmt(Nullable<Decimal>)
PX.Objects.TX	TaxDetail	get_TaxAmt()
PX.Objects.TX	TaxDetail	set_TaxAmt(Nullable<Decimal>)
PX.Objects.TX	TaxReportMaint	TaxReportLine_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.AP	POOrderRS	get_LineQty()
PX.Objects.AP	POOrderRS	set_LineQty(Nullable<Decimal>)
PX.Objects.AP	POOrderRS	get_CuryExtCost()
PX.Objects.AP	POOrderRS	set_CuryExtCost(Nullable<Decimal>)
PX.Objects.AP	POOrderRS	get_ExtCost()
PX.Objects.AP	POOrderRS	set_ExtCost(Nullable<Decimal>)
PX.Objects.AP	POOrderRS	get_VoucheredQty()

PX.Objects.AP	POOrderRS	set_VoucheredQty(Nullable<Decimal>)
PX.Objects.AP	POOrderRS	get_CuryVoucheredCost()
PX.Objects.AP	POOrderRS	set_CuryVoucheredCost(Nullable<Decimal>)
PX.Objects.AP	POOrderRS	get_VoucheredCost()
PX.Objects.AP	POOrderRS	set_VoucheredCost(Nullable<Decimal>)
PX.Objects.AP	POOrderRS	get_CuryInfolD()
PX.Objects.AP	POOrderRS	set_CuryInfolD(Nullable<Int64>)
PX.Objects.AP	PayeeRecordB	get_FATCA()
PX.Objects.AP	PayeeRecordB	set_FATCA(String)
PX.Objects.AP	Vendor	get_FATCA()
PX.Objects.AP	Vendor	set_FATCA(Nullable<Boolean>)
PX.Objects.AP	APReleaseProcess	CreatePPVAdjustment(APInvoice,List<KeyValuePair<APTran,PORceiptLineR1>>)
PX.Objects.AP	APReleaseProcess	CreatePPVTran(APTran,PORceiptLine,INRegister,INTran,Decimal,Boolean)
PX.Objects.AP	APReleaseProcess	GetPPVAccountSub(Nullable<Int32>&,Nullable<Int32>&,PXGraph,APTran,PORceiptLine,ReasonCode)
PX.Objects.AP	VendorMaint	InitVendorLocation(Location,String)
PX.Objects.AP	VendorMaint	InitVendorLocation(LocationExtAddress,String)
PX.Objects.AR	CCTransactionsHistoryEnq	actionsFolder(PXAdapter)
PX.Objects.AR	CCTransactionsHistoryEnq	viewPayment(PXAdapter)
PX.Objects.AR	FailedCCPaymentEnq	actionsFolder(PXAdapter)

PX.Objects.AR	FailedCCPaymentEnq	viewCreditCard(PXAdapter)
PX.Objects.AR	ARCustomerBalanceEnq	AppendCommonWhereFilters<PrimaryItemType>(PXSelectBase<PrimaryItemType>,ARCustomerBalanceEnq+ARHistoryFilter)
PX.Objects.AR	ARCustomerBalanceEnq	ConsolidateChildBalances(Dictionary<KeyValuePair<Int32,String>,ARCustomerBalanceEnq+ARHistoryResult>,Action<ARCustomerBalanceEnq+ARHistoryResult,ARCustomerBalanceEnq+ARHistoryResult>)
PX.Objects.AR	ARHistoryResult	get_ ConsolidatingCustomerID()
PX.Objects.AR	ARHistoryResult	set_ ConsolidatingCustomerID(Nullable<Int32>)
PX.Objects.AR	CustomerMaint	InitCustomerLocation(Location,String)
PX.Objects.AR	CustomerMaint	InitCustomerLocation(LocationExtAddress,String)
PX.Objects.IN	LookupView	prepareSorts(String[],Boolean[],Object[],Int32,Boolean&,Boolean&,Boolean&)
PX.Objects.IN	INReleaseProcess	WriteGLCosts(JournalEntry,INTranCost,INTran,InventoryItem,INSite,INPostClass,ReasonCode)
PX.Objects.GL	GLBatchDocRelease	Copy(TaxDetail,GLTaxTran)
PX.Objects.GL	GLConsolReadMaint	GetMappedValue(String)
PX.Objects.GL	GLConsolReadMaint	InitSegmentData(GLConsolSetup)
PX.Objects.GL	GLConsolReadMaint	ValidateAccountCD(String)
PX.Objects.GL	GLConsolReadMaint	ValidateSubCD(String)
PX.Objects.GL	GLConsolReadMaint	GetRegeneratedSubCD(String)
PX.Objects.GL	GLConsolReadMaint	AppendRemapped(String,Nullable<Int32>,Nullable<Int32>,Nullable<Int32>)
PX.Objects.GL	AccountByPeriodEnq	ViewBatch(PXAdapter)
PX.Objects.GL	AccountByPeriodEnq	ViewAPDocument(PXAdapter)



PX.Objects.GL	AccountByPeriodEnq	FindBatch(PXGraph,GLTran)
PX.Objects.CR	Contact	get_LastActivity()
PX.Objects.CR	Contact	set_LastActivity(Nullable<DateTime>)
PX.Objects.CR	Contact	get_LastModified()
PX.Objects.CR	Contact	set_LastModified(Nullable<DateTime>)
PX.Objects.CR	EPActivity	get_ClassID()
PX.Objects.CR	EPActivity	set_ClassID(Nullable<Int32>)
PX.Objects.CR	EPActivity	get_LastModifiedDateTime()
PX.Objects.CR	EPActivity	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CR	OpportunityMaint	CreateSalesOrderFilter_OrderType_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	ContactAccount	get_LastActivity()
PX.Objects.CR	ContactAccount	set_LastActivity(Nullable<DateTime>)
PX.Objects.CA	CABankTransactionsMaint	CABankTranDetail_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.CA	CABankTransactionsMaint	CABankTranDetail_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.CA	CashAccountMaint	IsCashAccountInUse(CashAccount)
PX.Objects.EP	TimeCardRelease	Release(List<TimecardWithTotals>)
PX.Objects.FA	DeleteDocsProcess	FARegister_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.FA	AssetGLTransactions	InsertAsset(PXGraph,Nullable<Int32>,Nullable<Int32>,String,String,Nullable<DateTime>,Nullable<DateTime>,Nullable<Decimal>,Nullable<Decimal>,Nullable<Decimal>,AssetGLTransactions+GLTran,IFALocation)
PX.Objects.FA	AssetProcess	SuspendBalanceForPeriods(TransactionEntry,FABookBalance,Nullable<Int32>)

PX.Objects.FA	AssetProcess	SuspendAssetForPeriods(IEnumerable<FABookBalance>,Nullable<Int32>)
PX.Objects.FA	TransactionEntry	SetCurrentAsset(PXCache,FATran)
PX.Objects.SO	SODiscountEngine	ValidateMinGrossProfitUnitPrice(PXCache,Line,Nullable<Decimal>&)
PX.Objects.SO	SOInvoiceEntry	SOInvoice_CuryDiscTot_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)

## Other Breaking Fields

Namespace	Class Name	Method Name
PX.Data	PXProcessingBase	_PostMessages
PX.Data	PXDBAttributeAttribute	_Definition
PX.Data	PXGenericInqGrph	NavigationParameters
PX.Data	PXGenericInqGrph	RecordDefaults
PX.Data	PXGenericInqGrph	MassUpdateFields
PX.Data	CopyPasteSiteMap	Nodes
PX.Api	ApiConfiguration	EntityUrlMatcher
PX.Api.Soap.Entity	EntityConfigurationMaint	AddNewVersionView
PX.Api.Soap.Entity	EntityConfigurationMaint	AddNewEndpointView
PX.Api.Soap.Entity	EntityConfigurationMaint	EntityEndpoints
PX.Api.Soap.Entity	EntityConfigurationMaint	CurrentVersionEntityEndpoints
PX.Api.Soap.Entity	EntityConfigurationMaint	Filter
PX.Api.Soap.Entity	EntityConfigurationMaint	AddNewVersion
PX.Api.Soap.Entity	EntityConfigurationMaint	ViewService
PX.SM	EMailSyncServerMaint	Emails
PX.SM	EMailSyncServerMaint	EmailSettings
PX.SM	PXEmailSyncContactsFilter	AllCode
PX.SM	PXEmailSyncContactsFilter	OwnerVisibleCode
PX.SM	PXEmailSyncContactsFilter	WorkgroupVisibleCode
PX.SM	PortalMapMaint	WikiPanel
PX.Objects.CM	TranslationDefinitionMaint	TranslationSetup
PX.Objects.CM	Messages	SubAccountFromCanNonBeEmpty
PX.Objects.CM	Messages	SubAccountToCanNonBeEmpty
PX.Objects.CM	Messages	AccountFromCanNonBeEmpty
PX.Objects.CM	Messages	AccountToCanNonBeEmpty
PX.Objects.PO	POVendorCatalogueMaint	cmsetup
PX.Objects.PO	POOrderEntry	CMSetup
PX.Objects.CS	NotificationFormat	Text

PX.Objects.TX	TaxDetail	_CuryTaxableAmt
PX.Objects.TX	TaxDetail	_TaxableAmt
PX.Objects.TX	TaxDetail	_CuryTaxAmt
PX.Objects.TX	TaxDetail	_TaxAmt
PX.Objects.TX	TaxAdjustmentType	IncreaseTax
PX.Objects.TX	TaxAdjustmentType	ReduceTax
PX.Objects.TX	Messages	TaxRevNotFound
PX.Objects.TX	Messages	IncreaseTax
PX.Objects.TX	Messages	ReduceTax
PX.Objects.TX	TaxAdjustmentEntry	CMSetup
PX.Objects.TX	CSTaxType	ReverseVAT
PX.Objects.TX	CSTaxType	PendingVAT
PX.Objects.TX	CSTaxType	DirectVAT
PX.Objects.TX	CSTaxType	StatisticalVAT
PX.Objects.TX	CSTaxType	ExemptVAT
PX.Objects.RQ	RQRequestEntry	cmsetup
PX.Objects.AP	APPayBills	CMSetup
PX.Objects.AP	APPriceWorksheetMaint	CMSetup
PX.Objects.AP	APPrintChecks	CMSetup
PX.Objects.AP	APQuickCheckEntry	cmsetup
PX.Objects.AP	APReleaseChecks	CMSetup
PX.Objects.AP	APApproveBills	CMSetup
PX.Objects.AP	APDocumentEnq	CMSetup
PX.Objects.AP	APPaymentEntry	CMSetup
PX.Objects.AP	APInvoiceEntry	CMSetup
PX.Objects.AP	APInvoiceEntry	pOrderFilter
PX.Objects.AP	APVendorBalanceEnq	CMSetup
PX.Objects.AP	Messages	PrepaymentCannotBeVoided
PX.Objects.AP	Messages	PrepaymentCannotBeVoided2
PX.Objects.AP	Messages	PrepaymentCannotBeVoided3
PX.Objects.AP	VendorClassMaint	CMSetup

PX.Objects.AR	ARPriceWorksheetMaint	CMSetup
PX.Objects.AR	ARCashSaleEntry	cmsetup
PX.Objects.AR	ARChargeInvoices	CMSetup
PX.Objects.AR	CCTransactionsHistoryEnq	ActionsFolder
PX.Objects.AR	CCTransactionsHistoryEnq	ViewPayment
PX.Objects.AR	FailedCCPaymentEnq	ActionsFolder
PX.Objects.AR	FailedCCPaymentEnq	ViewCreditCard
PX.Objects.AR	ARDocumentEnq	CMSetup
PX.Objects.AR	ARCustomerBalanceEnq	CMSetup
PX.Objects.AR	ARPaymentEntry	cmsetup
PX.Objects.AR	ARInvoiceEntry	CMSetup
PX.Objects.AR	CustomerClassMaint	CMSetup
PX.Objects.IN	Messages	OverrideInventoryAccSub
PX.Objects.IN	Messages	OverrideInventoryAcc
PX.Objects.IN	InventoryItemMaint	cmsetup
PX.Objects.GL	GLConsolReadMaint	segmentPairs
PX.Objects.GL	GLConsolReadMaint	segmentValueTriple
PX.Objects.GL	GLConsolReadMaint	listConsolReadAddition
PX.Objects.GL	GLConsolReadMaint	segmentNumChars
PX.Objects.GL	GLConsolReadMaint	segmentNames
PX.Objects.GL	GLConsolReadMaint	segmentOrder
PX.Objects.GL	AccountByPeriodEnq	viewBatch
PX.Objects.GL	AccountByPeriodEnq	viewAPDocument
PX.Objects.GL	Messages	ConsolidationSegmentsOrderInSourceInvalid
PX.Objects.GL	Messages	FailedControlTotalBalance
PX.Objects.GL	GeneralLedgerMaint	cmsetup
PX.Objects.GL	TaxTranCreationProcessor	TranForward
PX.Objects.GL	TaxTranCreationProcessor	TranReversed
PX.Objects.GL	FPTYPE	BeMonth
PX.Objects.GL	FPTYPE	BeWeek
PX.Objects.CR	BusinessAccountGraphBase	CMSetup

PX.Objects.CR	CRSetupMaint	CMSetup
PX.Objects.CR	OpportunityMaint	sosetting
PX.Objects.CR	ContactMaint	Save
PX.Objects.CR	ContactMaint	SaveClose
PX.Objects.CR	ContactMaint	Cancel
PX.Objects.CR	ContactMaint	Insert
PX.Objects.CR	ContactMaint	CopyPaste
PX.Objects.CR	ContactMaint	Delete
PX.Objects.CR	ContactMaint	First
PX.Objects.CR	ContactMaint	Previous
PX.Objects.CR	ContactMaint	Next
PX.Objects.CR	ContactMaint	Last
PX.Objects.CA	CABankStatementEntry	CMSetup
PX.Objects.CA	CADepositEntry	CMSetup
PX.Objects.CA	CashTransferEntry	cmsetup
PX.Objects.CA	CATranEnq	cmsetup
PX.Objects.CA	CashAccountMaint	cmsetup
PX.Objects.CA	CASetupMaint	CMSetup
PX.Objects.EP	EmployeeMaint	cmsetup
PX.Objects.EP	ExpenseClaimEntry	cmsetup
PX.Objects.FA	DeleteDocsProcess	Transactions
PX.Objects.FA	DeleteDocsProcess	Additions
PX.Objects.SO	SOOrderEntry	cmsetup
PX.Objects.SO	SOShipmentEntry	cmsetup
PX.SM	Users	login