

MYOB Advanced

Technical Release Notes

2017.1



Contents

Introduction	3
Technical Notes	3
Breaking Changes	3
Changes that Affect Integration via Import or Export Scenarios.....	3
Changes Affecting Integration via Screen-Based SOAP API	11
Removed Screens	15
Removed Tables	15
Removed Fields.....	15
Modified Fields	17
Modified Field Types.....	17
Removed Data Access Classes (DACs)	17
Removed Graphs	18
Removed Constants	19
Other Removed Classes.....	20
Modified Interfaces and Abstract Classes	30
Other Breaking Changes	31
Other Breaking Fields	76
Other Breaking Methods.....	78

Introduction

Welcome to the 2017.1 release of MYOB Advanced. The purpose of this document is to provide essential information on the changes included in this release that affect organisations who are involved in developing reports, customisations and integrations for the MYOB Advanced system.

Technical Notes

Breaking Changes

Changes that Affect Integration via Import or Export Scenarios

These changes listed in this section could break export/import scenarios. After upgrading to MYOB Advanced 2017.1, review any scenarios that relate to the screen IDs listed in this section.

AP.30.20.00 Checks and Payments

On the Application History tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes could affect export scenarios.

Field	Replacement
CuryAdjgAmt	DisplayCuryAmt
CuryAdjgDiscAmt	DisplayCuryDiscAmt
CuryAdjgWhTaxAmt	DisplayCuryWhTaxAmt
APIInvoice__DocDesc	DisplayDocDesc
AdjgCuryID	DisplayCuryID

AP.30.30.00 Vendors

On the Activities tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

AR.30.20.00 Payments and Applications

On the Application History tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes could affect export scenarios.

Field	Replacement
AdjCustomerID	DisplayCustomerID
CuryAdjgAmt	DisplayCuryAmt
CuryAdjgPPDAmt	DisplayCuryPPDAmt
CuryAdjgWOAmt	DisplayCuryWOAmt
AdjDocDate	DisplayDocDate
ARInvoice__DocDesc	DisplayDocDesc
AdjCuryID	DisplayCuryID

CO.40.90.00 Incoming Email

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CO.40.90.10 Draft Email

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CO.40.90.20 Outgoing Email

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CO.40.90.30 Archived Email

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CO.40.90.70 All Emails

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes could affect export scenarios.

Field	Replacement
Type	CRAActivity__Type
Source	CRAActivity__Source
RefNoteID	CRAActivity__RefNoteID
GroupID	CRAActivity__WorkgroupID
Owner	CRAActivity__OwnerID

CO.40.90.80 Sent Email

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CO.40.90.90 Deleted Email

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CR.30.10.00 Leads

On the Activities tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CR.30.20.00 Contacts

On the Activities tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CR.30.30.00 Business Accounts

On the Activities tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CR.30.40.00 Opportunities

On the Activities tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CR.30.60.00 Cases

On the Activities tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes could affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

CR.30.60.10 Activity

The names of internal fields and objects that are listed in the following table have been changed. The changes may affect both import and export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID
ParentTaskID	ParentNoteID
TaskID	NoteID
Activities: 1	CurrentActivity

CR.30.60.15 Email Activity

The names of internal fields and objects that are listed in the following table have been changed. The changes may affect both import and export scenarios.

Field	Replacement
Activities	CurrentMessage
Activities: 1	CurrentMessage: 1
GroupID	WorkgroupID
Owner	OwnerID
ParentTaskID	ParentNoteID

CR.30.60.20 Task

The names of internal fields and objects that are listed in the following table have been changed. The changes may affect both import and export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID
CompletedDateTime	CompletedDate
TaskID	NoteID

CR.30.60.30 Event

The name of an internal field that is listed in the following table has been changed. The change may affect both import and export scenarios.

Field	Replacement
TaskID	NotelD

EP.20.30.00 Employees

On the Activities tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes may affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

EP.30.50.00 Employee Time Card

The names of internal fields that are listed in the following table have been changed. The changes may affect both import and export scenarios.

Field	Replacement
ParentTaskID	ParentNotelD
StartDate_Date	Date_Date
Subject	Summary

EP.30.70.00 Employee Time Activities

The names of internal fields that are listed in the following table have been changed. The changes may affect both import and export scenarios.

Field	Replacement
ParentTaskID	ParentNotelD
StartDate_Date	Date_Date
Subject	Summary

EP.40.40.00 Tasks

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes may affect export scenarios.

Field	Replacement
EndDate_Date	EndDate
GroupID	WorkgroupID
Owner	OwnerID

EP.40.41.00 Events

The name of an internal field that is listed in the following table has been changed. The grid is read-only, but the change may affect export scenarios.

Field	Replacement
Owner	OwnerID

EP.40.43.00 Activities

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes may affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

EP.40.50.00 Activities Maintenance

The names of internal fields that are listed in the following table have been changed. The grid is read-only, but the changes may affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

EP.50.70.10 Approve Time Activities

The name of an internal field that is listed in the following table has been changed. The grid is read-only, but the change may affect export scenarios.

Field	Replacement
ParentTaskID	ParentTaskNoteID

EP.50.70.20 Release Time Activities

The name of an internal field that is listed in the following table has been changed. The grid is read-only, but the change may affect export scenarios.

Field	Replacement
ParentTaskID	ParentTaskNoteID

EP.50.70.30 Approve Time Card Summaries

The name of an internal field that is listed in the following table has been changed. The grid is read-only, but the change may affect export scenarios.

Field	Replacement
ParentTaskID	ParentTaskNoteID

PM.30.10.00 Projects

On the Activity History tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes may affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

PM.30.20.00 Project Tasks

On the Activity History tab, the names of internal fields that are listed in the following table have been changed. The tab is read-only, but the changes may affect export scenarios.

Field	Replacement
GroupID	WorkgroupID
Owner	OwnerID

Changes Affecting Integration via Screen-Based SOAP API

The following changes in external field or object names may break client applications connected via the screen-based SOAP API.

If your SOAP client connects to a screen that is listed in this section, we recommend that you consider to start using the wrapper from PX.Soap.dll. Alternatively, you can refresh WSDL from the site after upgrading it to Acumatica 6, then adjust and recompile the client application, if it utilizes any fields or objects from the following list.

AP.10.10.00 Accounts Payable Preferences

The field with the external name *KeepTransactionsFor* has been removed from the *GeneralSettingsPostingAndRetentionSettings* container.

AP.30.10.00 Bills and Adjustments

The field with the external name *Discount* has been renamed to *DiscountPercent* in the *DiscountDetails* container.

AP.30.20.00 Checks and Payments

The field with the external name *DocumentType* has been renamed to *DocType* in the *ApplicationHistory* container.

The field with the external name *ReferenceNbrAdjRefNbr* has been renamed to *ReferenceNbrDisplayRefNbr* in the *ApplicationHistory* container.

AP.30.30.00 Vendors

The fields with the external names *ReminderIcon* and *MailStatus* have been removed from the *Activities* container.

AR.10.10.00 Accounts Payable Preferences

The field with the external name *KeepTransactionsFor* has been removed from the *GeneralSettingsPostingAndRetentionSettings* container.

The field with the external name *OverdueChargesNumberingSequence* has been renamed to *OverdueChargeNumberingSequence* in the *GeneralSettingsNumberingSettings* container.

The field with the external name *IntegratedCCProcessing* has been renamed to *EnableIntegratedCCProcessing* in the *GeneralSettingsDataProcessingSettings* container.

AR.30.10.00 Invoices and Memos

The field with the external name *Discount* has been renamed to *DiscountPercent* in the *DiscountDetails* container.

AP.30.20.00 Payments and Applications

The field with the external name *DocumentType* has been renamed to *DocType* in the *ApplicationHistory* container.

The field with the external name *ReferenceNbr* has been renamed to *ReferenceNbrDisplayRefNbr* in the *ApplicationHistory* container.

AP.30.30.00 Customers

The fields with the external names *ReminderIcon* and *MailStatus* have been removed from the *Activities* container.

CA.20.20.00 Cash Accounts

The field with the external name *AccountName* has been renamed to *VendorName* in the *CorporateCards* container.

CM.10.10.00 Currency Management Preferences

The field with the external name *KeepTransactionsFor* has been removed from the *CMSettingsPostingAndRetentionSettings* container.

CO.40.90.70 All Emails

The field with the external name *Subject* has been renamed to *Summary* in the *Emails* container.

The field with the external name *ClassIcon* has been renamed to *CRActivityClassIcon* in the *Emails* container.

The field with the external name *ID* has been removed from the *Emails* container.

The field with the external name *Read* has been removed from the *Emails* container.

The field with the external name *Status* has been removed from the *Emails* container.

CR.30.10.00 Leads

The fields with the external names *ReminderIcon* and *MailStatus* have been removed from the *Activities* container.

CR.30.20.00 Contacts

The fields with the external names *ReminderIcon* and *MailStatus* have been removed from the *Activities* container.

CR.30.30.00 Business Accounts

The fields with the external names *ReminderIcon* and *MailStatus* have been removed from the *Activities* container.

CR.30.40.00 Opportunities

The fields with the external names *ReminderIcon* and *MailStatus* have been removed from the *Activities* container.

CR.30.60.00 Cases

The fields with the external names *ReminderIcon* and *MailStatus* have been removed from the *Activities* container.

CR.30.60.10 Activity

The fields with the external names *Project*, *ProjectTask*, *TrackTime*, *Status*, *Approver*, *EarningType*, *TimeSpent*, *Overtime*, *Billable*, *Released*, *BillableTime*, *BillableOvertime*, and *ReferenceNbr* have been moved to the *TimeActivities* container.

CR.30.60.15 Email Activity

The fields with the external names *Project*, *ProjectTask*, *TimeSpent*, *Overtime*, *BillableTime*, and *BillableOvertime* have been moved to the *DetailsTimeActivity* container.

The fields with the external names *Reminder*, *RemindAtReminderDateDate*, *RemindAtReminderDateTime*, and *ReminderIcon* have been removed.

The fields with the external names *ID* and *TaskID* have been renamed to *NoteID*.

CR.30.60.20 Task

The fields with the external names *TimeSpent*, *Overtime*, *BillableTime*, and *BillableOvertime* have been moved to the *DetailsTimeActivit* container.

The fields with the external names *Reminder*, *RemindAtReminderDateDate*, and *RemindAtReminderDateTime* have been moved to the *DetailsReminder* container.

CT.50.30.00 Update Contract Prices

The *Selection_* container has been renamed to *SelectionSelectedContractItem*.

EP.10.10.00 Time and Expenses Preferences

The field with the external name *KeepTransactionsFor* has been removed from the *GeneralSettingsPostingAndRetentionSettings* container.

EP.20.30.00 Employees

The fields with the external names *ReminderIcon* and *MailStatus* have been removed from the *Activities* container.

EP.30.50.00 Employee Time Card

The fields with the external names *Type*, *Status*, and *MailStatus* have been removed from the *Details* container.

The field with the external name *ID* has been removed from the *PreloadFromTasks* container.

EP.30.70.00 Employee Time Activities

The fields with the external names *ApprovalStatus* and *StartTime* have been removed from the *Activity* container.

EP.40.40.00 Tasks

The field with the external name *TaskID* has been removed from the *Tasks* container.

The field with the external name *ReminderIcon* has been renamed to *CRReminderReminderIcon* in the *Tasks* container.

The field with the external name *Date* has been renamed to *StartDate* in the *Tasks* container.

EP.40.41.00 Events

The field with the external name *TaskID* has been removed from the *Events* container.

The field with the external name *ReminderIcon* has been renamed to *CRReminderReminderIcon* in the *Tasks* container.

EP.40.50.00 Activities Maintenance

The field with the external name *ReminderIcon* has been removed from the *Activities* container.

EP.50.70.10 Approve Time Activities

The field with the external name *StartDate* has been renamed to *Date* in the *Activity* container.

The field with the external name *Description* has been renamed to *Summary* in the *Activity* container.

The field with the external name *Employee* has been renamed to *Owner* in the *Activity* container.

EP.50.70.20 Release Time Activities

The field with the external name *StartDate* has been renamed to *Date* in the *Activity* container.

The field with the external name *DescriptionSubjec* has been renamed to *Summary* in the *Activity* container.

The field with the external name *Employee* has been renamed to *Owner* in the *Activity* container.

FA.50.50.00 Dispose Assets

The field with the external name *DisposalAmountEntry* has been removed from the *Options* container.

GL.10.20.00 General Ledger Preferences

The field with the external name *KeepTransactionsFor* has been removed from the *GeneralSettingsPostingAndRetentionSettings* container.

IN.10.10.00 Inventory Preferences

The field with the external name *KeepTransactionsFor* has been removed from the *GeneralSettingsPostingAndRetentionSettings* container.

PM.30.10.00 Projects

The field with the external name *ReminderIcon* has been removed from the *ActivityHistory* container.

PM.30.20.00 Project Tasks

The field with the external name *ReminderIcon* has been removed from the *ActivityHistory* container.

PO.30.10.00 Purchase Orders

The field with the external name *Discount* has been renamed to *DiscountPercent* in the *DiscountDetails* container.

PO.30.20.00 Purchase Receipts

The field with the external name *Discount* has been renamed to *DiscountPercent* in the *DiscountDetails* container.

SM.20.80.00 Generic Inquiry

The field with the external name *SuppressNavigation* has been removed from the *ResultsGrid* container.

SM.20.85.00 Lists as Entry Points

The fields with the external names *EntryScreenLocation* and *SubstituteScreenLocation* have been removed from the *Items* container.

SO.30.10.00 Sales Orders

The *PaymentSettingsPaymentMethod* container has been renamed to *PaymentSettings*.

The Totals container has been split into *TotalsOrderTotals*, *TotalsFreightInfo*, *TotalsCalculatedAmountsAndQuantities* containers.

The field with the external name *Discount* has been renamed to *DiscountPercent* in the *DiscountDetails* container.

SO.30.30.00 Invoices

The field with the external name *Discount* has been renamed to *DiscountPercent* in the *DiscountDetails* container.

Removed Screens

None

Removed Tables

- APBalances
- AUNotificationHistory
- EMailSyncOperation
- EPActivity
- EPActivityKvExt
- EPChangesetDetail
- EPReminder
- EPReminderKvExt

Removed Fields

- AdjustContractStartDate
- CRActivityRelation.RefTaskID
- CRActivityRelation.TaskID
- CRActivityStatistics.LastIncomingActivityID

- CRAActivityStatistics.LastOutgoingActivityID
- CSAnswers.EntityID
- CSAnswers.EntityType
- CSAttributeGroup.Type
- EPAttendee.EventID
- EPAttendeeMessage.EventID
- EPOtherAttendee.EventID
- EPOtherAttendeeMessage.EventID
- EPTimeCardSummary.ParentTaskID
- FADepreciationMethodLines.RatioPerPeriod1
- FADepreciationMethodLines.RatioPerPeriod2
- FADepreciationMethodLines.RatioPerPeriod3
- FADepreciationMethodLines.RatioPerPeriod4
- FADepreciationMethodLines.RatioPerPeriod5
- FADepreciationMethodLines.RatioPerPeriod6
- FADepreciationMethodLines.RatioPerPeriod7
- FADepreciationMethodLines.RatioPerPeriod8
- FADepreciationMethodLines.RatioPerPeriod9
- FADepreciationMethodLines.RatioPerPeriod10
- FADepreciationMethodLines.RatioPerPeriod11
- FADepreciationMethodLines.RatioPerPeriod12
- FADepreciationMethodLines.SetYearRatioByUser
- GIDesign.PrimaryScreenAsPopup
- GIDesign.PrimaryScreenID
- GIResult.SuppressNav
- InsuranceRequired
- IsKey
- ListEntryPoint.EntryScreenNodeID
- ListEntryPoint.ListNodeID
- Max
- MaxIncomingSize
- Min
- Path
- RequiredRecalculation
- ResourceLocID

Modified Fields

Table Name	Field Name	Old Type	New Type	Old Precision	New Precision	Old Max Length	New Max Length
APAdjust	StubNbr	NVarChar	NVarChar	0	0	15	40
CABankStatement Adjustment	StubNbr	NVarChar	NVarChar	0	0	15	40
CABankTran Adjustment	StubNbr	NVarChar	NVarChar	0	0	15	40
EPCompanyTree	Description	VarChar	NVarChar	0	0	50	50

Modified Field Types

Field Name	Old Type	New Type	Old Precision	New Precision	Old Scale	New Scale	Old Max Length	New Max Length
DBMultiPlier	Decimal	Decimal	9	11	6	6	0	0
DataField	VarChar	VarChar	0	0			50	256
EntityClassID	NVarChar	NVarChar	0	0			10	30

Removed Data Access Classes (DACs)

Namespace	Class Name
PX.SM	EMailAccountMaint+EPActivity
PX.SM	EMailSyncOperation
PX.SM	WikiPageAnalytic
PX.Data	PXFieldScreenToSiteMapAddHelper<T>+SiteMapInternal
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter
PX.Objects.EP	NavigationFilter
PX.Objects.EP	EmailEnq+Box
PX.Objects.EP	EmailEnq+MailBoxFilter
PX.Objects.EP	EmailEnq+EmailFilter
PX.Objects.EP	EPChangesetDetail
PX.Objects.EP	EPReminder
PX.Objects.CR	SimpleCase
PX.Objects.CR	BusinessAccountGraphBase<Base,Primary,Where>+BAccountItself

PX.Objects.CR	MyCasesByCustomerMaint+Filter
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo
PX.Objects.CR	MyCaseDetailsMaint+EPActivityWithOwner
PX.Objects.CR	IMessage
PX.Objects.CR	EPMessage
PX.Objects.CS	CSAnswers2
PX.Objects.IN	InventoryLotSerInq+INTran2
PX.Objects.IN	ItemCostHistByPeriodByItemSite
PX.Objects.TX	VATTaxTran
PX.Objects.TX	TaxTranExtInfo

Removed Graphs

Namespace	Class Name
PX.Objects.EP	CRBaseActivityMaint<TGraph>
PX.Objects.EP	EmailEnq
PX.Objects.EP	ChangesetMaint
PX.Objects.EP	EmailResponseMaint
PX.Objects.EP	EmailRoutingMaint
PX.Objects.CR	CRBaseUpdateProcess<TGraph,TPrimary,TMarkAttribute,TClassField,TAnswerType>
PX.Objects.CR	CRCommunicationOverview
PX.Objects.CR	MySupportMaint
PX.Objects.CR	MyOpenCasesMaint
PX.Objects.CR	MyClosedCasesMaint
PX.Objects.CR	MyCasesByCustomerMaint
PX.Objects.CR	MyCaseDetailsMaint
PX.Objects.CR	BusinessAccountGraphBase<Base,Primary,Where>
PX.Objects.AR	DLCustomerUpdate
PX.Objects.TX	ProcessPendingVAT
PX.Objects.SO	SOPaymentEntry

Removed Constants

Namespace	Class Name
PX.SM	EMailAccountMaint+EPActivity+processed
PX.SM	EMailAccountMaint+EPActivity+archived
PX.SM	EMailAccountMaint+EPActivity+open
PX.Objects.CT	DurationType+DurationAnnual
PX.Objects.CT	DurationType+DurationMonthly
PX.Objects.CT	DurationType+DurationQuarterly
PX.Objects.CT	DurationType+DurationCustom
PX.Objects.CR	CRActivityClass+history
PX.Objects.CR	EPActivity+classIcon+task
PX.Objects.CR	EPActivity+classIcon+events
PX.Objects.CR	EPActivity+classIcon+email
PX.Objects.CR	EPActivity+classIcon+emailResponse
PX.Objects.CR	EPActivity+classIcon+history
PX.Objects.CR	EPActivity+reminderIcon+reminder
PX.Objects.CR	EPActivity+priorityIcon+low
PX.Objects.CR	EPActivity+priorityIcon+high
PX.Objects.CR	EPActivity+isCompleteIcon+completed
PX.Objects.CR	EPActivity+processed
PX.Objects.CR	EPActivity+archived
PX.Objects.CS	CSAnswerType+caseAnswerType
PX.Objects.CS	CSAnswerType+opportunityAnswerType
PX.Objects.CS	CSAnswerType+leadAnswerType
PX.Objects.CS	CSAnswerType+accountAnswerType
PX.Objects.CS	CSAnswerType+inventoryAnswerType
PX.Objects.CS	CSAnswerType+projectAnswerType
PX.Objects.CS	CSAnswerType+projectTaskAnswerType
PX.Objects.CS	CSAnswerType+accountGroupAnswerType
PX.Objects.CS	CSAnswerType+projectTranAnswerType
PX.Objects.CS	CSAnswerType+equipmentAnswerType

PX.Objects.CS	CSAnswerType+contractAnswerType
PX.Objects.CS	CSAnswerType+customerAnswerType
PX.Objects.CS	CSAnswerType+vendorAnswerType
PX.Objects.CS	CSAnswerType+employeeAnswerType
PX.Objects.GL	GLScheduleType+deferredRevenue
PX.Objects.GL	GLScheduleType+deferredExpense
PX.Objects.CA	CACredit

Other Removed Classes

Namespace	Class Name
PX.Common	PXScreenIDScope
PX.Common.Collection	NullableDictionary<TKey,TValue>
PX.SM	AUNotificationHistory+tStamp
PX.SM	EMailAccountMaint+EPActivity+mailAccountID
PX.SM	EMailAccountMaint+EPActivity+taskID
PX.SM	EMailAccountMaint+EPActivity+mpstatus
PX.SM	EMailAccountMaint+EPActivity+uistatus
PX.SM	EMailAccountMaint+EPActivity+createdByID
PX.SM	EMailAccountMaint+EPActivity+createdByScreenID
PX.SM	EMailAccountMaint+EPActivity+createdDateTime
PX.SM	EMailAccountMaint+EPActivity+lastModifiedByID
PX.SM	EMailAccountMaint+EPActivity+lastModifiedByScreenID
PX.SM	EMailAccountMaint+EPActivity+lastModifiedDateTime
PX.SM	AUNotificationHistory+mailReplay
PX.Data	PXImportAttribute+IHardImporter
PX.Data	ListEntryPoint+entryScreenNodeID
PX.Data	ListEntryPoint+entryScreenScreenID
PX.Data	ListEntryPoint+entryScreenTitle
PX.Data	ListEntryPoint+listNodeID
PX.Data	ListEntryPoint+listPath
PX.Data	PXExtensibleCache<TNode>

PX.Data	PXExtensibleCache<TNode>+CacheClearing
PX.Data	PXExtensibleCache<TNode>+ItemReading
PX.Data	PXNotPersistableAttribute
PX.Data.Maintenance.GI	GIDesign+primaryScreenAsPopup
PX.Data.Maintenance.GI	GIResult+suppressNav
PX.TM	PXOwnerSelectorAttribute+EPEmployee+extKey
PX.Objects.TX	TaxType+Attribute
PX.Objects.TX	TaxTranReport+tranTypeInv
PX.Objects.CT	DurationType
PX.Objects.CT	DurationType+ListAttribute
PX.Objects.CT	ScheduleStartOption
PX.Objects.CT	ScheduleStartOption+ListAttribute
PX.Objects.PO	POLineTypeList2Attribute
PX.Objects.EP	EPActivityReject+uistatus
PX.Objects.EP	EPActivityReject+taskID
PX.Objects.EP	EPActivityComplite+uistatus
PX.Objects.EP	EPActivityComplite+taskID
PX.Objects.EP	EPActivityOpen+uistatus
PX.Objects.EP	EPActivityOpen+taskID
PX.Objects.EP	EPSummaryApprove+parentTaskID
PX.Objects.EP	EPTimeCardSummary+parentTaskID
PX.Objects.EP	EPActivityApprove+taskID
PX.Objects.EP	EPActivityApprove+owner
PX.Objects.EP	EPActivityApprove+startDate
PX.Objects.EP	EPActivityApprove+subject
PX.Objects.EP	EPActivityApprove+parentTaskID
PX.Objects.EP	EPActivityApprove+overtimeBillable
PX.Objects.EP	EPActivityApprove+uistatus
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+ownerID
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+fromWeek
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+tillWeek

PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+projectID
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+projectTaskID
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+includeReject
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+regularTime
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+regularOvertime
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+regularTotal
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+billableTime
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+billableOvertime
PX.Objects.EP	EmployeeActivitiesEntry+EPActivityFilter+billableTotal
PX.Objects.EP	ApprovalDocType<EntityType>
PX.Objects.EP	NavigationFilter+email
PX.Objects.EP	EmailEnq+Box+key
PX.Objects.EP	EmailEnq+Box+name
PX.Objects.EP	EmailEnq+Box+icon
PX.Objects.EP	EmailEnq+MailBoxFilter+filterID
PX.Objects.EP	EmailEnq+MailBoxFilter+name
PX.Objects.EP	EmailEnq+MailBoxFilter+icon
PX.Objects.EP	EmailEnq+EmailFilter+searchText
PX.Objects.EP	EmailEnq+EmailFilter+likeText
PX.Objects.EP	EPChangesetDetail+detailID
PX.Objects.EP	EPChangesetDetail+changesetID
PX.Objects.EP	EPChangesetDetail+sourceField
PX.Objects.EP	EPChangesetDetail+oldValue
PX.Objects.EP	EPChangesetDetail+newValue
PX.Objects.EP	EPChangesetDetail+createdByID
PX.Objects.EP	EPChangesetDetail+createdByScreenID
PX.Objects.EP	EPChangesetDetail+createdDateTime
PX.Objects.EP	EPChangesetDetail+lastModifiedByID
PX.Objects.EP	EPChangesetDetail+lastModifiedByScreenID
PX.Objects.EP	EPChangesetDetail+lastModifiedDateTime
PX.Objects.EP	EPChangesetDetail+Tstamp

PX.Objects.EP	TimeCardMaint+EPTimecardDetailOrig+taskID
PX.Objects.EP	TimeCardMaint+EPTimecardDetailOrig+parentTaskID
PX.Objects.EP	TimeCardMaint+EPTimecardDetailOrig+origTaskID
PX.Objects.EP	TimeCardMaint+EPTimecardDetailEx+taskID
PX.Objects.EP	TimeCardMaint+EPTimecardDetailEx+parentTaskID
PX.Objects.EP	TimeCardMaint+EPTimecardDetailEx+origTaskID
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+startDate
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+completedDateTime
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+type
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+taskID
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+parentTaskID
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+origTaskID
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+owner
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+classID
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+uistatus
PX.Objects.EP	TimeCardMaint+EPTimecardDetail+endDate
PX.Objects.EP	TimeCardMaint+EPTimecardTask+taskID
PX.Objects.EP	TimeCardMaint+EPTimecardTask+parentTaskID
PX.Objects.EP	TimeCardMaint+EPTimecardTask+origTaskID
PX.Objects.EP	TimeCardMaint+EPTimecardTask+owner
PX.Objects.EP	EPOtherAttendeeMessage+eventID
PX.Objects.EP	EPAttendeeMessage+eventID
PX.Objects.EP	EPOtherAttendee+eventID
PX.Objects.EP	EPReminder+noteID
PX.Objects.EP	EPReminder+userID
PX.Objects.EP	EPReminder+date
PX.Objects.EP	EPReminder+dismiss
PX.Objects.EP	EPReminder+createdByID
PX.Objects.EP	EPReminder+createdByScreenID
PX.Objects.EP	EPReminder+createdDateTime
PX.Objects.EP	EPReminder+lastModifiedByID

PX.Objects.EP	EPReminder+lastModifiedByScreenID
PX.Objects.EP	EPReminder+lastModifiedDateTime
PX.Objects.EP	EPAttendee+eventID
PX.Objects.EP	PXHistoryAttribute
PX.Objects.EP	EPOtherAttendeeWithNotification+eventID
PX.Objects.EP	AllTypeAttendee+eventID
PX.Objects.EP	EPAttendeeForAcceptReject+eventID
PX.Objects.CR	OUSearchEntity+messageId
PX.Objects.CR	AttachmentSampleServiceRequest
PX.Objects.CR	OUMessage+body
PX.Objects.CR	OUCase+description
PX.Objects.CR	OUOpportunity+description
PX.Objects.CR	OUActivity+encoding
PX.Objects.CR	CRActivityStatistics+lastIncomingActivityID
PX.Objects.CR	CRActivityStatistics+lastOutgoingActivityID
PX.Objects.CR	CRActivityRelation+taskID
PX.Objects.CR	CRActivityRelation+refTaskID
PX.Objects.CR	SimpleCase+caseID
PX.Objects.CR	SimpleCase+customerID
PX.Objects.CR	SimpleCase+contactID
PX.Objects.CR	SimpleCase+hold
PX.Objects.CR	SimpleCase+closed
PX.Objects.CR	SimpleCase+released
PX.Objects.CR	SimpleCase+status
PX.Objects.CR	SimpleCase+statusDescription
PX.Objects.CR	SimpleCase+resolution
PX.Objects.CR	SimpleCase+resolutionDescription
PX.Objects.CR	SimpleCase+noteID
PX.Objects.CR	SimpleCase+initResponse
PX.Objects.CR	SimpleCase+lastActivity
PX.Objects.CR	SimpleCase+lastModifiedDateTime

PX.Objects.CR	MyCasesByCustomerMaint+Filter+isOpen
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo+customerID
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo+hold
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo+closed
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo+released
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo+status
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo+className
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo+userDisplayName
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo+employeeDisplayName
PX.Objects.CR	MyCasesByCustomerMaint+CaseInfo+technician
PX.Objects.CR	MyCaseDetailsMaint+EPAActivityWithOwner+refNoteID
PX.Objects.CR	MyCaseDetailsMaint+EPAActivityWithOwner+isPrivate
PX.Objects.CR	MyCaseDetailsMaint+EPAActivityWithOwner+employeeDisplayName
PX.Objects.CR	MyCaseDetailsMaint+EPAActivityWithOwner+userDisplayName
PX.Objects.CR	MyCaseDetailsMaint+EPAActivityWithOwner+ownerName
PX.Objects.CR	MyCaseDetailsMaint+EPAActivityWithOwner+summary
PX.Objects.CR	CRChildActivity+taskID
PX.Objects.CR	CRChildActivity+parentTaskID
PX.Objects.CR	CRChildActivity+owner
PX.Objects.CR	CRTaskMaint+uistatus
PX.Objects.CR	CRTaskMaint+trackTime
PX.Objects.CR	CRBAccountReferenceAttribute
PX.Objects.CR	IAttributeSupport
PX.Objects.CR	CSAttributeSelector<TAnswer,TEntityId,TEntityType,TEntityClassId>
PX.Objects.CR	CSAttributeSelector<TAnswer,TEntityId,TEntityType,TEntityClassId,TJoin,TWhere>
PX.Objects.CR	CRAttributeList<TReference>
PX.Objects.CR	EPAActivity+extID
PX.Objects.CR	EPAActivity+groupID
PX.Objects.CR	EPAActivity+isReminderOn
PX.Objects.CR	EPAActivity+reminderDate
PX.Objects.CR	EPAActivity+parentTaskID

PX.Objects.CR	EPActivity+origTaskID
PX.Objects.CR	EPActivity+parentRefNoteID
PX.Objects.CR	EPActivity+emailIcon
PX.Objects.CR	EPActivity+reminderIcon
PX.Objects.CR	EPActivity+completedDateTime
PX.Objects.CR	EPActivity+isSystem
PX.Objects.CR	EPActivity+isHidden
PX.Objects.CR	EPActivity+isViewed
PX.Objects.CR	EPActivity+customerID
PX.Objects.CR	EPActivity+locationID
PX.Objects.CR	EPActivity+tooltip
PX.Objects.CR	EPActivity+hold
PX.Objects.CR	EPActivity+entityType
PX.Objects.CR	EPActivity+graphType
PX.Objects.CR	EPActivity+Tstamp
PX.Objects.CR	EPMessage+selected
PX.Objects.CR	EPMessage+classID
PX.Objects.CR	EPMessage+type
PX.Objects.CR	EPMessage+trackTime
PX.Objects.CR	EPMessage+taskID
PX.Objects.CR	EPMessage+extID
PX.Objects.CR	EPMessage+earningTypeID
PX.Objects.CR	EPMessage+body
PX.Objects.CR	EPMessage+priority
PX.Objects.CR	EPMessage+groupID
PX.Objects.CR	EPMessage+owner
PX.Objects.CR	EPMessage+allDay
PX.Objects.CR	EPMessage+startDate
PX.Objects.CR	EPMessage+mpstatus
PX.Objects.CR	EPMessage+isReminderOn
PX.Objects.CR	EPMessage+reminderDate

PX.Objects.CR	EPMessage+uistatus
PX.Objects.CR	EPMessage+notelD
PX.Objects.CR	EPMessage+parentTaskID
PX.Objects.CR	EPMessage+refNotelD
PX.Objects.CR	EPMessage+parentRefNotelD
PX.Objects.CR	EPMessage+bAccountID
PX.Objects.CR	EPMessage+pop3UID
PX.Objects.CR	EPMessage+imapUID
PX.Objects.CR	EPMessage+synchronize
PX.Objects.CR	EPMessage+projectID
PX.Objects.CR	EPMessage+subject
PX.Objects.CR	EPMessage+released
PX.Objects.CR	EPMessage+mailAccountID
PX.Objects.CR	EPMessage+mailFrom
PX.Objects.CR	EPMessage+mailReply
PX.Objects.CR	EPMessage+mailTo
PX.Objects.CR	EPMessage+mailCc
PX.Objects.CR	EPMessage+mailBcc
PX.Objects.CR	EPMessage+exception
PX.Objects.CR	EPMessage+retryCount
PX.Objects.CR	EPMessage+format
PX.Objects.CR	EPMessage+ticket
PX.Objects.CR	EPMessage+messageId
PX.Objects.CR	EPMessage+messageReference
PX.Objects.CR	EPMessage+weekID
PX.Objects.CR	EPMessage+isHidden
PX.Objects.CR	EPMessage+isBillable
PX.Objects.CR	EPMessage+isIncome
PX.Objects.CR	EPMessage+isCorrected
PX.Objects.CR	EPMessage+createdByID
PX.Objects.CR	EPMessage+createdByScreenID

PX.Objects.CR	EPMessage+createdDateTime
PX.Objects.CR	EPMessage+lastModifiedByID
PX.Objects.CR	EPMessage+lastModifiedByScreenID
PX.Objects.CR	EPMessage+lastModifiedDateTime
PX.Objects.CR	EPMessage+Tstamp
PX.Objects.CR	EPActivityPrimaryGraphAttribute
PX.Objects.CR	CheckActivitiesOnDeleteAttribute
PX.Objects.GL	TranTypeDescr+module
PX.Objects.GL	TranTypeDescr+tranType
PX.Objects.GL	TranTypeDescr+descr
PX.Objects.DR	DRScheduleOption+ListAttribute
PX.Objects.DR	DeferredAccountType+ListAttribute
PX.Objects.DR	DeferredMethodType+ListAttribute
PX.Objects.CS	CSAnswers+entityType
PX.Objects.CS	CSAnswers+entityID
PX.Objects.CS	CSAnswers+entityID+NegativeCheckerAttribute
PX.Objects.CS	CSAnswers2+attributeID
PX.Objects.CS	CSAnswers2+entityType
PX.Objects.CS	CSAnswers2+entityID
PX.Objects.CS	CSAnswers2+value
PX.Objects.CS	CSAnswerType
PX.Objects.CS	CSAnswerType+ListAttribute
PX.Objects.CS	CSAttributeGroup+type
PX.Objects.AP	APIInvoiceEntry+APAdjust+adjType
PX.Objects.AP	APIInvoiceEntry+APAdjust+displayDocType
PX.Objects.AP	APIInvoiceEntry+APAdjust+displayRefNbr
PX.Objects.AP	APIInvoiceEntry+APAdjust+displayDocDate
PX.Objects.AP	APIInvoiceEntry+APAdjust+displayDocDesc
PX.Objects.AP	APIInvoiceEntry+APAdjust+displayCuryID
PX.Objects.AP	APIInvoiceEntry+APAdjust+displayFinPeriodID
PX.Objects.AP	APIInvoiceEntry+APAdjust+displayStatus

PX.Objects.AP	APBalances+vendorID
PX.Objects.AP	APBalances+vendorLocationID
PX.Objects.AP	APBalances+curyID
PX.Objects.AP	APBalances+currentBal
PX.Objects.AP	APBalances+unreleasedBal
PX.Objects.AP	APBalances+totalPrepayments
PX.Objects.AP	APBalances+totalQuotations
PX.Objects.AP	APBalances+totalOpenOrders
PX.Objects.AP	APBalances+totalShipped
PX.Objects.AP	APBalances+lastInvoiceDate
PX.Objects.AP	APBalances+oldInvoiceDate
PX.Objects.AP	APBalances+numberInvoicePaid
PX.Objects.AP	APBalances+paidInvoiceDays
PX.Objects.AP	APBalances+averageDaysToPay
PX.Objects.AP	APBalances+createdByID
PX.Objects.AP	APBalances+createdByScreenID
PX.Objects.AP	APBalances+createdDateTime
PX.Objects.AP	APBalances+lastModifiedByID
PX.Objects.AP	APBalances+lastModifiedByScreenID
PX.Objects.AP	APBalances+lastModifiedDateTime
PX.Objects.AP	APBalances+Tstamp
PX.Objects.AP. Standalone	APQuickCheck+updateNextNumber
PX.Objects.RUTROT	SOInvoiceEntryRUTROT+InvoiceOrderDelegate
PX.Objects.IN	INTranInTransit+tranType
PX.Objects.IN	INTranInTransit+planType
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod1
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod2
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod3
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod4
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod5
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod6

PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod7
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod8
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod9
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod10
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod11
PX.Objects.FA	FADepreciationMethodLines+ratioPerPeriod12
PX.Objects.FA	FADepreciationMethodLines+setYearRatioByUser
PX.Objects.FA	DepreciationCalc
PX.Objects.FA	IDepreciationCalculation
PX.Objects.CA	AddTrxFilter+updateNextNumber

Modified Interfaces and Abstract Classes

Namespace	Name	Added	Removed
PX.Data	IListProvider	12 methods	12 methods
PX.Data	PXCache	1 method	0 methods
PX.Data.Api.Export	IOptimizedExportProvider	3 methods	1 method
PX.Objects.CR	CRActivityListBaseAttribute	1 method	1 method
PX.Objects.CR	IActivityMaint	2 methods	2 methods
PX.Objects.CS.Email	IEmailSyncProvider	1 method	1 method
PX.Objects.DR.Descriptor	IFinancialPeriodProvider	2 methods	3 methods
PX.Api.Services	ILoginService	1 method	0 methods
PX.Objects.RUTROT	IRUTROTableLine	1 method	0 methods

Other Breaking Changes

Namespace	Class Name	Name
PX.Common	PXInvariantCultureScope	PX.Common.PXInvariantCultureScope .Dispose()
PX.SM	PXPerformanceMonitor	PX.SM.PXPerformanceMonitor.MarkRequest(PXPerformanceInfo,HttpContext)
PX.SM	AUNotificationHistory	PX.SM.AUNotificationHistory .get_FieldValues()
PX.SM	AUNotificationHistory	PX.SM.AUNotificationHistory .set_FieldValues(String)
PX.SM	AUNotificationHistory	PX.SM.AUNotificationHistory.get_TStamp()
PX.SM	AUNotificationHistory	PX.SM.AUNotificationHistory.set_TStamp (Byte[])
PX.SM	IsUserLocked	PX.SM.IsUserLocked<Date>.Verify(PXCache,Object, List<Object>,Nullable<Boolean>& ,Object&)
PX.SM	EmailSyncLog	PX.SM.EmailSyncLog.set_Level(Byte)
PX.SM	UploadFileMaintenance	PX.SM.UploadFileMaintenance.GetAllowedFileTypes()
PX.Data	PXNoteAttribute	PX.Data.PXNoteAttribute.GetImageExtensions(PXGraph)
PX.Data	CreateImportRowEventHandler	PX.Data.PXImportAttribute+CreateImportRowEventHandler.Invoke (PXImportAttribute+CreateImportRowEventArguments)
PX.Data	CreateImportRowEventHandler	PX.Data.PXImportAttribute+CreateImportRowEventHandler.BeginInvoke (PXImportAttribute+CreateImportRowEventArguments,AsyncCallback,Object)
PX.Data	RowImportingEventHandler	PX.Data.PXImportAttribute+RowImportingEventHandler.Invoke(PXImportAttribute+RowImportingEventArguments)
PX.Data	RowImportingEventHandler	PX.Data.PXImportAttribute+RowImportingEventHandler.BeginInvoke (PXImportAttribute+RowImportingEventArguments,AsyncCallback,Object)
PX.Data	RowImportedEventHandler	PX.Data.PXImportAttribute+RowImportedEventHandler.Invoke(PXImportAttribute+RowImportedEventArguments)

Namespace	Class Name	Name
PX.Data	RowImportedEventHandler	PX.Data.PXImportAttribute+RowImportedEventHandler.BeginInvoke(PXImportAttribute+RowImportedEventArguments,AsyncCallback,Object)
PX.Data	ImportDoneEventHandler	PX.Data.PXImportAttribute+ImportDoneEventHandler.Invoke(PXImportAttribute+ImportDoneEventArguments)
PX.Data	ImportDoneEventHandler	PX.Data.PXImportAttribute+ImportDoneEventHandler.BeginInvoke(PXImportAttribute+ImportDoneEventArguments,AsyncCallback,Object)
PX.Data	PXImporter	PX.Data.PXImportAttribute+PXImporter<TBatchTable>.Process(PXImportAttribute+CommonSettings,String[])
PX.Data	SmartJoin	PX.Data.SmartJoin<Separator,Str1,Str2>.Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Data	BqlFunction	PX.Data.BqlFunction.getValue<Operand1>(IBqlCreator&,PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Data	BqlFunction	PX.Data.BqlFunction.parseOperand<Operand1>(IBqlCreator&,PXGraph,List<IBqlParameter>,List<Type>,List<Type>,List<IBqlSortColumn>,StringBuilder,BqlCommand+Selection)
PX.Data	BqlFunction	PX.Data.BqlFunction.tryCreateOperand<Operand1>(IBqlCreator&)
PX.Data	PXCache	PX.Data.PXCache<TNode>.GetAttributes(Object,String,Boolean)
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.get_Description()
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.get_Design()
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.get_DecriptionColumns()
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.TryGetPrimaryScreenNode()
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.GetPrimaryScreenNode()
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.GetPrimaryCacheType()
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.InstantiatePrimaryGraph()
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.InstantiatePrimaryGraph(PXCache&)
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.InstantiatePrimaryGraph(PXCache&,PXView&)

Namespace	Class Name	Name
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.SelectPrimaryRow(PXGraph,GenericResult,IEnumerable<GINavigationParameter>)
PX.Data	PXGenericInqGrph	PX.Data.PXGenericInqGrph.CreateInstance(String)
PX.Data	GIDescriptionField	PX.Data.PXGenericInqGrph+GIDescriptionField.get_FieldName()
PX.Data	GIDescriptionField	PX.Data.PXGenericInqGrph+GIDescriptionField.set_FieldName(String)
PX.Data	GIDescriptionField	PX.Data.PXGenericInqGrph+GIDescriptionField.set_DescriptionFieldName(String)
PX.Data	GIDescriptionField	PX.Data.PXGenericInqGrph+GIDescriptionField.set_SourceFieldName(String)
PX.Data	GIDescriptionField	PX.Data.PXGenericInqGrph+GIDescriptionField.get_SourceDescriptionFieldName()
PX.Data	GIDescriptionField	PX.Data.PXGenericInqGrph+GIDescriptionField.set_SourceDescriptionFieldName(String)
PX.Data	GIDescriptionField	PX.Data.PXGenericInqGrph+GIDescriptionField.get_SubstituteFieldName()
PX.Data	GIDescriptionField	PX.Data.PXGenericInqGrph+GIDescriptionField.set_SubstituteFieldName(String)
PX.Data	GIDescriptionField	PX.Data.PXGenericInqGrph+GIDescriptionField..ctor(String,String)
PX.Data	PXFieldScreenToSiteMapAddHelper	PX.Data.PXFieldScreenToSiteMapAddHelper<T>.get_IsSiteMapAltered()
PX.Data	IListProvider	PX.Data.IListProvider.TryRedirect(PXGraph,Guid)
PX.Data	IListProvider	PX.Data.IListProvider.IsList(Guid)
PX.Data	IListProvider	PX.Data.IListProvider.HasList(Guid)
PX.Data	IListProvider	PX.Data.IListProvider.GetListID(Guid)
PX.Data	IListProvider	PX.Data.IListProvider.GetEntryScreenID(Guid)
PX.Data	IListProvider	PX.Data.IListProvider.GetCurrentSearches(Guid)
PX.Data	IListProvider	PX.Data.IListProvider.SetCurrentSearches(Guid,Object[])

Namespace	Class Name	Name
PX.Data	IListProvider	PX.Data.IListProvider.PrepareGraph(Guid,PXGraph)
PX.Data	IListProvider	PX.Data.IListProvider .ResetListNavigation(Guid)
PX.Data	IListProvider	PX.Data.IListProvider.GetListView(Guid)
PX.Data	IListProvider	PX.Data.IListProvider.GetListFilters (Guid,String)
PX.Data	IListProvider	PX.Data.IListProvider.SaveListFilters(Guid,String,PXFilterTuple)
PX.Data	GIListProvider	PX.Data.GIListProvider.TryRedirect (PXGraph,Guid)
PX.Data	GIListProvider	PX.Data.GIListProvider.IsList(Guid)
PX.Data	GIListProvider	PX.Data.GIListProvider.HasList(Guid)
PX.Data	GIListProvider	PX.Data.GIListProvider.GetListID(Guid)
PX.Data	GIListProvider	PX.Data.GIListProvider.GetEntryScreenID(Guid)
PX.Data	GIListProvider	PX.Data.GIListProvider.GetCurrentSearches(Guid)
PX.Data	GIListProvider	PX.Data.GIListProvider.SetCurrentSearches(Guid,Object[])
PX.Data	GIListProvider	PX.Data.GIListProvider.PrepareGraph(Guid,PXGraph)
PX.Data	GIListProvider	PX.Data.GIListProvider .ResetListNavigation(Guid)
PX.Data	GIListProvider	PX.Data.GIListProvider.GetListView(Guid)
PX.Data	GIListProvider	PX.Data.GIListProvider.GetListFilters(Guid,String)
PX.Data	GIListProvider	PX.Data.GIListProvider.SaveListFilters(Guid,String,PXFilterTuple)
PX.Data	ListEntryPoint	PX.Data.ListEntryPoint .get_ EntryScreenNodeID()
PX.Data	ListEntryPoint	PX.Data.ListEntryPoint.set_ EntryScreenNodeID(Nullable<Guid>)

Namespace	Class Name	Name
PX.Data	ListEntryPoint	PX.Data.ListEntryPoint .get_EntryScreenScreenID()
PX.Data	ListEntryPoint	PX.Data.ListEntryPoint .get_EntryScreenTitle()
PX.Data	ListEntryPoint	PX.Data.ListEntryPoint.get_ListNodeID()
PX.Data	ListEntryPoint	PX.Data.ListEntryPoint.set_ListNodeID(Nullable<Guid>)
PX.Data	ListEntryPoint	PX.Data.ListEntryPoint.get_ListScreenID()
PX.Data	ListEntryPoint	PX.Data.ListEntryPoint.get_ListTitle()
PX.Data	LEPMaint	PX.Data.LEPMaint.ListEntryPoint_ListNodeID_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Data	LEPMaint	PX.Data.LEPMaint.ListEntryPoint_EntryScreenNodeID_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Data	PXListProvider	PX.Data.PXListProvider.TryRedirect(PXGraph,Guid)
PX.Data	PXListProvider	PX.Data.PXListProvider.IsList(Guid)
PX.Data	PXListProvider	PX.Data.PXListProvider.HasList(Guid)
PX.Data	PXListProvider	PX.Data.PXListProvider.GetListID(Guid)
PX.Data	PXListProvider	PX.Data.PXListProvider.GetEntryScreenID(Guid)
PX.Data	PXListProvider	PX.Data.PXListProvider.GetCurrentSearches(Guid)
PX.Data	PXListProvider	PX.Data.PXListProvider.SetCurrentSearches(Guid,Object[])
PX.Data	PXListProvider	PX.Data.PXListProvider.PrepareGraph(Guid,PXGraph)
PX.Data	PXListProvider	PX.Data.PXListProvider .ResetListNavigation(Guid)
PX.Data	PXListProvider	PX.Data.PXListProvider.GetListView(Guid)
PX.Data	PXListProvider	PX.Data.PXListProvider.GetListFilters(Guid,String)

Namespace	Class Name	Name
PX.Data	PXListProvider	PX.Data.PXListProvider.SaveListFilters(Guid,String,PXFilterTuple)
PX.Data	PXVirtualDACAttribute	PX.Data.PXVirtualDACAttribute.OnItemReading(PXCache,ItemReadingEventArgs)
PX.Data	Action	PX.Data.PXSiteMap+ScreenInfo+Action..ctor(String,String,Boolean,PXSpecialButtonType,Boolean,Boolean)
PX.Data	EntityHelper	PX.Data.EntityHelper.GetEntityDescription(Nullable<Guid>)
PX.Data	BqlFormula	PX.Data.BqlFormula<Operand1>.parseNext<TOperand>(IBqlCreator&,PXGraph,List<IBqlParameter>,List<Type>,List<Type>,List<IBqlSortColumn>,StringBuilder,BqlCommand+Selection)
PX.Data	PXZipValidationAttribute	PX.Data.PXZipValidationAttribute..ctor(Type,Type)
PX.Data	PXIntState	PX.Data.PXIntState.CreateInstance(Object,String,Nullable<Boolean>,Nullable<Int32>,Nullable<Int32>,Nullable<Int32>,Int32[],String[],Type,Nullable<Int32>,String[])
PX.Data.Api.Export	IOptimizedExportProvider	PX.Data.Api.Export.IOptimizedExportProvider.DoSelect(Int64,Int64,Dictionary<String,KeyValuePair<String,Boolean>[]>,Dictionary<String,PXFilterRow[]>,PXSYTable&)
PX.Data.Maintenance.GI	GIDesign	PX.Data.Maintenance.GI.GIDesign.set_PrimaryScreenID(Nullable<Guid>)
PX.Data.Maintenance.GI	GIDesign	PX.Data.Maintenance.GI.GIDesign.get_PrimaryScreenAsPopup()
PX.Data.Maintenance.GI	GIDesign	PX.Data.Maintenance.GI.GIDesign.set_PrimaryScreenAsPopup(Nullable<Boolean>)
PX.Data.Maintenance.GI	GIResult	PX.Data.Maintenance.GI.GIResult.get_SuppressNav()
PX.Data.Maintenance.GI	GIResult	PX.Data.Maintenance.GI.GIResult.set_SuppressNav(Nullable<Boolean>)
PX.Data.Maintenance.GI	GenericInquiryDesigner	PX.Data.Maintenance.GI.GenericInquiryDesigner.GIDesign_RowSelecting(PXCache,PXRowSelectingEventArgs)

Namespace	Class Name	Name
PX.Data.Maintenance.GI	GenericInquiryDesigner	PX.Data.Maintenance.GI.GenericInquiryDesigner.GIDesign_SitemapParent_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Api	PXVersionAttribute	PX.Api.PXVersionAttribute.get_WsdlBuilderType()
PX.Api	PXVersionAttribute	PX.Api.PXVersionAttribute.get_InnerNamespace()
PX.Api	PXVersionAttribute	PX.Api.PXVersionAttribute..ctor(String,String,Type)
PX.TM	EPEmployee	PX.TM.PXOwnerSelectorAttribute+EPEmployee.get_ExtKey()
PX.TM	EPEmployee	PX.TM.PXOwnerSelectorAttribute+EPEmployee.set_ExtKey(String)
PX.SM	EmailProcessingMaint	PX.SM.EmailProcessingMaint.EPActivity_Subject_CacheAttached(PXCache)
PX.Objects.TX	WhereExempt	PX.Objects.TX.WhereExempt<TaxID>.Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Objects.TX	WhereTaxable	PX.Objects.TX.WhereTaxable<TaxID>.Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Objects.TX	TaxType	PX.Objects.TX.TaxType.GetHumanReadable(String)
PX.Objects.TX	CuryConvert	PX.Objects.TX.CuryConvert<CuryAmount,CuryInfoID,ToCuryInfoID>.Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Objects.PM	PMAllocator	PX.Objects.PM.PMAllocator.EvaluateAttribute(String,String,Nullable<Int32>)
PX.Objects.PM	AccountGroupMaint	PX.Objects.PM.AccountGroupMaint.AccountPtr_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.PM	RegisterEntry	PX.Objects.PM.RegisterEntry.CreateTransaction(EPActivity,Nullable<Int32>,DateTime,Nullable<Int32>,Nullable<Int32>,Nullable<Decimal>)
PX.Objects.PM	RegisterEntry	PX.Objects.PM.RegisterEntry.CreateContractUsage(EPActivity,Int32)
PX.Objects.PM	PMAccountGroup	PX.Objects.PM.PMAccountGroup.get_EntityType()
PX.Objects.PM	PMAccountGroup	PX.Objects.PM.PMAccountGroup.get_ID()
PX.Objects.PM	PMProject	PX.Objects.PM.PMProject.get_EntityType()

Namespace	Class Name	Name
PX.Objects.PM	PMTask	PX.Objects.PM.PMTask.get_ID()
PX.Objects.PM	PMTask	PX.Objects.PM.PMTask.get_EntityType()
PX.Objects.PM	ProjectEntry	PX.Objects.PM.ProjectEntry.EPActivity_TrackTime_CacheAttached(PXCache)
PX.Objects.PM	ProjectEntry	PX.Objects.PM.ProjectEntry.PMDetail_ContractItemID_CacheAttached(PXCache)
PX.Objects.PM	ProjectEntry	PX.Objects.PM.ProjectEntry.PMDetail_TaskID_CacheAttached(PXCache)
PX.Objects.CT	CTBillEngine	PX.Objects.CT.CTBillEngine.GetExpireDate(Contract,DateTime)
PX.Objects.CT	CTBillEngine	PX.Objects.CT.CTBillEngine.SetExpireDate(Contract)
PX.Objects.CT	GetItemPriceValue	PX.Objects.CT.GetItemPriceValue<ContractID,ContractItemID,ItemType,ItemPriceType,ItemID,FixedPrice,SetupPrice,Qty,PriceDate>.Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Objects.CT	TemplateMaint	PX.Objects.CT.TemplateMaint.CSAttributeGroup_EntityClassID_CacheAttached(PXCache)
PX.Objects.CT	TemplateMaint	PX.Objects.CT.TemplateMaint.CSAttributeGroup_Type_CacheAttached(PXCache)
PX.Objects.CT	TemplateMaint	PX.Objects.CT.TemplateMaint.CSAttributeGroup_Description_CacheAttached(PXCache)
PX.Objects.CT	TemplateMaint	PX.Objects.CT.TemplateMaint.CSAttributeGroup_DefaultValue_FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.CT	TemplateMaint	PX.Objects.CT.TemplateMaint.CheckContractOnDepositItems(PXResultSet<ContractDetail>,Contract)
PX.Objects.CT	ContractMaint	PX.Objects.CT.ContractMaint.DefaultFromTemplate(Contract,PXCache)
PX.Objects.CT	Contract	PX.Objects.CT.Contract.get_ID()
PX.Objects.CT	Contract	PX.Objects.CT.Contract.get_EntityType()
PX.Objects.CM	TranslationDefinition Maint	PX.Objects.CM.TranslationDefinitionMaint.TranslDef_RowSelecting(PXCache,PXRowSelectingEventArgs)
PX.Objects.SO	Round	PX.Objects.SO.Round<Field,CuryKeyField>.Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)

Namespace	Class Name	Name
PX.Objects.IN	InventoryItem	PX.Objects.IN.InventoryItem.get_ID()
PX.Objects.IN	InventoryItem	PX.Objects.IN.InventoryItem.get_EntityType()
PX.Objects.IN	INItemClassMaint	PX.Objects.IN.INItemClassMaint.CSAttributeGroup_EntityClassID_CacheAttached(PXCache)
PX.Objects.IN	INItemClassMaint	PX.Objects.IN.INItemClassMaint.CSAttributeGroup_Type_CacheAttached(PXCache)
PX.Objects.IN	INItemClassMaint	PX.Objects.IN.INItemClassMaint.ShowDetails(PXAdapter)
PX.Objects.FA	SelectDepreciation Method	PX.Objects.FA.SelectDepreciationMethod<DeprDate,ClassID,BookID>.Verify(PXCache,Object,List<Object>, Nullable<Boolean>&,Object&)
PX.Objects.FA	CalcNextMeasurement Date	PX.Objects.FA.CalcNextMeasurementDate<LastDate,DateFrom,AssetID>.Verify(PXCache,Object,List<Object>, Nullable<Boolean>&,Object&)
PX.Objects.FA	DepreciatedPartTotal Usage	PX.Objects.FA.DepreciatedPartTotalUsage<Value,AssetID>.Verify(PXCache,Object,List<Object>, Nullable<Boolean>&, Object&)
PX.Objects.FA	RecoveryStartPeriod	PX.Objects.FA.RecoveryStartPeriod<StartDate,BookID,DepreciationMethodID,AveragingConvention,MidMonthType, MidMonthDay>.Verify(PXCache,Object,List<Object>, Nullable<Boolean>&,Object&)
PX.Objects.FA	OffsetBookDate	PX.Objects.FA.OffsetBookDate<BookDate,BookID,DepreciationMethodID,AveragingConvention,UsefulLife>. Verify(PXCache,Object,List<Object>, Nullable<Boolean>&,Object&)
PX.Objects.FA	OffsetBookDateToPeriod	PX.Objects.FA.OffsetBookDateToPeriod<BookDate,BookID,DepreciationMethodID,AveragingConvention,UsefulLife>. Verify(PXCache,Object,List<Object>, Nullable<Boolean>&,Object&)
PX.Objects.FA	GetBonusRate	PX.Objects.FA.GetBonusRate<Date,BonusID>.Verify(PXCache,Object,List<Object>, Nullable<Boolean>&,Object&)
PX.Objects.EP	ActivityService	PX.Objects.EP.ActivityService.CreateTask(Object,Action<Object>)
PX.Objects.EP	ActivityService	PX.Objects.EP.ActivityService.CreateEvent(Object,Action<Object>)
PX.Objects.EP	ActivityService	PX.Objects.EP.ActivityService.CreateActivity(Object,String,Action<Object>)
PX.Objects.EP	ActivityService	PX.Objects.EP.ActivityService.CreateActivity(Object,String,Action<Object>,Nullable<Guid>)

Namespace	Class Name	Name
PX.Objects.EP	EmployeeSummary Approve	PX.Objects.EP.EmployeeSummaryApprove.EPActivity_UIStatus_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.get_ParentTaskID()
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.set_ParentTaskID(Nullable<Int32>)
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.get_Mon()
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.set_Mon(Nullable<Int32>)
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.get_IsBillable()
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.set_IsBillable(Nullable<Boolean>)
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.get_Description()
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.set_Description(String)
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.get_TaskApproverID()
PX.Objects.EP	EPSummaryApprove	PX.Objects.EP.EPSummaryApprove.set_TaskApproverID(Nullable<Int32>)
PX.Objects.EP	EPTimeCardSummary	PX.Objects.EP.EPTimeCardSummary.get_ParentTaskID()
PX.Objects.EP	EPTimeCardSummary	PX.Objects.EP.EPTimeCardSummary.set_ParentTaskID(Nullable<Int32>)
PX.Objects.EP	EPTimeCardSummary	PX.Objects.EP.EPTimeCardSummary.get_Mon()
PX.Objects.EP	EPTimeCardSummary	PX.Objects.EP.EPTimeCardSummary.set_Mon(Nullable<Int32>)
PX.Objects.EP	EPTimeCardSummary	PX.Objects.EP.EPTimeCardSummary.get_IsBillable()
PX.Objects.EP	EPTimeCardSummary	PX.Objects.EP.EPTimeCardSummary.set_IsBillable(Nullable<Boolean>)
PX.Objects.EP	EPTimeCardSummary	PX.Objects.EP.EPTimeCardSummary.get_Description()

Namespace	Class Name	Name
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.set_Description(String)
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary .get_NoteID()
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.set_NoteID(Nullable<Guid>)
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary .get_tstamp()
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.set_tstamp(Byte[])
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.get_CreatedByID()
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.set_CreatedByID(Nullable<Guid>)
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.get_CreatedByScreenID()
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.set_CreatedByScreenID(String)
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.get_CreatedDateTime()
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.get_LastModifiedByID()
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.set_LastModifiedByID(Nullable<Guid>)
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.get_LastModifiedByScreenID()
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.set_LastModifiedByScreenID(String)
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.get_LastModifiedDateTime()
PX.Objects.EP	EPTIMECARDSummary	PX.Objects.EP.EPTIMECARDSummary.set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove .get_Owner()
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove.set_Owner(Nullable<Guid>)

Namespace	Class Name	Name
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove .get_StartDate()
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove.set_StartDate(Nullable<DateTime>)
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove .get_WeekID()
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove.set_WeekID(Nullable<Int32>)
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove .get_Subject()
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove .set_Subject(String)
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove .get_ParentTaskID()
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove.set_ParentTaskID(Nullable<Int32>)
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove .get_UIStatus()
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove.set_UIStatus(String)
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove .get_ApproverID()
PX.Objects.EP	EPActivityApprove	PX.Objects.EP.EPActivityApprove.set_ApproverID(Nullable<Int32>)
PX.Objects.EP	EmployeeActivitiesRelease	PX.Objects.EP.EmployeeActivitiesRelease.CreateContractUsage(RegisterEntry,Nullable<Int32>,EPActivity,Int32)
PX.Objects.EP	EmployeeActivitiesRelease	PX.Objects.EP.EmployeeActivitiesRelease.GetContractLaborClassID(PXGraph,Nullable<Int32>,EPActivity)
PX.Objects.EP	EmployeeCostEngine	PX.Objects.EP.EmployeeCostEngine.CalculateEmployeeCost(EPActivity,Nullable<Int32>,DateTime)
PX.Objects.EP	EmployeeCostEngine	PX.Objects.EP.EmployeeCostEngine.GetLaborClass(EPActivity)
PX.Objects.EP	EmployeeCostEngine	PX.Objects.EP.EmployeeCostEngine.GetLaborClass(EPActivity,EPEmployee,CRCCase)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityFilter_RowSelected(PXCache,PXRowSelectedEventArgs)

Namespace	Class Name	Name
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityFilter_FromWeek_FieldDefaulting(PXCache, PXFieldDefaultingEventArgs)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityFilter_TillWeek_FieldDefaulting(PXCache, PXFieldDefaultingEventArgs)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityFilter_FromWeek_FieldUpdated(PXCache, PXFieldUpdatedEventArgs)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityFilter_TillWeek_FieldUpdated(PXCache, PXFieldUpdatedEventArgs)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityFilter_RowUpdating(PXCache, PXRowUpdatingEventArgs)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityApprove_StartDate_FieldDefaulting(PXCache, PXFieldDefaultingEventArgs)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityApprove_StartDate_FieldUpdated(PXCache, PXFieldUpdatedEventArgs)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityApprove_ClassID_CacheAttached(PXCache)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityApprove_StartDate_CacheAttached(PXCache)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityApprove_Owner_CacheAttached(PXCache)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityApprove_Subject_CacheAttached(PXCache)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityApprove_ParentTaskID_CacheAttached(PXCache)
PX.Objects.EP	EmployeeActivitiesEntry	PX.Objects.EP.EmployeeActivitiesEntry.EPActivityApprove_Hold_CacheAttached(PXCache)
PX.Objects.EP	EmailProcessEventArgs	PX.Objects.EP.EmailProcessEventArgs..ctor(PXGraph, EmailAccount, EPActivity)
PX.Objects.EP	EPEquipment	PX.Objects.EP.EPEquipment.get_ID()
PX.Objects.EP	EPEquipment	PX.Objects.EP.EPEquipment.get_EntityType()
PX.Objects.EP	TimecardRegular FinalTotals	PX.Objects.EP.TimecardRegularFinalTotals.get_TimeSpent()

Namespace	Class Name	Name
PX.Objects.EP	TimecardRegularFinalTotals	PX.Objects.EP.TimecardRegularFinalTotals.set_TimeSpent(Nullable<Int32>)
PX.Objects.EP	TimecardRegularFinalTotals	PX.Objects.EP.TimecardRegularFinalTotals.get_TimeBillable()
PX.Objects.EP	TimecardRegularFinalTotals	PX.Objects.EP.TimecardRegularFinalTotals.set_TimeBillable(Nullable<Int32>)
PX.Objects.EP	TimecardOvertimeFinalTotals	PX.Objects.EP .TimecardOvertimeFinalTotals.get_OvertimeSpent()
PX.Objects.EP	TimecardOvertimeFinalTotals	PX.Objects.EP .TimecardOvertimeFinalTotals.set_OvertimeSpent(Nullable<Int32>)
PX.Objects.EP	TimecardOvertimeFinalTotals	PX.Objects.EP .TimecardOvertimeFinalTotals.get_OvertimeBillable()
PX.Objects.EP	TimecardOvertimeFinalTotals	PX.Objects.EP .TimecardOvertimeFinalTotals.set_OvertimeBillable(Nullable<Int32>)
PX.Objects.EP	TimecardRegularCurrentTotals	PX.Objects.EP.TimecardRegularCurrentTotals.get_WeekID()
PX.Objects.EP	TimecardRegularCurrentTotals	PX.Objects.EP.TimecardRegularCurrentTotals.set_WeekID(Nullable<Int32>)
PX.Objects.EP	TimecardRegularCurrentTotals	PX.Objects.EP.TimecardRegularCurrentTotals.get_Owner()
PX.Objects.EP	TimecardRegularCurrentTotals	PX.Objects.EP.TimecardRegularCurrentTotals.set_Owner(Nullable<Guid>)
PX.Objects.EP	TimecardRegularCurrentTotals	PX.Objects.EP.TimecardRegularCurrentTotals.get_TimeSpent()
PX.Objects.EP	TimecardRegularCurrentTotals	PX.Objects.EP .TimecardRegularCurrentTotals.set_TimeSpent(Nullable<Int32>)

Namespace	Class Name	Name
PX.Objects.EP	TimecardRegularCurrentTotals	PX.Objects.EP .TimecardRegularCurrentTotals.get_TimeBillable()
PX.Objects.EP	TimecardRegularCurrentTotals	PX.Objects.EP.TimecardRegularCurrentTotals.set_TimeBillable(Nullable<Int32>)
PX.Objects.EP	TimecardOvertimeCurrentTotals	PX.Objects.EP.TimecardOvertimeCurrentTotals.get_WeekID()
PX.Objects.EP	TimecardOvertimeCurrentTotals	PX.Objects.EP.TimecardOvertimeCurrentTotals.set_WeekID(Nullable<Int32>)
PX.Objects.EP	TimecardOvertimeCurrentTotals	PX.Objects.EP.TimecardOvertimeCurrentTotals.get_Owner()
PX.Objects.EP	TimecardOvertimeCurrentTotals	PX.Objects.EP.TimecardOvertimeCurrentTotals.set_Owner(Nullable<Guid>)
PX.Objects.EP	TimecardOvertimeCurrentTotals	PX.Objects.EP .TimecardOvertimeCurrentTotals.get_OvertimeSpent()
PX.Objects.EP	TimecardOvertimeCurrentTotals	PX.Objects.EP.TimecardOvertimeCurrentTotals.set_OvertimeSpent(Nullable<Int32>)
PX.Objects.EP	TimecardOvertimeCurrentTotals	PX.Objects.EP.TimecardOvertimeCurrentTotals.get_OvertimeBillable()
PX.Objects.EP	TimecardOvertimeCurrentTotals	PX.Objects.EP.TimecardOvertimeCurrentTotals.set_OvertimeBillable(Nullable<Int32>)
PX.Objects.EP	ActivitiesEnq	PX.Objects.EP.ActivitiesEnq.EPActivity_ClassID_CacheAttached(PXCache)
PX.Objects.EP	ActivitiesEnq	PX.Objects.EP.ActivitiesEnq.EPActivity_Type_CacheAttached(PXCache)
PX.Objects.EP	ActivitiesEnq	PX.Objects.EP.ActivitiesEnq.EPActivity_ProjectID_CacheAttached(PXCache)
PX.Objects.EP	NotificationGenerator	PX.Objects.EP.NotificationGenerator.get_ParentRefNoteID()

Namespace	Class Name	Name
PX.Objects.EP	NotificationGenerator	PX.Objects.EP.NotificationGenerator.set_ParentRefNoteID(Nullable<Guid>)
PX.Objects.EP	NotificationGenerator	PX.Objects.EP.NotificationGenerator.get_ParentTaskID()
PX.Objects.EP	NotificationGenerator	PX.Objects.EP.NotificationGenerator.set_ParentTaskID(Nullable<Int32>)
PX.Objects.EP	NotificationGenerator	PX.Objects.EP.NotificationGenerator.get_IsSystem()
PX.Objects.EP	NotificationGenerator	PX.Objects.EP.NotificationGenerator.set_IsSystem(Boolean)
PX.Objects.EP	NotificationGenerator	PX.Objects.EP.NotificationGenerator.PersistMessages(IEnumerable<EPAActivity>)
PX.Objects.EP	NotificationGenerator	PX.Objects.EP.NotificationGenerator.MergeAddressList(EPAActivity,String,String)
PX.Objects.EP	TimeCardMaint	PX.Objects.EP.TimeCardMaint.EPTimecardDetail_Owner_FieldUpdating(PXCache,PXFieldUpdatingEventArgs)
PX.Objects.EP	TimeCardMaint	PX.Objects.EP.TimeCardMaint.AddToSummary(EPTimeCardSummary,EPAActivity)
PX.Objects.EP	TimeCardMaint	PX.Objects.EP.TimeCardMaint.SubtractFromSummary(EPTimeCardSummary,EPAActivity)
PX.Objects.EP	TimeCardMaint	PX.Objects.EP.TimeCardMaint.AddToSummary(EPTimeCardSummary,EPAActivity,Int32)
PX.Objects.EP	TimeCardMaint	PX.Objects.EP.TimeCardMaint.AddActivityTimeToSummary(EPTimeCardSummary,EPAActivity,Int32)
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.get_WeekID()
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.set_WeekID(Nullable<Int32>)
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.get_StartDate()
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.set_StartDate(Nullable<DateTime>)
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.get_CompletedDateTime()
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.set_CompletedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.get_TimeSpent()

Namespace	Class Name	Name
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.set_TimeSpent(Nullable<Int32>)
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP .TimeCardMaint+EPTimecardDetail.get_TimeBillable()
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.set_TimeBillable(Nullable<Int32>)
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.get_Type()
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.set_Type(String)
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.get_IsBillable()
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.set_IsBillable(Nullable<Boolean>)
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.get_tstamp()
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.set_tstamp(Byte[])
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.get_BillableTimeCalc()
PX.Objects.EP	EPTimecardDetail	PX.Objects.EP.TimeCardMaint+EPTimecardDetail.set_BillableTimeCalc(Nullable<Int32>)
PX.Objects.EP	EPTimecardTask	PX.Objects.EP.TimeCardMaint+EPTimecardTask.get_WeekID()
PX.Objects.EP	EPTimecardTask	PX.Objects.EP.TimeCardMaint+EPTimecardTask.set_WeekID(Nullable<Int32>)
PX.Objects.EP	EPTimecardTask	PX.Objects.EP.TimeCardMaint+EPTimecardTask.get_StartDate()
PX.Objects.EP	EPTimecardTask	PX.Objects.EP.TimeCardMaint+EPTimecardTask.set_StartDate(Nullable<DateTime>)
PX.Objects.EP	EPTimecardTask	PX.Objects.EP.TimeCardMaint+EPTimecardTask.get_TimeSpent()
PX.Objects.EP	EPTimecardTask	PX.Objects.EP.TimeCardMaint+EPTimecardTask.set_TimeSpent(Nullable<Int32>)
PX.Objects.EP	EPTimecardTask	PX.Objects.EP.TimeCardMaint+EPTimecardTask.get_BillableTimeCalc()
PX.Objects.EP	EPTimecardTask	PX.Objects.EP.TimeCardMaint+EPTimecardTask.set_BillableTimeCalc(Nullable<Int32>)

Namespace	Class Name	Name
PX.Objects.EP	ContractEx	PX.Objects.EP.TimeCardMaint+ContractEx.get_ContractCD()
PX.Objects.EP	ContractEx	PX.Objects.EP.TimeCardMaint+ContractEx.set_ContractCD(String)
PX.Objects.EP	EPContractRate	PX.Objects.EP.EPContractRate.GetContractLaborClassID(PXGraph,EPActivity)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_EventID()
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_EventID(Nullable<Int32>)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_AttendeeID()
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_AttendeeID(Nullable<Int32>)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_MessageID()
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_MessageID(Nullable<Guid>)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_Type()
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_Type(Nullable<Boolean>)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_CreatedByID()
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_CreatedByID(Nullable<Guid>)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_CreatedByScreenID()

Namespace	Class Name	Name
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_CreatedByScreenID(String)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_CreatedDateTime()
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_LastModifiedByID()
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_LastModifiedByID(Nullable<Guid>)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_LastModifiedByScreenID()
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_LastModifiedByScreenID(String)
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.get_LastModifiedDateTime()
PX.Objects.EP	EPOtherAttendee Message	PX.Objects.EP.EPOtherAttendeeMessage.set_LastModifiedDateTime(Nullable <DateTime>)
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage .get_EventID()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_EventID(Nullable<Int32>)
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage .get_UserID()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_UserID(Nullable<Guid>)
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage .get_MessageID()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_MessageID(Nullable<Guid>)

Namespace	Class Name	Name
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.get_Type()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_Type(Nullable<Boolean>)
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage .get_CreatedByID()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_CreatedByID(Nullable<Guid>)
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.get_CreatedByScreenID()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_CreatedByScreenID(String)
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.get_CreatedDateTime()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.get_LastModifiedByID()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_LastModifiedByID(Nullable<Guid>)
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.get_LastModifiedByScreenID()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_LastModifiedByScreenID(String)
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.get_LastModifiedDateTime()
PX.Objects.EP	EPAttendeeMessage	PX.Objects.EP.EPAttendeeMessage.set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee .get_EventID()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_EventID(Nullable<Int32>)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee .get_AttendeeID()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_AttendeeID(Nullable<Int32>)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_Email()

Namespace	Class Name	Name
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_Email(String)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_Name()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_Name(String)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_Comment()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_Comment(String)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_Invitation()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_Invitation(Nullable<Int32>)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_CreatedByID()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_CreatedByID(Nullable<Guid>)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_CreatedByScreenID()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_CreatedByScreenID(String)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_CreatedDateTime()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_LastModifiedByID()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_LastModifiedByID(Nullable<Guid>)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_LastModifiedByScreenID()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_LastModifiedByScreenID(String)
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.get_LastModifiedDateTime()
PX.Objects.EP	EPOtherAttendee	PX.Objects.EP.EPOtherAttendee.set_LastModifiedDateTime(Nullable<DateTime>)

Namespace	Class Name	Name
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.get_EventID()
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.set_EventID(Nullable<Int32>)
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.get_UserID()
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.set_UserID(Nullable<Guid>)
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.get_Invitation()
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.set_Invitation(Nullable<Int32>)
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.get_CreatedByID()
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.set_CreatedByID(Nullable<Guid>)
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.get_CreatedByScreenID()
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.set_CreatedByScreenID(String)
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.get_CreatedDateTime()
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.get_LastModifiedByID()
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.set_LastModifiedByID(Nullable<Guid>)
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.get_LastModifiedByScreenID()
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.set_LastModifiedByScreenID(String)
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.get_LastModifiedDateTime()
PX.Objects.EP	EPAttendee	PX.Objects.EP.EPAttendee.set_LastModifiedDateTime(Nullable <DateTime>)
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint.EPActivity_ParentTaskID_CacheAttached(PXCache)

Namespace	Class Name	Name
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint.EPActivity_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint.EPActivity_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint.EPActivity_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint.EPActivity_RowDeleting(PXCache,PXRowDeletingEventArgs)
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint.CompleteRow(EPActivity)
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint.CalculateOvertime(PXGraph,EPActivity,DateTime,DateTime)
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint.GetCalendarID(PXGraph,EPActivity)
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint.GetNextActivityStartDate<Activity>(PXGraph,PXResultSet<Activity>,EPActivity, Nullable<Int32>, Nullable<Int32>,PXCache,Type)
PX.Objects.EP	EPActivityDefaultWeekAttribute	PX.Objects.EP.EPActivityDefaultWeekAttribute..ctor()
PX.Objects.EP	EPActivityProjectDefaultAttribute	PX.Objects.EP.EPActivityProjectDefaultAttribute..ctor()
PX.Objects.EP	EPEmployee	PX.Objects.EP.EPEmployee.get_EntityType()
PX.Objects.EP	EmployeeClassMaint	PX.Objects.EP.EmployeeClassMaint.CSAttributeGroup_EntityClassID_CacheAttached(PXCache)
PX.Objects.EP	EmployeeClassMaint	PX.Objects.EP.EmployeeClassMaint.CSAttributeGroup_Type_CacheAttached(PXCache)
PX.Objects.EP	EmployeeClassMaint	PX.Objects.EP.EmployeeClassMaint.CSAttributeGroup_Description_CacheAttached(PXCache)
PX.Objects.EP	EmployeeClassMaint	PX.Objects.EP.EmployeeClassMaint.ShowDetails(PXAdapter)
PX.Objects.EP	EmployeeClassMaint	PX.Objects.EP.EmployeeClassMaint.CSAttributeGroup_DefaultValue_FieldSelecting(PXCache, PXFieldSelectingEventArgs)
PX.Objects.EP	TasksAndEventsReminder	PX.Objects.EP.TasksAndEventsReminder.EPActivity_ProjectID_CacheAttached(PXCache)

Namespace	Class Name	Name
PX.Objects.EP	TasksAndEventsReminder	PX.Objects.EP.TasksAndEventsReminder.EPActivity_ProjectTaskID_CacheAttached(PXCache)
PX.Objects.EP	TasksAndEventsReminder	PX.Objects.EP.TasksAndEventsReminder.reminderListCurrent(Nullable<Int32>)
PX.Objects.EP	TasksAndEventsReminder	PX.Objects.EP.TasksAndEventsReminder.NavigateToItem(EPActivity)
PX.Objects.EP	AddAttendeeFilter	PX.Objects.EP.AddAttendeeFilter .get_Index()
PX.Objects.EP	AddAttendeeFilter	PX.Objects.EP.AddAttendeeFilter.set_Index(Nullable<Int32>)
PX.Objects.EP	AddAttendeeFilter	PX.Objects.EP.AddAttendeeFilter.get_PKID()
PX.Objects.EP	AddAttendeeFilter	PX.Objects.EP.AddAttendeeFilter.set_PKID(Nullable<Guid>)
PX.Objects.EP	EPOtherAttendee WithNotification	PX.Objects.EP .EPOtherAttendeeWithNotification.get_NotifyOnRowUpdated()
PX.Objects.EP	EPOtherAttendee WithNotification	PX.Objects.EP.EPOtherAttendeeWithNotification.set_NotifyOnRowUpdated(Nullable<Boolean >)
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.get_Key()
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.set_Key (String)
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.get_Type()
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.set_Type(Nullable<Int32>)
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee .get_EventID()
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.set_EventID(Nullable<Int32>)
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.get_Email()
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.set_Email(String)
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.get_Name()

Namespace	Class Name	Name
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.set_Name (String)
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee .get_DisplayName()
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.set_DisplayName(String)
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee .get_Comment()
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee .set_Comment(String)
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee .get_Invitation()
PX.Objects.EP	AllTypeAttendee	PX.Objects.EP.AllTypeAttendee.set_Invitation(Nullable<Int32>)
PX.Objects.EP	SendCardFilter	PX.Objects.EP.SendCardFilter.get_Email()
PX.Objects.EP	SendCardFilter	PX.Objects.EP.SendCardFilter.set_Email(String)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.EPActivity_StartDate_CacheAttached(PXCache)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.EPActivity_EndDate_CacheAttached(PXCache)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.EPActivity_TrackTime_CacheAttached(PXCache)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.EPActivity_IsBillable_CacheAttached(PXCache)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.EPActivity_ClassID_CacheAttached(PXCache)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.EPActivity_ProjectTaskID_CacheAttached(PXCache)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.EPActivity_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.EPActivity_RowDeleting(PXCache,PXRowDeletingEventArgs)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.EPActivity_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.CompleteRow(EPActivity)

Namespace	Class Name	Name
PX.Objects.EP	EPEventMaint	PX.Objects.EP.EPEventMaint.CancelRow(EPActivity)
PX.Objects.EP	EPTaskEnq	PX.Objects.EP.EPTaskEnq.EPActivity_StartDate_CacheAttached(PXCache)
PX.Objects.EP	EPTaskEnq	PX.Objects.EP.EPTaskEnq.EPActivity_EndDate_CacheAttached(PXCache)
PX.Objects.CR	OUSearchEntity	PX.Objects.CR.OUSearchEntity .get_MessageId()
PX.Objects.CR	OUSearchEntity	PX.Objects.CR.OUSearchEntity .set_MessageId(String)
PX.Objects.CR	AttachmentDetails	PX.Objects.CR.AttachmentDetails.get_attachmentType()
PX.Objects.CR	AttachmentDetails	PX.Objects.CR.AttachmentDetails.set_attachmentType(String)
PX.Objects.CR	AttachmentDetails	PX.Objects.CR.AttachmentDetails .get_isInline()
PX.Objects.CR	AttachmentDetails	PX.Objects.CR.AttachmentDetails.set_isInline(Boolean)
PX.Objects.CR	AttachmentDetails	PX.Objects.CR.AttachmentDetails.get_size()
PX.Objects.CR	AttachmentDetails	PX.Objects.CR.AttachmentDetails.set_size(Int32)
PX.Objects.CR	OUMessage	PX.Objects.CR.OUMessage.get_Body()
PX.Objects.CR	OUMessage	PX.Objects.CR.OUMessage.set_Body(String)
PX.Objects.CR	OUCase	PX.Objects.CR.OUCase.get_Description()
PX.Objects.CR	OUCase	PX.Objects.CR.OUCase.set_Description (String)
PX.Objects.CR	OUPportunity	PX.Objects.CR.OUPportunity .get_Description()
PX.Objects.CR	OUPportunity	PX.Objects.CR.OUPportunity.set_Description(String)
PX.Objects.CR	OUActivity	PX.Objects.CR.OUActivity.get_Encoding()
PX.Objects.CR	OUActivity	PX.Objects.CR.OUActivity.set_Encoding(String)

Namespace	Class Name	Name
PX.Objects.CR	OUSearchMaint	PX.Objects.CR.OUSearchMaint.OUActivity_Encoding_FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.CR	OUSearchMaint	PX.Objects.CR.OUSearchMaint.OUActivity_Encoding_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	OUSearchMaint	PX.Objects.CR.OUSearchMaint.PersisMessage(Nullable<Guid>,Nullable<Guid>)
PX.Objects.CR	OUSearchMaint	PX.Objects.CR.OUSearchMaint.EPActivity_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CR	CRCommunicationBase	PX.Objects.CR.CRCommunicationBase<TWhere>.EPActivity_Subject_CacheAttached(PXCache)
PX.Objects.CR	CRCommunicationBase	PX.Objects.CR.CRCommunicationBase<TWhere>.EPActivity_StartDate_CacheAttached(PXCache)
PX.Objects.CR	CRCommunicationBase	PX.Objects.CR.CRCommunicationBase<TWhere>.EPActivity_Body_CacheAttached(PXCache)
PX.Objects.CR	CRCommunicationBase	PX.Objects.CR.CRCommunicationBase<TWhere>.emails()
PX.Objects.CR	CRActivityStatistics	PX.Objects.CR.CRActivityStatistics.get_LastIncomingActivityID()
PX.Objects.CR	CRActivityStatistics	PX.Objects.CR.CRActivityStatistics.set_LastIncomingActivityID(Nullable<Int32>)
PX.Objects.CR	CRActivityStatistics	PX.Objects.CR.CRActivityStatistics.get_LastOutgoingActivityID()
PX.Objects.CR	CRActivityStatistics	PX.Objects.CR.CRActivityStatistics.set_LastOutgoingActivityID(Nullable<Int32>)
PX.Objects.CR	CRCommunicationInbox	PX.Objects.CR.CRCommunicationInbox.EPActivity_RefNoteID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CR	CRCommunicationInbox	PX.Objects.CR.CRCommunicationInbox.MarkAs(PXAdapter,Int32)
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.get_TaskID()
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.set_TaskID(Nullable<Int32>)
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.get_RefTaskID()
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.set_RefTaskID(Nullable<Int32>)
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.get_CreatedByID()

Namespace	Class Name	Name
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.set_CreatedByID(Nullable<Guid>)
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.get_CreatedByScreenID()
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.set_CreatedByScreenID(String)
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.get_CreatedDateTime()
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.get_LastModifiedByID()
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.get_LastModifiedByScreenID()
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.set_LastModifiedByScreenID(String)
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.get_LastModifiedDateTime()
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation.set_LastModifiedDateTime(Nullable <DateTime>)
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation .get_tstamp()
PX.Objects.CR	CRActivityRelation	PX.Objects.CR.CRActivityRelation .set_tstamp(Byte[])
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.CreateTargetMail(EPActivity,String ,String,String)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.ProcessMessage(EPActivity)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_ParentTaskID_CacheAttached(PXCache)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_MailAccountID_CacheAttached(PXCache)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_IsIncome_CacheAttached(PXCache)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_MailTo_CacheAttached(PXCache)

Namespace	Class Name	Name
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_MailCc_CacheAttached(PXCache)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_MailBcc_CacheAttached(PXCache)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_MPStatus_CacheAttached(PXCache)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_Subject_CacheAttached (PXCache)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_Body_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_RefNoteID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_Owner_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_MailAccountID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_UIStatus_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.EPActivity_RowDeleting(PXCache,PXRowDeletingEventArgs)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.SendEmail(CEmailActivityMaint,CEmailActivityMaint+SendEmailParams, Action<EPActivity>)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.FillMailReply(PXGraph,EPActivity)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.FillMailFrom(PXGraph,EPActivity,Boolean)
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CEmailActivityMaint.AttachFiles(EPActivity,Nullable<Guid>,PXCache,IEnumerable<FileInfo>)
PX.Objects.CR	CRCustomerClassMaint	PX.Objects.CR.CRCustomerClassMaint.ShowDetails(PXAdapter)
PX.Objects.CR	CRCustomerClassMaint	PX.Objects.CR.CRCustomerClassMaint.CSAttributeGroup_EntityClassID_CacheAttached(PXCache)

Namespace	Class Name	Name
PX.Objects.CR	CRCustomerClassMaint	PX.Objects.CR.CRCustomerClassMaint.CSAttributeGroup_Type_CacheAttached(PXCache)
PX.Objects.CR	CRCustomerClassMaint	PX.Objects.CR.CRCustomerClassMaint.CSAttributeGroup_Description_CacheAttached(PXCache)
PX.Objects.CR	CRCustomerClassMaint	PX.Objects.CR.CRCustomerClassMaint.CSAttributeGroup_DefaultValue_FieldSelecting(PXCache, PXFieldSelectingEventArgs)
PX.Objects.CR	CROpportunityClassMaint	PX.Objects.CR.CROpportunityClassMaint.ShowDetails(PXAdapter)
PX.Objects.CR	CROpportunityClassMaint	PX.Objects.CR.CROpportunityClassMaint.CSAttributeGroup_EntityClassID_CacheAttached(PXCache)
PX.Objects.CR	CROpportunityClassMaint	PX.Objects.CR.CROpportunityClassMaint.CSAttributeGroup_Type_CacheAttached(PXCache)
PX.Objects.CR	CROpportunityClassMaint	PX.Objects.CR.CROpportunityClassMaint.CSAttributeGroup_Description_CacheAttached(PXCache)
PX.Objects.CR	CROpportunityClassMaint	PX.Objects.CR.CROpportunityClassMaint.CSAttributeGroup_DefaultValue_FieldSelecting(PXCache, PXFieldSelectingEventArgs)
PX.Objects.CR	CRChildActivity	PX.Objects.CR.CRChildActivity.get_ParentTaskID()
PX.Objects.CR	CRChildActivity	PX.Objects.CR.CRChildActivity.set_ParentTaskID(Nullable<Int32>)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_UIStatus_CacheAttached(PXCache)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_TrackTime_CacheAttached(PXCache)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_IsBillable_CacheAttached(PXCache)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_TaskID_CacheAttached(PXCache)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_Owner_CacheAttached(PXCache)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_IsReminderOn_CacheAttached(PXCache)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_StartDate_CacheAttached(PXCache)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_EndDate_CacheAttached(PXCache)

Namespace	Class Name	Name
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.EPActivity_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.CompleteRow(EPActivity)
PX.Objects.CR	CRTaskMaint	PX.Objects.CR.CRTaskMaint.CancelRow(EPActivity)
PX.Objects.CR	CRLeadClassMaint	PX.Objects.CR.CRLeadClassMaint.ShowDetails(PXAdapter)
PX.Objects.CR	CRLeadClassMaint	PX.Objects.CR.CRLeadClassMaint.CSAttributeGroup_EntityClassID_CacheAttached(PXCache)
PX.Objects.CR	CRLeadClassMaint	PX.Objects.CR.CRLeadClassMaint.CSAttributeGroup_Type_CacheAttached(PXCache)
PX.Objects.CR	CRLeadClassMaint	PX.Objects.CR.CRLeadClassMaint.CSAttributeGroup_Description_CacheAttached(PXCache)
PX.Objects.CR	CRLeadClassMaint	PX.Objects.CR.CRLeadClassMaint.CSAttributeGroup_DefaultValue_FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.CR	CRCaseClassMaint	PX.Objects.CR.CRCCaseClassMaint.ShowDetails(PXAdapter)
PX.Objects.CR	CRCaseClassMaint	PX.Objects.CR.CRCCaseClassMaint.CSAttributeGroup_EntityClassID_CacheAttached(PXCache)
PX.Objects.CR	CRCaseClassMaint	PX.Objects.CR.CRCCaseClassMaint.CSAttributeGroup_Type_CacheAttached(PXCache)
PX.Objects.CR	CRCaseClassMaint	PX.Objects.CR.CRCCaseClassMaint.CSAttributeGroup_Description_CacheAttached(PXCache)
PX.Objects.CR	CRCaseClassMaint	PX.Objects.CR.CRCCaseClassMaint.CSAttributeGroup_DefaultValue_FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.CR	CRCaseMaint	PX.Objects.CR.CRCCaseMaint.EPActivity_ParentRefNoteID_CacheAttached(PXCache)
PX.Objects.CR	CRCaseMaint	PX.Objects.CR.CRCCaseMaint.BAccount_ViewInCrm_CacheAttached(PXCache)
PX.Objects.CR	CRActivityListBaseAttribute	PX.Objects.CR.CRActivityListBaseAttribute.AttachHandlers(PXGraph,Type,Type)

Namespace	Class Name	Name
PX.Objects.CR	CRDefaultMailToAttribute	PX.Objects.CR.CRDefaultMailToAttribute.AttachHandlers(PXGraph,Type,Type)
PX.Objects.CR	CRChildActivityList	PX.Objects.CR.CRChildActivityList<TParentActivity>.SelectByParentID(Object)
PX.Objects.CR	CRActivityListBase	PX.Objects.CR.CRActivityListBase<TPrimaryView,TActivity>.FillMailTo(EPActivity)
PX.Objects.CR	CRActivityListBase	PX.Objects.CR.CRActivityListBase<TPrimaryView,TActivity>.FillMailCC(EPActivity,Nullable<Guid>)
PX.Objects.CR	CRActivityListBase	PX.Objects.CR.CRActivityListBase<TPrimaryView,TActivity>.FillMailSubject(EPActivity)
PX.Objects.CR	CRAttribute	PX.Objects.CR.CRAttribute.EntityAttributes(String,String)
PX.Objects.CR	IActivityMaint	PX.Objects.CR.IActivityMaint.CancelRow(EPActivity)
PX.Objects.CR	IActivityMaint	PX.Objects.CR.IActivityMaint.CompleteRow(EPActivity)
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.get_TaskID()
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.set_TaskID(Nullable<Int32>)
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.set_ExtID(String)
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.get_ExtID()
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.get_ClassID()
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.set_ClassID(Nullable<Int32>)
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.get_Incoming()
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.set_Incoming(Nullable<Boolean>)
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.get_Outgoing()
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.set_Outgoing(Nullable<Boolean>)
PX.Objects.CR	EPActivity	PX.Objects.CR.EPActivity.get_TrackTime()

Namespace	Class Name	Name
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_TrackTime(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Body()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Body(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_GroupID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_GroupID(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Owner()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Owner (Nullable<Guid>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_AllDay()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_AllDay(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_StartDate()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_StartDate(Nullable<DateTime>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_CategoryID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_CategoryID(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_MPStatus()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_MPStatus(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_PercentCompletion()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_PercentCompletion(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_IsReminderOn()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_IsReminderOn(Nullable<Boolean>)

Namespace	Class Name	Name
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_ReminderDate()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_ReminderDate(Nullable<DateTime>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_NoteID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_NoteID(Nullable<Guid>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_ParentTaskID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_ParentTaskID(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_OrigTaskID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_OrigTaskID(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_RefNoteID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_RefNoteID(Nullable<Guid>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_ParentRefNoteID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_ParentRefNoteID(Nullable<Guid>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_BAccountID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_BAccountID (Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_EmailIcon()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_EmailIcon(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_ReminderIcon()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .set_ReminderIcon(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_EndDate()

Namespace	Class Name	Name
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_EndDate(Nullable<DateTime>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_CompletedDateTime()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_CompletedDateTime(Nullable<DateTime>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Location()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Location(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_UIStatus()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_UIStatus(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Subject()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Subject(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_TimeSpent()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_TimeSpent(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_OvertimeSpent()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_OvertimeSpent(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_IsBillable()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_IsBillable(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_TimeBillable()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_TimeBillable(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity .get_OvertimeBillable()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_OvertimeBillable(Nullable<Int32>)

Namespace	Class Name	Name
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Released()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Released(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Billed()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Billed(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_MailFrom()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_MailFrom(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_MailTo()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_MailTo(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_MailCc()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_MailCc(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_MailBcc()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_MailBcc(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Exception()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Exception(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Format()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Format(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Ticket(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_SummaryLineNbr()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_SummaryLineNbr(Nullable<Int32>)

Namespace	Class Name	Name
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_WeekID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_WeekID(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_IsSystem()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_IsSystem(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_IsHidden()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_IsHidden(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_IsPrivate()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_IsPrivate(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_IsViewed()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_IsViewed(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_CreatedByID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_CreatedByID(Nullable<Guid>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_CreatedByScreenID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_CreatedByScreenID(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_CreatedDateTime()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_LastModifiedByID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_LastModifiedByScreenID()

Namespace	Class Name	Name
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_LastModifiedByScreenID(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_EntityDescription()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_EntityDescription(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_EmployeeRate()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_EmployeeRate(Nullable<Decimal>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_CustomerID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_CustomerID(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_LocationID()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_LocationID(Nullable<Int32>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Tooltip()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_Hold()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_Hold(Nullable<Boolean>)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_EntityType()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_EntityType(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_GraphType()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_GraphType(String)
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.get_tstamp()
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.set_tstamp (Byte[])
PX.Objects.CR	EPAActivity	PX.Objects.CR.EPAActivity.isTimeTracking(EPAActivity)

Namespace	Class Name	Name
PX.Objects.CR	CRCase	PX.Objects.CR.CRCase.get_ID()
PX.Objects.CR	CRCase	PX.Objects.CR.CRCase.get_EntityType()
PX.Objects.CR	CROppportunity	PX.Objects.CR.CROppportunity.get_ContactID()
PX.Objects.CR	CROppportunity	PX.Objects.CR.CROppportunity.set_ContactID(Nullable<Int32>)
PX.Objects.CR	CROppportunity	PX.Objects.CR.CROppportunity.get_ID()
PX.Objects.CR	CROppportunity	PX.Objects.CR.CROppportunity.get_EntityType()
PX.Objects.CR	Allowed	PX.Objects.CR.Allowed<StringlistValue>.Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Objects.CR	String	PX.Objects.CR.String<ListField>.Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Objects.CR	CEmailSelectorAttribute	PX.Objects.CR.CEmailSelectorAttribute.get_DescriptionField()
PX.Objects.CR	CEmailSelectorAttribute	PX.Objects.CR.CEmailSelectorAttribute.set_DescriptionField(Type)
PX.Objects.CR	CEmailSelectorAttribute	PX.Objects.CR.CEmailSelectorAttribute.GenerateViewName()
PX.Objects.CR	CEmailSelectorAttribute	PX.Objects.CR.CEmailSelectorAttribute.CacheAttached(PXCache)
PX.Objects.CR	CEmailSelectorAttribute	PX.Objects.CR.CEmailSelectorAttribute.GetRecords()
PX.Objects.CR	ActivityStatusAttribute	PX.Objects.CR.ActivityStatusAttribute.FieldVerifying(PXCache ,PXFieldVerifyingEventArgs)
PX.Objects.CR	ContactSelectorAttribute	PX.Objects.CR.ContactSelectorAttribute.get_DescriptionField()
PX.Objects.CR	ContactSelectorAttribute	PX.Objects.CR.ContactSelectorAttribute.set_DescriptionField(Type)
PX.Objects.CR	ContactSelectorAttribute	PX.Objects.CR.ContactSelectorAttribute.get_Filterable()
PX.Objects.CR	ContactSelectorAttribute	PX.Objects.CR.ContactSelectorAttribute.set_Filterable(Boolean)
PX.Objects.CR	ContactSelectorAttribute	PX.Objects.CR.ContactSelectorAttribute.GetRecords()

Namespace	Class Name	Name
PX.Objects.CR	CRAttributesFieldAttribute	PX.Objects.CR.CRAttributesFieldAttribute..ctor(Type,Type,Type)
PX.Objects.CR	CRAttributesFieldAttribute	PX.Objects.CR.CRAttributesFieldAttribute.GetAttributesSearchCommand(Type,Type)
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.ConvertToAccount(CROpportunity,LeadMaint+AccountsFilter)
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint .accountAnswers()
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.CROpportunity_ContactID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.CROpportunity_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.AccountsFilter_BAccountID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.AccountsFilter_AccountName_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.AccountsFilter_AccountClass_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.AccountsFilter_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.BAccount_ViewInCrm_CacheAttached(PXCache)
PX.Objects.CR	BusinessAccountMaint	PX.Objects.CR.BusinessAccountMaint.CROpportunity_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.CR	BAccount	PX.Objects.CR.BAccount.get_ConsolidatingBAccountID()
PX.Objects.CR	BAccount	PX.Objects.CR.BAccount .set_ConsolidatingBAccountID(Nullable<Int32>)
PX.Objects.CR	BAccount	PX.Objects.CR.BAccount.get_ID()
PX.Objects.CR	BAccount	PX.Objects.CR.BAccount.get_EntityType()
PX.Objects.CR	Contact	PX.Objects.CR.Contact.get_ID()
PX.Objects.CR	Contact	PX.Objects.CR.Contact.get_EntityType()
PX.Objects.GL	FormatPeriodID	PX.Objects.GL.FormatPeriodID<Direction,PeriodID>.Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)

Namespace	Class Name	Name
PX.Objects.GL	AllocationMaint	PX.Objects.GL.AllocationMaint.ParseFiscalPeriodID(String,Int32& ,Int32&)
PX.Objects.GL	FinPeriodIDAttribute	PX.Objects.GL.FinPeriodIDAttribute.GetByID(PXGraph,String)
PX.Objects.GL	FiscalPeriodMaint	PX.Objects.GL.FiscalPeriodMaint .GetLastYearKey()
PX.Objects.DR	DRDeferredCode	PX.Objects.DR.DRDeferredCode.get_ScheduleOption()
PX.Objects.DR	DRDeferredCode	PX.Objects.DR.DRDeferredCode.set_ScheduleOption(String)
PX.Objects.DR	DRDeferredCode	PX.Objects.DR.DRDeferredCode.get_Method()
PX.Objects.D R	DRDeferredCode	PX.Objects.DR.DRDeferredCode.set_Method(String)
PX.Objects.DR	DRSchedule	PX.Objects.DR.DRSchedule.get_ScheduleID()
PX.Objects.DR	DRSchedule	PX.Objects.DR.DRSchedule.set_ScheduleID(Nullable<Int32>)
PX.Objects.DR	DRScheduleEx	PX.Objects.DR .DraftScheduleMaint+DRScheduleEx.get_ScheduleID()
PX.Objects.DR	DRScheduleEx	PX.Objects.DR .DraftScheduleMaint+DRScheduleEx.set_ScheduleID(Nullable<Int32>)
PX.Objects.CS	CSAnswers	PX.Objects.CS.CSAnswers.get_EntityType()
PX.Objects.CS	CSAnswers	PX.Objects.CS.CSAnswers.set_EntityType(String)
PX.Objects.CS	CSAnswers	PX.Objects.CS.CSAnswers.get_EntityID()
PX.Objects.CS	CSAnswers	PX.Objects.CS.CSAnswers.set_EntityID(Nullable<Int32>)
PX.Objects.CS	CSAttributeGroup	PX.Objects.CS.CSAttributeGroup.get_Type()
PX.Objects.CS	CSAttributeGroup	PX.Objects.CS.CSAttributeGroup.set_Type(String)
PX.Objects.CS	AttributeValueAttribute	PX.Objects.CS.AttributeValueAttribute..ctor(String,Type,Type)
PX.Objects.CS. Email	PXEmailSyncHelper	PX.Objects.CS.Email.PXEmailSyncHelper.SendMessage(EPMessage)

Namespace	Class Name	Name
PX.Objects.CS.Email	IEmailSyncProvider	PX.Objects.CS.Email.IEmailSyncProvider.SendMessage(PXSyncMailbox,IEnumerable<EPMessage>)
PX.Objects.CS.Email	MicrosoftExchangeSyncProvider	PX.Objects.CS.Email.MicrosoftExchangeSyncProvider.SendMessage(PXSyncMailbox,IEnumerable<EPMessage>)
PX.Objects.CS.Email	ExchangeTasksSyncCommand	PX.Objects.CS.Email.ExchangeTasksSyncCommand.ExportInsertedAction(PXSyncMailbox,TaskType,EPAActivity)
PX.Objects.CS.Email	ExchangeTasksSyncCommand	PX.Objects.CS.Email.ExchangeTasksSyncCommand.ExportUpdatedAction(PXSyncMailbox,TaskType,EPAActivity,List<ItemChangeDescriptionType>)
PX.Objects.CS.Email	ExchangeTasksSyncCommand	PX.Objects.CS.Email.ExchangeTasksSyncCommand.ImportAction(PXSyncMailbox,TaskType,EPAActivity&)
PX.Objects.CS.Email	ExchangeEventsSyncCommand	PX.Objects.CS.Email.ExchangeEventsSyncCommand.ExportInsertedAction(PXSyncMailbox,CalendarItemType,EPAActivity)
PX.Objects.CS.Email	ExchangeEventsSyncCommand	PX.Objects.CS.Email.ExchangeEventsSyncCommand.ExportUpdatedAction(PXSyncMailbox,CalendarItemType,EPAActivity,List<ItemChangeDescriptionType>)
PX.Objects.CS.Email	ExchangeEventsSyncCommand	PX.Objects.CS.Email.ExchangeEventsSyncCommand.ImportAction(PXSyncMailbox,CalendarItemType,EPAActivity&)
PX.Objects.CS.Email	ExchangeEmailsSyncCommand	PX.Objects.CS.Email.ExchangeEmailsSyncCommand.SendMessage(PXSyncMailbox,IEnumerable<EPMessage>)
PX.Objects.CS.Email	ExchangeEmailsSyncCommand	PX.Objects.CS.Email.ExchangeEmailsSyncCommand.ExportInsertedAction(PXSyncMailbox,MessageType,EPMessage)
PX.Objects.CS.Email	ExchangeEmailsSyncCommand	PX.Objects.CS.Email.ExchangeEmailsSyncCommand.ExportUpdatedAction(PXSyncMailbox,MessageType,EPMessage,List<ItemChangeDescriptionType>)
PX.Objects.CS.Email	ExchangeEmailsSyncCommand	PX.Objects.CS.Email.ExchangeEmailsSyncCommand.ImportAction(PXSyncMailbox,MessageType,EPMessage&)
PX.Objects.CS.Email	ExchangeEmailsSyncCommand	PX.Objects.CS.Email.ExchangeEmailsSyncCommand.PostProcessingSuccessfull(PXCache,PXSyncItemStatus,PXExchangeResponce<MessageType>,PXSyncTag<EPMessage>)

Namespace	Class Name	Name
PX.Objects.CS. Email	ExchangeEmailsSync Command	PX.Objects.CS.Email.ExchangeEmailsSyncCommand.PostProcessingFailed(PXCache,PXSyncItemStatus, PXExchangeResponse<MessageType>,PXSyncTag<EPMessage>)
PX.Objects.AR	ARCustomerCredit HoldProcess	PX.Objects.AR.ARCustomerCreditHoldProcess.ApplyCreditHoldProcess(DLCustomerUpdate, ARCustomerCreditHoldProcess+DetailsResult)
PX.Objects.AR	ARCustomerCredit HoldProcess	PX.Objects.AR.ARCustomerCreditHoldProcess.ReleaseCreditHoldProcess(DLCustomerUpdate, ARCustomerCreditHoldProcess+DetailsResult)
PX.Objects.AR	ARExpiringCardsProcess	PX.Objects.AR.ARExpiringCardsProcess.ActionsFolder(PXAdapter)
PX.Objects.AR	ARExpiredCardsProcess	PX.Objects.AR.ARExpiredCardsProcess.ActionsFolder(PXAdapter)
PX.Objects.AR	ARAdjust	PX.Objects.AR.ARAdjust.get_AdjdDocType()
PX.Objects.AR	ARAdjust	PX.Objects.AR.ARAdjust.set_AdjdDocType(String)
PX.Objects.AR	ARAdjust2	PX.Objects.AR.ARAdjust2.get_AdjdDocType()
PX.Objects.AR	ARAdjust2	PX.Objects.AR.ARAdjust2.set_AdjdDocType(String)
PX.Objects.AR	ARInvoiceEntry	PX.Objects.AR.ARInvoiceEntry.CalcAdjDocBal(PXCache,ARPayment,IAdjustment,CurrencyInfo,CurrencyInfo)
PX.Objects.AR	CustomerCreditHelper	PX.Objects.AR.CustomerCreditHelper<Entity,CustomerField,HoldField,ReleasedField>.GetCustomerBalance(PXCache, Object,Nullable<Decimal>&,Nullable<DateTime>&)
PX.Objects.AR	CustomListAttribute	PX.Objects.AR.ARDocType+CustomListAttribute..ctor(String[],String[])
PX.Objects.AR	CustomerClassMaint	PX.Objects.AR.CustomerClassMaint.CSAttributeGroup_EntityClassID_CacheAttached(PXCache)
PX.Objects.AR	CustomerClassMaint	PX.Objects.AR.CustomerClassMaint.CSAttributeGroup_Type_CacheAttached(PXCache)
PX.Objects.AR	CustomerClassMaint	PX.Objects.AR.CustomerClassMaint.CSAttributeGroup_Description_CacheAttached(PXCache)
PX.Objects.AR	CustomerClassMaint	PX.Objects.AR.CustomerClassMaint.ShowDetails(PXAdapter)
PX.Objects.AR	CustomerClassMaint	PX.Objects.AR.CustomerClassMaint.CSAttributeGroup_DefaultValue_FieldSelecting(PXCache, PXFieldSelectingEventArgs)

Namespace	Class Name	Name
PX.Objects.AR	CustomerMaint	PX.Objects.AR.CustomerMaint.GetCustomerBalances(PXGraph,Int32 ,Boolean)
PX.Objects.AR	CustomerMaint	PX.Objects.AR.CustomerMaint .GetChildAccounts()
PX.Objects.AR	CustomerMaint	PX.Objects.AR.CustomerMaint.GetChildAccountsAndSelfStripped<ParentField>()
PX.Objects.AR	CustomerMaint	PX.Objects.AR.CustomerMaint.Customer_ConsolidateToParent_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.AR	CustomerMaint	PX.Objects.AR.CustomerMaint.Customer_ConsolidateStatements_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.AR	Customer	PX.Objects.AR.Customer.get_IsBillSameAsMain()
PX.Objects.AR	Customer	PX.Objects.AR.Customer.set_IsBillSameAsMain(Nullable<Boolean>)
PX.Objects.AR	Customer	PX.Objects.AR.Customer.get_IsBillContSameAsMain()
PX.Objects.AR	Customer	PX.Objects.AR.Customer.set_IsBillContSameAsMain(Nullable<Boolean>)
PX.Objects.AR	Customer	PX.Objects.AR.Customer.get_EntityType()
PX.Objects.AR. CCPayment Processing	CCPaymentProcessing	PX.Objects.AR.CCPaymentProcessing.CCPaymentProcessing.findProcessindCenter(Nullable<Int32>,String)
PX.Objects.AP	APInvoiceEntry	PX.Objects.AP.APInvoiceEntry.GetCuryDocBal(PXCache,CurrencyInfo,CurrencyInfo,Nullable<Decimal>,Nullable<Decimal>)
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.get_AdjType()
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.set_AdjType(String)
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.get_DisplayDocType()
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.set_DisplayDocType(String)
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.get_DisplayRefNbr()
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.set_DisplayRefNbr(String)

Namespace	Class Name	Name
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.get_DisplayDocDate()
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.set_DisplayDocDate(Nullable<DateTime>)
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.get_DisplayDocDesc()
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.set_DisplayDocDesc(String)
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.get_DisplayCuryID()
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.set_DisplayCuryID(String)
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.get_DisplayFinPeriodID()
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.set_DisplayFinPeriodID(String)
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.get_DisplayStatus()
PX.Objects.AP	APAdjust	PX.Objects.AP.APInvoiceEntry+APAdjust.set_DisplayStatus(String)
PX.Objects.AP	Vendor	PX.Objects.AP.Vendor.get_EntityType()
PX.Objects.AP	VendorClassMaint	PX.Objects.AP.VendorClassMaint.CSAttributeGroup_EntityClassID_CacheAttached(PXCache)
PX.Objects.AP	VendorClassMaint	PX.Objects.AP.VendorClassMaint.CSAttributeGroup_Type_CacheAttached(PXCache)
PX.Objects.AP	VendorClassMaint	PX.Objects.AP.VendorClassMaint.CSAttributeGroup_Description_CacheAttached(PXCache)
PX.Objects.AP	VendorClassMaint	PX.Objects.AP.VendorClassMaint.ShowDetails(PXAdapter)
PX.Objects.AP	VendorClassMaint	PX.Objects.AP.VendorClassMaint.CSAttributeGroup_DefaultValue_FieldSelecting(PXCache,PXFieldSelectingEventArgs)

Other Breaking Fields

Namespace	Class Name	Name
PX.Data	PXCache	PX.Data.PXCache._CommandPreparingEventsItem
PX.Data	PXCache	PX.Data.PXCache._FieldDefaultingEventsItem
PX.Data	PXCache	PX.Data.PXCache._FieldUpdatingEventsItem
PX.Data	PXCache	PX.Data.PXCache._FieldVerifyingEventsItem
PX.Data	PXCache	PX.Data.PXCache._FieldUpdatedEventsItem
PX.Data	PXCache	PX.Data.PXCache._FieldSelectingEventsItem
PX.Data	PXCache	PX.Data.PXCache._ExceptionHandlingEventsItem
PX.Data	PXCache	PX.Data.PXCache._EventsRowItem
PX.Data	ErrorMessages	PX.Data.ErrorMessages.GIPrimaryScreenNodeDoesNotExist
PX.Data	ActionsMessages	PX.Data.ActionsMessages.GIConfirmViewInquiry
PX.Data	PXTraceProvider	_url
PX.Data	Change	MailReplay
PX.Objects.CT	Messages	PX.Objects.CT.Messages.ContractDurationIsNotConfigured
PX.Objects.IN	INItemClassMaint	PX.Objects.IN.INItemClassMaint.showDetails
PX.Objects.IN	Messages	ThisItemClassCanNotBeDeletedBecauseItsUsedIn
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint._baccount
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint._customer
PX.Objects.EP	CRActivityMaint	PX.Objects.EP.CRActivityMaint._vendor

PX.Objects.EP	Messages	PX.Objects.EP.Messages.TaskID
PX.Objects.EP	Messages	PX.Objects.EP.Messages.EPActivityIsExpected
PX.Objects.EP	EmployeeClassMaint	PX.Objects.EP.EmployeeClassMaint.showDetails
PX.Objects.CR	CEmailActivityMaint	PX.Objects.CR.CREmailActivityMaint.Message1
PX.Objects.CR	CRCustomerClassMaint	PX.Objects.CR.CRCustomerClassMaint.showDetails
PX.Objects.CR	CROpportunityClassMaint	PX.Objects.CR.CROpportunityClassMaint.showDetails
PX.Objects.CR	CRLeadClassMaint	PX.Objects.CR.CRLeadClassMaint.showDetails
PX.Objects.CR	CRActivityClass	PX.Objects.CR.CRActivityClass.History
PX.Objects.CR	CRCaseClassMaint	PX.Objects.CR.CRCaseClassMaint.showDetails
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.ContactAnswers
PX.Objects.CR	OpportunityMaint	PX.Objects.CR.OpportunityMaint.AccountAnswers
PX.Objects.CR	Messages	PX.Objects.CR.Messages.HistoryClassInfo
PX.Objects.CR	Messages	PX.Objects.CR.Messages.InvalidIBqlField
PX.Objects.CS	Messages	PX.Objects.CS.Messages.SubaccountAddingNewSegmentRequiresUpdating
PX.Objects.AR	ARExpiringCardsProcess	PX.Objects.AR.ARExpiringCardsProcess.actionsFolder
PX.Objects.AR	ARExpiredCardsProcess	PX.Objects.AR.ARExpiredCardsProcess.actionsFolder
PX.Objects.AR	CustomerClassMaint	PX.Objects.AR.CustomerClassMaint.showDetails
PX.Objects.AR	Messages	PX.Objects.AR.Messages.ConsolidateToParentChangeOnParentWarning
PX.Objects.AR	Messages	PX.Objects.AR.Messages.ConsolidateStatementsChangeOnParentWarning
PX.Objects.AR	Messages	Only_Open_Documents_MayBe_Processed

PX.Objects.AR	Messages	ApplDate_Greater_DocDate
PX.Objects.AR	Messages	ApplPeriod_Greater_DocPeriod
PX.Objects.AR	Messages	Cannot_Change_Details_Exists
PX.Objects.AR	Messages	Only_Invoices_MayBe_Payed
PX.Objects.AP	VendorClassMaint	PX.Objects.AP.VendorClassMaint.showDetails
PX.Objects.AP	PaymentRefAttribute	_UpdateNextNumber
PX.Objects.AP	Messages	ProcessSelectedRecordsTooltip
PX.Objects.AP	Messages	ProcessAllRecordsTooltip
PX.Objects.AP	Messages	VoidChecks
PX.Objects.AP	Messages	DeleteChecks
PX.Objects.PM	Messages	ArgumentNullOrEmptyError
PX.Objects.FA	DepreciationCalculation	monthsInYear
PX.Objects.FA	DepreciationCalculation	quarterToMonth
PX.Objects.FA	DepreciationCalculation	quartersCount
PX.Objects.FA	DepreciationCalculation	CalculatePercents
PX.Objects.CA	Messages	PaymentTypeNotValid

Other Breaking Methods

Namespace	Class Name	Name
PX.Data	PXTrace	get_TraceUrl()

PX.Data	PXTrace	Reset()
PX.Data	PXTraceSection	get_DefaultProvider()
PX.Data	PXTraceSection	set_DefaultProvider(String)
PX.Data	PXTraceProviderCollection	CopyTo(PXTraceProvider[],Int32)
PX.Data	PXTraceProviderCollection	get_Item(String)
PX.Data	PXTraceProvider	get_Url()
PX.Data	PXSessionTraceProvider	GetTrace()
PX.Objects.RUTROT	SOInvoiceEntryRUTROT	InvoiceOrder(DateTime,PXResult<SOOrderShipment,SOOrder,CurrencyInfo,SOAddress,SOContact,SOOrderType>,PXResultset<SOShipLine,SOLine>,Customer,DocumentList<ARInvoice,SOInvoice>,SOInvoiceEntryRUTROT+InvoiceOrderDelegate)
PX.Objects.RUTROT	SOInvoiceEntryRUTROT	RecalcFormulas(RUTROT,ARInvoiceRUTROT)
PX.Objects.PO	POReceiptEntry	Copy(POReceiptLine,INTran,Decimal,Decimal,Decimal)
PX.Objects.PO	POLinePlanIDAttribute	Plan_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.IN	INTranInTransit	get_TransType()
PX.Objects.IN	INTranInTransit	set_TransType(String)
PX.Objects.IN	INTranInTransit	get_PlanType()
PX.Objects.IN	INTranInTransit	set_PlanType(String)
PX.Objects.IN	INReleaseProcess	UpdateSiteStatus(INTranSplit,INLocation)
PX.Objects.IN	INReleaseProcess	UpdateLocationStatus(INTranSplit)
PX.Objects.IN	INReleaseProcess	ReceiveLot(INTran,INTranSplit,InventoryItem,INLotSerClass,LotSerialStatus&)
PX.Objects.IN	INReleaseProcess	IssueLot(INTran,INTranSplit,InventoryItem,INLotSerClass,LotSerialStatus&)

PX.Objects.IN	INReleaseProcess	TransferLot(INTran,INTranSplit,InventoryItem,INLotSerClass,LotSerialStatus&)
PX.Objects.IN	INReleaseProcess	TransferCost(INTran,INTranSplit,InventoryItem)
PX.Objects.IN	INReleaseProcess	IsTransfer(INTran)
PX.Objects.IN	INReceiptEntry	Persist()
PX.Objects.IN	INTranSplitPlanIDAttribute	Plan_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.IN	SiteRawAttribute	.ctor()
PX.Objects.IN	SiteAttribute	.ctor(Type)
PX.Objects.IN.Overrides. INDocumentRelease	CostStatusAccumulatorAttribute	.ctor(Type,Type,Type,Type,Type,Type)
PX.Objects.DR.Descriptor	IFinancialPeriodProvider	GetPeriod(DateTime)
PX.Objects.DR.Descriptor	IFinancialPeriodProvider	PeriodFromDate(Nullable<DateTime>)
PX.Objects.DR.Descriptor	IFinancialPeriodProvider	PeriodFromDate(PXGraph,Nullable<DateTime>)
PX.Objects.DR.Descriptor	FinancialPeriodProvider	GetPeriod(IFinancialPeriodProvider,Nullable<DateTime>)
PX.Objects.CA	ARPaymentUpdate	get_DocType()
PX.Objects.CA	ARPaymentUpdate	set_DocType(String)
PX.Objects.CA	ARPaymentUpdate	get_RefNbr()
PX.Objects.CA	ARPaymentUpdate	set_RefNbr(String)
PX.Objects.CA	ARPaymentUpdate	get_DepositDate()
PX.Objects.CA	ARPaymentUpdate	set_DepositDate(Nullable<DateTime>)
PX.Objects.CA	ARPaymentUpdate	get_DepositType()
PX.Objects.CA	ARPaymentUpdate	set_DepositType(String)

PX.Objects.CA	ARPaymentUpdate	get_DepositNbr()
PX.Objects.CA	ARPaymentUpdate	set_DepositNbr(String)
PX.Objects.CA	ARPaymentUpdate	get_Deposited()
PX.Objects.CA	ARPaymentUpdate	set_Deposited(Nullable<Boolean>)
PX.Objects.CA	APPaymentUpdate	get_DocType()
PX.Objects.CA	APPaymentUpdate	set_DocType(String)
PX.Objects.CA	APPaymentUpdate	get_RefNbr()
PX.Objects.CA	APPaymentUpdate	set_RefNbr(String)
PX.Objects.CA	APPaymentUpdate	get_DepositDate()
PX.Objects.CA	APPaymentUpdate	set_DepositDate(Nullable<DateTime>)
PX.Objects.CA	APPaymentUpdate	get_DepositType()
PX.Objects.CA	APPaymentUpdate	set_DepositType(String)
PX.Objects.CA	APPaymentUpdate	get_DepositNbr()
PX.Objects.CA	APPaymentUpdate	set_DepositNbr(String)
PX.Objects.CA	APPaymentUpdate	get_Deposited()
PX.Objects.CA	APPaymentUpdate	set_Deposited(Nullable<Boolean>)
PX.Objects.CA	AddTrxFILTER	get_UpdateNextNumber()
PX.Objects.CA	AddTrxFILTER	set_UpdateNextNumber(Nullable<Boolean>)
PX.Objects.CA	AddTrxFILTER	get_ExtRefNbr()
PX.Objects.CA	AddTrxFILTER	set_ExtRefNbr(String)

PX.Objects.CA	PaymentMethod	get_PrintOrExport()
PX.Objects.CA	PaymentMethod	set_PrintOrExport(Nullable<Boolean>)
PX.Objects.GL	PXFinPeriodException	.ctor(Exception,String,Object[])
PX.Objects.GL	FinPeriodIDAttribute	GetFinPeriodByID(PXGraph,String)
PX.Objects.GL	JournalEntry	OpenDocumentByTran(GLTran)
PX.Objects.GL.Overrides. PostGraph	AcctHist	get_PtdRevalued()
PX.Objects.GL.Overrides. PostGraph	AcctHist	set_PtdRevalued(Nullable<Decimal>)
PX.Objects.AP	UnitCostItem	get_UOM()
PX.Objects.AP	UnitCostItem	get_Cost()
PX.Objects.AP	UnitCostItem	get_CuryID()
PX.Objects.AP	APPayBills	viewDocument()
PX.Objects.AP	PrintChecksFilter	get_PayTypeID()
PX.Objects.AP	PrintChecksFilter	set_PayTypeID(String)
PX.Objects.AP	ReleaseChecksFilter	get_Action()
PX.Objects.AP	ReleaseChecksFilter	set_Action(String)
PX.Objects.AP	APPaymentEntry	get_created()
PX.Objects.AP	APPaymentEntry	get_PaymentMethodRequiresPaymentRef()
PX.Objects.AP	APPayment	get_UpdateNextNumber()
PX.Objects.AP	APPayment	set_UpdateNextNumber(Nullable<Boolean>)

PX.Objects.AP	APPayment	get_ExtRefNbr()
PX.Objects.AP	APPayment	set_ExtRefNbr(String)
PX.Objects.AP	APPayment	get_PrintCheck()
PX.Objects.AP	APPayment	set_PrintCheck(Nullable<Boolean>)
PX.Objects.AP	PaymentRefAttribute	GetOldField(PXCache,Object)
PX.Objects.AP	APTaxAttribute	SelectTaxes<Where>(PXGraph,Object,PXTaxCheck,Object[])
PX.Objects.AP.Standalone	APQuickCheck	get_UpdateNextNumber()
PX.Objects.AP.Standalone	APQuickCheck	set_UpdateNextNumber(Nullable<Boolean>)
PX.Objects.AP.Standalone	APQuickCheck	get_ExtRefNbr()
PX.Objects.AP.Standalone	APQuickCheck	set_ExtRefNbr(String)
PX.Objects.AP.Standalone	APQuickCheck	get_PrintCheck()
PX.Objects.AP.Standalone	APQuickCheck	set_PrintCheck(Nullable<Boolean>)
PX.Common.SMTP.Client	SmtpClient	.ctor()
PX.SM	AUNotificationHistory	get_MailReplay()
PX.SM	AUNotificationHistory	set_MailReplay(String)
PX.Objects.RUTROT	ARInvoiceEntryRUTROT	ARInvoice_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.RUTROT	ARInvoiceEntryRUTROT	ARTran_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.RUTROT	ARInvoiceEntryRUTROT	CheckRUTROTLine(PXCache,IRUTROTable,IRUTROTableLine,RUTROT)
PX.Objects.RUTROT	RUTROTManager	RUTROTDeductibleUpdated(IRUTROTable,IRUTROTable,RUTROT)
PX.Objects.RUTROT	SOOrderEntryRUTROT	SOOrder_RowUpdated(PXCache,PXRowUpdatedEventArgs)

PX.Objects.RUTROT	SOOrderEntryRUTROT	SOLine_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.RUTROT	SOOrderEntryRUTROT	CheckRUTROTLine(PXCache,IRUTROTTable,IRUTROTTableLine,RUTROT)
PX.Objects.SO	SODiscountEngine	ValidateMinGrossProfitUnitPrice<InfoKeyField>(PXCache,Line,Nullable<Decimal>&)
PX.Objects.SO	SODiscountEngine	ValidateMinGrossProfitPct(PXCache,Line,Nullable<Decimal>,Nullable<Decimal>&)
PX.Objects.SO	SODiscountEngine	ValidateMinGrossProfitAmt(PXCache,Line,Nullable<Decimal>,Nullable<Decimal>&)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod1()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod1(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod2()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod2(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod3()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod3(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod4()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod4(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod5()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod2(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod5(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod6()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod6(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod7()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod7(Nullable<Decimal>)

PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod8()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod8(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod9()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod9(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod10()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod10(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod11()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod11(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_RatioPerPeriod12()
PX.Objects.FA	FADepreciationMethodLines	set_RatioPerPeriod12(Nullable<Decimal>)
PX.Objects.FA	FADepreciationMethodLines	get_SetYearRatioByUser()
PX.Objects.FA	FADepreciationMethodLines	set_SetYearRatioByUser(Nullable<Boolean>)
PX.Objects.FA	DepreciationCalculation	calculatePercents(PXAdapter)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerYear_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth1_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth2_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth3_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth4_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)

PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth5_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth6_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth7_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth8_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth9_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth10_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth11_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethodLines_RatioPerMonth12_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethod_RecoveryPeriod_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethod_DepreciationStartDate_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethod_AveragingConvention_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethod_DepreciationStopDate_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethod_DepreciationPeriodsInYear_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethod_YearlyAccountancy_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.FA	DepreciationCalculation	FADepreciationMethod_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.FA	DepreciationCalculation	get_depreciationBasis()
PX.Objects.FA	DepreciationCalculation	set_depreciationBasis(Decimal)
PX.Objects.FA	DepreciationCalculation	get_accumulatedDepreciation()
PX.Objects.FA	DepreciationCalculation	set_accumulatedDepreciation(Decimal)
PX.Objects.FA	DepreciationCalculation	get_depreciationStartYear()

PX.Objects.FA	DepreciationCalculation	set_depreciationStartYear(Int32)
PX.Objects.FA	DepreciationCalculation	get_depreciationStopBookPeriod()
PX.Objects.FA	DepreciationCalculation	set_depreciationStopBookPeriod(FABookPeriod)
PX.Objects.FA	DepreciationCalculation	get_depreciationStartBookPeriod()
PX.Objects.FA	DepreciationCalculation	set_depreciationStartBookPeriod(FABookPeriod)
PX.Objects.FA	DepreciationCalculation	get_depreciationStartPeriod()
PX.Objects.FA	DepreciationCalculation	set_depreciationStartPeriod(Int32)
PX.Objects.FA	DepreciationCalculation	get_depreciationStopPeriod()
PX.Objects.FA	DepreciationCalculation	set_depreciationStopPeriod(Int32)
PX.Objects.FA	DepreciationCalculation	get_recoveryEndPeriod()
PX.Objects.FA	DepreciationCalculation	set_recoveryEndPeriod(Int32)
PX.Objects.FA	DepreciationCalculation	get_firstRecoveryEndQuarterPeriod()
PX.Objects.FA	DepreciationCalculation	set_firstRecoveryEndQuarterPeriod(Int32)
PX.Objects.FA	DepreciationCalculation	get_firstDepreciationStopQuarterPeriod()
PX.Objects.FA	DepreciationCalculation	set_firstDepreciationStopQuarterPeriod(Int32)
PX.Objects.FA	DepreciationCalculation	get_lastDepreciationStartQuarterPeriod()
PX.Objects.FA	DepreciationCalculation	set_lastDepreciationStartQuarterPeriod(Int32)
PX.Objects.FA	DepreciationCalculation	get_recoveryEndDate()
PX.Objects.FA	DepreciationCalculation	set_recoveryEndDate(DateTime)
PX.Objects.FA	DepreciationCalculation	get_recoveryYears()

PX.Objects.FA	DepreciationCalculation	set_recoveryYears(Int32)
PX.Objects.FA	DepreciationCalculation	get_usefulLife()
PX.Objects.FA	DepreciationCalculation	set_usefulLife(Decimal)
PX.Objects.FA	DepreciationCalculation	get_depreciationYears()
PX.Objects.FA	DepreciationCalculation	set_depreciationYears(Int32)
PX.Objects.FA	DepreciationCalculation	get_startDepreciationMidPeriodRatio()
PX.Objects.FA	DepreciationCalculation	set_startDepreciationMidPeriodRatio(Decimal)
PX.Objects.FA	DepreciationCalculation	get_stopDepreciationMidPeriodRatio()
PX.Objects.FA	DepreciationCalculation	set_stopDepreciationMidPeriodRatio(Decimal)
PX.Objects.FA	DepreciationCalculation	get_depreciationStartDate()
PX.Objects.FA	DepreciationCalculation	set_depreciationStartDate(DateTime)
PX.Objects.FA	DepreciationCalculation	get_depreciationStopDate()
PX.Objects.FA	DepreciationCalculation	set_depreciationStopDate(Nullable<DateTime>)
PX.Objects.FA	DepreciationCalculation	get_wholeRecoveryDays()
PX.Objects.FA	DepreciationCalculation	set_wholeRecoveryDays(Int32)
PX.Objects.FA	DepreciationCalculation	get_averagingConvention()
PX.Objects.FA	DepreciationCalculation	set_averagingConvention(String)
PX.Objects.FA	DepreciationCalculation	get_wholeRecoveryPeriods()
PX.Objects.FA	DepreciationCalculation	set_wholeRecoveryPeriods(Decimal)
PX.Objects.FA	DepreciationCalculation	get_depreciationPeriodsInYear()

PX.Objects.FA	DepreciationCalculation	set_depreciationPeriodsInYear(Int32)
PX.Objects.FA	DepreciationCalculation	get_depreciationMethod()
PX.Objects.FA	DepreciationCalculation	set_depreciationMethod(FADepreciationMethod)
PX.Objects.FA	DepreciationCalculation	get_yearOfUsefulLife()
PX.Objects.FA	DepreciationCalculation	set_yearOfUsefulLife(Int32)
PX.Objects.FA	DepreciationCalculation	get_recoveryStartDate()
PX.Objects.FA	DepreciationCalculation	set_recoveryStartDate(DateTime)
PX.Objects.FA	DepreciationCalculation	get_recoveryStartBookPeriod()
PX.Objects.FA	DepreciationCalculation	set_recoveryStartBookPeriod(FABookPeriod)
PX.Objects.FA	DepreciationCalculation	get_recoveryEndBookPeriod()
PX.Objects.FA	DepreciationCalculation	set_recoveryEndBookPeriod(FABookPeriod)
PX.Objects.CR	EPAActivity	get_TaskID()
PX.Objects.CR	EPAActivity	set_TaskID(Nullable<Guid>)
PX.Objects.CR	EPAActivity	get_NoteID()
PX.Objects.CR	EPAActivity	set_NoteID(Nullable<Guid>)
PX.Objects.AR	ARStatementUpdate	EMailStatement(String,Nullable<Int32>,Nullable<DateTime>,String,Boolean,Boolean)