

MYOB Advanced

Technical Release Notes

2018.1



Contents

Introduction	3
Technical Notes	3
Breaking Changes	3
Changes that Affect Integration via Import or Export Scenarios	3
Changes that Affect Integration via Screen-Based SOAP API	5
Affected ISV Customization Projects	9
Other Changes	9
Modified Reports	12
Removed Screens	12
Removed Tables	12
Removed Fields	14
Modified Field Types	16
Removed Data Access Classes (DACs)	20
Deprecated Classes	22
Deprecated Fields	23
Deprecated Constants	23
Removed Graphs	23
Removed Constants	24
Other Removed Classes	25
Modified Interfaces and Abstract Classes	51
Other Breaking Methods	71
Other Breaking Fields	233

Introduction

Welcome to the 2018.1 release of MYOB Advanced. The purpose of this document is to provide essential information on the changes included in this release that affect organisations who are involved in developing reports, customisations and integrations for the MYOB Advanced system.

Technical Notes

Breaking Changes

This section lists all the changes in MYOB Advanced 2018.1 that may affect reports, customizations and integrations that were built in a prior version. Changes made in internal field or object names. They may break export/import scenarios. After the upgrade to 2017R2, review the scenarios, if their screen IDs are listed below. If any command exposes yellow mark, verify and correct Object/Field names if required.

Changes that Affect Integration via Import or Export Scenarios

After an upgrade to MYOB Advanced 2018.1, review the scenarios if their screen IDs are listed below. If any line of the scenario exposes a yellow mark, verify and correct object or field names. The changes made in the following forms may break import and export scenarios.

Inventory Preferences (IN.10.10.00)

Default Item Class (INSetup.DfltItemClassID) is replaced with Default Stock Item Class (INSetup.DfltStkItemClassID) and Default Non-Stock Item Class (INSetup.DfltNonStkItemClassID).

The fields listed in the following table have been affected:

Action	Table Name	Field Name
delete	INSetup	DfltItemClassID
add	INSetup	DfltStkItemClassID
add	INSetup	DfltNonStkItemClassID

Item Classes (IN201000)

INItemClass table had only a natural key (ItemClassID, nvarchar) before. Now it has a surrogate key (ItemClassID, int with identity) and a natural key (ItemClassCD, nvarchar).

Availability calculation rules have been moved from the INItemClass table to the new INAvailabilityScheme entity, which is set up on a separate form.

The fields listed in the following table have been affected:

Action	Table Name	Field Name
add	INItemClass	AvailabilitySchemeID
delete	INItemClass	InclQtySOBackOrdered
Action	Table Name	Field Name
delete	INItemClass	InclQtySOPrepared
delete	INItemClass	InclQtySOBooked
delete	INItemClass	InclQtySOShipped
delete	INItemClass	InclQtySOShipping
delete	INItemClass	InclQtyInTransit
delete	INItemClass	InclQtyPOReceipts
delete	INItemClass	InclQtyPOPrepared
delete	INItemClass	InclQtyPOOrders
delete	INItemClass	InclQtyINIssues
delete	INItemClass	InclQtyINReceipts
delete	INItemClass	InclQtyINAssemblyDemand
delete	INItemClass	InclQtyINAssemblySupply
delete	INItemClass	InclQtySOReverse
add	INAvailabilityScheme	InclQtySOBackOrdered
add	INAvailabilityScheme	InclQtySOPrepared
add	INAvailabilityScheme	InclQtySOBooked
add	INAvailabilityScheme	InclQtySOShipped
add	INAvailabilityScheme	InclQtySOShipping
add	INAvailabilityScheme	InclQtyInTransit
add	INAvailabilityScheme	InclQtyPOReceipts
add	INAvailabilityScheme	InclQtyPOPrepared
add	INAvailabilityScheme	InclQtyPOOrders
add	INAvailabilityScheme	InclQtyINIssues
add	INAvailabilityScheme	InclQtyINReceipts
add	INAvailabilityScheme	InclQtyINAssemblyDemand
add	INAvailabilityScheme	InclQtyINAssemblySupply

Action	Table Name	Field Name
add	INAvailabilityScheme	InclQtySOReverse

Physical Inventory Types (IN.20.89.00)

The INPIClass.ItemClassID field is replaced with the INPIClassItemClass entity.

The fields listed in the following table have been affected:

Action	Table Name	Field Name
delete	INPIClass	ItemClassID

Changes that Affect Integration via Screen-Based SOAP API

The changes in the following forms may break client applications connected to MYOB Advanced through the screen-based SOAP API:

- Inventory Preferences (IN.10.10.00)
- Item Classes (IN.20.10.00)
- Physical Inventory Types (IN.20.89.00)

If your SOAP client connects to a screen that is listed in this section, we recommend that you start using the wrapper from PX.Soap.dll. Alternatively, you can refresh the WSDL from the site after upgrading it to MYOB Advanced 2018.1, then adjust and recompile the client application.

API Changes

Distribution

The ShippingRefNoteID column has been added to the SOOrderShipment table. To support this column, the following changes should be done to the update scripts:

- Add this column to the Column Enumeration section of the existing INSERT statements.
- Add the '00000000-0000-0000-0000-000000000000' value to the Values section.

On the Sales Orders (SO301000) screen, the Comment field in the Document Details section has been renamed to Equipment Action Comment.

Service

On the Appointment Details History (FS400500) form, the following columns have been renamed:

- Branch to Branch ID
- Estimated Quantity to Estimated Qty
- Quantity to Actual Qty
- Transaction Amount to Actual Amount

On the Service Order Detail History (FS401000) form, the following columns have been renamed:

- Branch to Branch ID
- Estimated Quantity to Estimated Qty
- Estimated Transaction Amount to Estimated Amount
- Appointment Quantity to Qty. On Appointments
- Appointment Duration to Duration on Appointments
- Appointment Transaction Amount to Appointment Amount
- Number of Appointments to Appointment Count

On the Contract Summary (FS401200) form, the Service Contract Nbr. column has been renamed to Contract Nbr.

On the Inter-Branch Account Mapping (GL1010PL) form, the Branch column has been renamed to Branch ID.

On the Pickup-Delivery Items tab of the Non-Stock Items (IN202000) form, the following changes have been made:

- The Pickup/Deliver Items field was renamed to Pickup/Delivery Action
- The Service Class and Enable In Service Management Module fields have been removed. (These fields were hidden and were not used.)

Finance

The following obsolete fields have been removed from the Check and Payments (AP302000) form:

- PaymentSummary.CardID
- PaymentSummary.CardIDDescription

On the Cash Management Preferences (CA101000) form, the BankStatementSettingsAutoMatchingProcess.MatchInTheSelectionOnly field has been removed.

On the Cash Accounts (CA202000) form, the following obsolete elements have been removed:

- The ViewPTInstance action
- The AddPTInstance action
- The CorporateCards container

On the Currencies (CM202000) form, the following account settings have been moved to the new GL Accounts tab:

- GeneralInfoRealizedGainAndLossAccounts
- GeneralInfoUnrealizedGainAndLossAccounts
- GeneralInfoUnrealizedGainAndLossProvisioningAccounts
- GeneralInfoRevaluationGainAndLossAccounts
- GeneralInfoTranslationGainAndLossAccounts

- GeneralInfoRoundingGainAndLossAccounts
- GeneralInfo

On the Currencies (CM202000) form, the new Rounding Settings tab has been added.

On the Inter-Branch Account Mapping (GL1010PL) form, the display name of the Branch.BranchCD field has been changed from Branch to Branch ID.

On the Branches (CS102000) form, the following entities have been removed:

- BranchBAccount.MainBranchLogoName
- GeneralInfoLegalInformation
- 1099SettingsEFilingSettings
- GeneralInfoLegalInformationTaxExemptionNumber
- GeneralInfoConfigurationSettingsBaseCurrencySettingsShared
- GeneralInfoMiscSettingsSharedPhoneMask
- GeneralInfoMiscSettingsShared

On the Companies (SM203520) form, the following changes have been made:

- The display name of the CompanySummary.CompanyID field has been changed to Tenant ID
- The display name of the CompanySummary.CompanyName field has been changed to Tenant Name
- The display name of the Snapshots.CompanyID field has been changed to Tenant ID

On the Tenants (SM203530) form, the following changes have been made:

- The display name of the Companies.CompanyID field has been changed to Tenant ID
- The display name of the Companies.CompanyName field has been changed to Tenant Name

On the Customization Projects (SM204505) form, the display name of the PublishToMultipleCompanies.CompanyName field has been changed to Tenant Name

The following entities were removed from the code because they were obsolete and not supported:

- CABankStatement
- CABankStatementDetail
- CABankStatementEntry
- PTInstTran

On the Companies (CS101500) form, the following objects have been removed:

- The CompanyDetailsTaxRegistrationInfo.EntityUsageType field
- The CompanyDetailsTaxRegistrationInfo.TaxExemptionNumber field
- The LogoUserInterfaceLogo container
- The LogoUserInterfaceLogo container

On the Checks and Payments (AP301000) form, the Retainage.Currencyfield has been removed

On the Prepare Payments (AP503000) form, the DocumentsToPay.OrigRefNbr field has been removed

On the Invoices and Memos (AR301000) form, the following fields have been removed

- Retainage.Currency
- Retainage.ARInvoicePayTypeID

On the Cash Management Preferences (CA101000) form, the BankStatementSettingsAutoMatchingProcess container has been removed as obsolete.

On the Process Bank Transactions (CA306000) form, the TransactionMatchSettingsTransactionMatchSettings.MatchInSelection field has been removed as obsolete.

Platform

On the Automation Schedules (SM205020) form, the following containers have been removed:

- Dates
- DatesByFinancialPeriod
- DatesMonthly
- DatesWeekly
- DatesDaily
- Hours

On the Automation Schedules (SM205020) form, the following containers have been added:

- Details
- ScheduleScheduleType
- ScheduleScheduleDetails
- ScheduleExecutionTimeExecutionTime

On the Notification Templates (SM204003) form, the following control has been moved:

- Notifications.Body to Message.Body

4. On the Email Preferences (SM204001) form, the following fields have been renamed:

- GeneralSettings.NewUserWelcomeEmailTemplateNotification > GeneralSettings.NewUserWelcomeEmailTemplateDescription
- GeneralSettings.PasswordChangedEmailTemplateNotification > GeneralSettings.PasswordChangedEmailTemplateDescription
- GeneralSettings.LoginRecoveryEmailTemplateNotification > GeneralSettings.LoginRecoveryEmailTemplateDescription
- GeneralSettings.PasswordRecoveryEmailTemplateNotification > GeneralSettings.PasswordRecoveryEmailTemplateDescription

On the System Email Accounts (SM204002) form, the following fields have been renamed:

- IncomingMailProcessingInitialProcessing.ConfirmationTemplateNotification > IncomingMailProcessingInitialProcessing.ConfirmationTemplateDescription
- IncomingMailProcessingMainProcessing.ReplyTemplateNotification > IncomingMailProcessingMainProcessing.ReplyTemplateDescription

On the Notification Templates (SM204003) form, the Notifications.Notification field has been divided on the following fields:

- Notifications.NotificationID and Notifications.NotificationIDDescription

CRM

On the Enable/Disable Features (CS100000) form, the Salesforce Integraton feature has been renamed to Salesforce Integration.

On the Opportunities (CR304000) form, the following actions have been removed:

- Inquiries > View Invoice (ViewInvoiceInquiry)
- Inquiries > View Sales Order (ViewSalesOrderInquiry)

These actions have been replaced by the new Invoices and Orders tabs on the Opportunities form.

On the Salesforce Sync State (SF205040) form, the following fields have been removed from the table:

- LocalID (SF205040.Records.LocalID)
- Status (SF205040.Status)

Affected ISV Customization Projects

Due to the changes in structure of the item class keys, the following ISV customization projects should be updated before customers that use these projects upgrade to 2018.1:

- Kensium Solutions - Product Configurator
- Fusion Retail Management System - Warehouse Management Solution
- JAAS Systems - JAAS Advanced Manufacturing Software (JAMS)
- MaxQ Technologies, Inc - Matrix Inventory Management
- MaxQ Technologies, Inc - Advanced Billing

Other Changes

Platform

Schema of the Dashboards (SM.20.86.00) screen has been changed so that an identity can be used as a DB key and a name can be used as a DAC key (similar to generic inquiries and ARM reports).

Organization

The following fields were removed because they had been added to the system by mistake in a previous version:

- PM208000.Tasks.RateTableDescription
- PM208000.Tasks.AllocationRuleDescription
- PM208000.Tasks.BillingRuleDescription
- PM208010.Budget.AccountGroupDescription
- PM208030.Budget.AccountGroupDescription

An **IsActive** column has been added to the CSAttributeGroup table. To support this column, the following changes should be made to the update script:

1. Add this column to the Column Enumeration section of the INSERT statement.
2. Add the 1 value to the Values section.

On the BI000004 screen, the Created field has been renamed to Date Created.

In all data access classes (DACs) of the Organization suite, the following fields were renamed:

- Created Date to Created On
- Last Modified Date to Last Modified On

On the EP101000, EP205000, PM101000, PO101000, RQ101000, and SO101000 screens, the **Name** field has been renamed to **Map Name**.

On the EP203000 screen, the **Company Tree Member** container was renamed to **Company Tree Info**.

On the EP204060 screen, the following fields have been deleted:

- ListOfGroups.WaitTime
- ListOfGroups.BypassEscalation
- ListOfGroups.UseCalendarTime
- GroupMembers.WaitTime

On the EP205000 screen, the **Map** field has been renamed to **Map ID**.

On the EP503010 screen, the **AssignmentMapID** field has been renamed to **Map**.

The **Name** field was renamed to **Map Name** on the following screens:

- CR101000
- SM204002
- AP101000
- CA101000

The list of opportunity stages is now configurable, defined in the CROpportunityProbability DAC by an opportunity class, and not hardcoded. A customization may need to be adjusted to look for the valid opportunity stage values in this DAC.

Finance

On the AR202800 screen, the following fields have been renamed:

- **Prepare On** to **Schedule Type**
- **Day of Month** to **Day of Month 1**
- **Day of Month1** to **Day of Month 2**
- **Require Payment Application Before Statement Processing** to **Require Payment Application Before Statement**

On the AR503000 screen, the Prepare On field has been renamed to Schedule Type.

On the DR201500 screen, the following fields have been replaced:

- ScheduleID with Schedule Number
- ScheduleID on the Original Schedules tab with Schedule Number

On the DR201510 screen, the following changes have been made:

- The Update (Edit Deferral Schedule) action has been removed
- The ScheduleID field has been replaced with Schedule Number

5. On the DR401000 screen, the following changes have been made:

- The ViewSchedule (Edit Record) action has been removed
- The ScheduleID field has been replaced with Schedule Number

On the DR402000 screen, the following changes have been made:

- The ViewSchedule (Edit Record) action has been removed
- The ScheduleID field has been replaced with Schedule Number

On the DR501000 screen, the ScheduleID field has been replaced with Schedule Number.

On the DR503000 screen, the following changes have been made:

- The ScheduleID field has been replaced with Schedule Number
- The 'DeferralSchedules.ScheduleIDAUScheduleHistoryScheduleID field has been removed

Multiple AP documents can now be created for one claim. Direction from a claim to AP was reversed. The following condition should be used to link AP documents to a claim: (APInvoice.origModule = BatchModule.moduleEP and APInvoice.origRefNbr=EPExpenseClaim.refNbr).

The following fields have been replaced:

- **APDocumentType** with **APInvoice.DocType**
- **APReferenceNbr** with **APInvoice.RefNbr**
- **APDocumentStatus** with **APInvoice.Status**

On the EP301000 screen, the following changes have been made:

- The Total Amount Field on the Expense Claim Details tab has been renamed to Amount
- The Ref Nbr and Detail ID fields have been deleted

On the EP301010 screen, the Created by ID column has been renamed to Created by.

In the Expense Details section of the EP301020 screen the following changes have been made:

- The Date and Expense Item fields have been moved to the Summary area
- The Total Amount field was renamed to Amount
- The Claim Amount uses the new CuryTranAmtWithTaxes field

The Expense Classification section has been removed, and the fields previously located in this section have been removed as follows:

- The following fields have been moved to the Summary area:
 - Claimed By
 - Branch
- The following fields have been moved to the Expense Details section:
 - Expense Claim
 - Expense Claim Status
 - Project Contract
 - Project Task
- The following fields have been moved to the Financial Details section:
 - Billable
 - Cost Code
 - Customer
 - Location
- The Tax Category field has been moved to the new Tax Info section

Modified Reports

The following reports have been modified:

- Customer Statement (AR.64.15.00)
- Customer Statement MC (AR.64.20.00)

Removed Screens

None

Removed Tables

- CABankStatement
- CABankStatementAdjustment
- CABankStatementDetail
- CustomizationDesign
- CustomizationPublished

- DynamicAttachment
- EPNotification
- ExportFieldSettings
- ExportScreen
- ExportTableSettings
- ExtraField
- ExtraFieldOnGraph
- ExtraFieldValue
- FSAppointmentInventoryItem
- KBCategory
- KBSetup
- LogRecord
- MetaColumn
- MetaTable
- Obsolete_EPActivity
- PaymentType
- PaymentTypeDetail
- PaymentTypeInstance
- PaymentTypeInstanceDetail
- PTInstRecon
- PTInstStatement
- PTInstStmtDetail
- PTInstTran
- SMLanguageSearchSettings
- SMLongOperationCommand
- SMPPerformanceValues
- SPDemoAccess
- SystemTask
- SystemTaskInfo
- TaskCryptography
- UploadFileInScreen
- UPPackageFiles

Removed Fields

Table	Field Name
APPayment	PTInstanceID
APSetup	InvoiceRequestApproval
ARTran	PMTranID
Contract	VisibleInEP
Country	AllowStateEdit
CRCampaign	DefaultMemberStatus
CRCampaign	ActualCost
CRCampaignMembers	Status
CRMarketingList	IsSelfManaged
CRMarketingListMember	Activated
CRMassMailCampaign	TargetStatus
CRMassMailCampaign	DestinationStatus
INItemClass	InclQtySOBackOrdered
INItemClass	InclQtySOPrepared
INItemClass	InclQtySOBooked
INItemClass	InclQtySOShipped
INItemClass	InclQtySOShipping
INItemClass	InclQtyInTransit
INItemClass	InclQtyPORceipts
INItemClass	InclQtyPOPrepared
INItemClass	InclQtyPOOrders
INItemClass	InclQtyINIssues
INItemClass	InclQtyINReceipts
INItemClass	InclQtyINAssemblyDemand
INItemClass	InclQtyINAssemblySupply
INItemClass	InclQtySOReverse
INItemSite	LastPurchaseDate
INItemSite	LastPurchasePrice
INItemSite	LastVendorID

INItemStats	LastPurchasePrice
INItemStats	LastPurchaseDate
INItemStats	LastVendorID
INPIClass	ItemClassID
INSetup	DfltItemClassID
OAuthClient	CompanyMask
OAuthClient	RequireConsent
OAuthClient	AllowRememberConsent
OAuthClient	AllowClientCredentialsOnly
OAuthClientSecret	CompanyMask
PivotField	DateRounding
PivotFieldPreferences	Type
PivotFieldPreferences	Expression
PMBillingRule	WipAccountGroupID
PMBillingRule	InvoiceDescription
PMBillingRule	LimitQty
PMBillingRule	LimitAmt
PMBillingRule	CapsAccountGroupID
PMBillingRule	OverflowAccountGroupID
PMCommitment	PeriodID
PMHistory	BudgetQty
PMHistory	BudgetAmount
PMHistory	RevisedQty
PMHistory	RevisedAmount
PMHistory	CommittedQty
PMHistory	CommittedAmount
PMHistory	CommittedOpenQty
PMHistory	CommittedOpenAmount
PMHistory	CommittedReceivedQty
PMHistory	CommittedInvoicedQty
PMHistory	CommittedInvoicedAmount

PMHistory	PTDBudgetAmount
PMHistory	PTDBudgetQty
PMHistory	PTDRevisedAmount
PMHistory	PTDRevisedQty
PMSSetup	VisibleInEP
PMTask	CompletedPct
PMTask	VisibleInEP
POSetup	VendorPriceUpdate
UserPreferences	HeaderFont
UserPreferences	HeaderFontSize
UserPreferences	HeaderFontColor
UserPreferences	HeaderFillColor
UserPreferences	HeaderFontType
UserPreferences	BodyFont
UserPreferences	BodyFontSize
UserPreferences	BodyFontColor
UserPreferences	BodyFillColor
UserPreferences	BodyFontType
UserPreferences	Border
UserPreferences	BorderColor
UserPreferences	HiddenSkip
Vendor	EnableTaxStartDate
Vendor	TaxYearStartDate
ARInvoice	CuryRUTROTTTotalAmt
ARInvoice	RUTROTOtherCost
ARInvoice	RUTROTMaterialCost
ARInvoice	RUTROTWorkPrice
ARInvoice	RUTROTTTotalAmt
ARInvoice	RUTROT DeductionPct
ARInvoice	RUTDeductionPct
ARInvoice	ROTDeductionPct

ARInvoice	RUTROTAutoDistribution
ARInvoice	IsRUTROTClaimed
ARInvoice	RUTROTTType
ARInvoice	CuryRUTROTPersonalAllowance
ARInvoice	RUTROTPersonalAllowance
ARInvoice	CuryROTPersonalAllowance
ARInvoice	ROTPersonalAllowance
ARInvoice	CuryROTEExtraAllowance
ARInvoice	ROTEExtraAllowance
ARInvoice	CuryRUTPersonalAllowance
ARInvoice	RUTPersonalAllowance
ARInvoice	CuryRUTExtraAllowance
ARInvoice	RUTExtraAllowance
ARInvoice	CuryRUTROTDistributedAmt
ARInvoice	RUTROTDistributedAmt
ARInvoice	ROTEstateAppartment
ARInvoice	ROTEAppartment
ARInvoice	ROTEstate
ARInvoice	ROTOrganizationNbr
ARInvoice	RUTROTClaimDate
ARInvoice	RUTROTClaimFileName
ARInvoice	RUTROTDistributionLineCntr
ARInvoice	RUTROTEExportRefNbr
CABankTran	CuryOrigAmt
CABankTran	PayeeMatched
CABatch	OwnerID
CADeposit	EntryTypeID
CASetup	CuryRateTypeID
CASetup	PTInstStmtNumbering
CASetup	MatchInSelection
CATransfer	LineCntr

Contract	CampaignID
CROpportunity	BranchID
CROpportunity	BAccountID
CROpportunity	ProjectID
CROpportunity	OpportunityName
CROpportunity	Description
CROpportunity	Amount
CROpportunity	CuryAmount
CROpportunity	ProductsAmount
CROpportunity	CuryProductsAmount
CROpportunity	CampaignSourceID
CROpportunity	IsTaxValid
CROpportunity	CuryID
CROpportunity	CuryInfolD
CROpportunity	WorkgroupID
CROpportunity	OwnerID
CROpportunity	TaxZoneID
CROpportunity	ARRefNbr
CROpportunity	CuryTaxTotal
CROpportunity	TaxTotal
CROpportunity	CuryLineTotal
CROpportunity	LineTotal
CROpportunity	ManualTotalEntry
CROpportunity	ContactID
CROpportunity	LocationID
CROpportunity	CROpportunityClassID
CROpportunity	OpportunityNumber
CROpportunity	OrderType
CROpportunity	OrderNbr
CROpportunity	DiscTot
CROpportunity	CuryDiscTot

CROpportunity	CuryOrigDiscAmt
CROpportunity	OrigDiscAmt
CROpportunity	CuryDiscTaken
CROpportunity	DiscTaken
CROpportunity	CuryDiscBal
CROpportunity	DiscBal
CROpportunity	VatTaxableTotal
CROpportunity	CuryVatTaxableTotal
CROpportunity	VatExemptTotal
CROpportunity	CuryVatExemptTotal
CROpportunity	AllowOverrideContactAddress
CROpportunity	OpportunityAddressID
CROpportunity	OpportunityContactID
CROpportunity	ProductCntr
CROpportunityProducts	CROpportunityProductID
CROpportunityProducts	CROpportunityID
CROpportunityProducts	TransactionDescription
CROpportunityTax	OpportunityProductID
EPExpenseClaimDetails	Submitted
FSAppointmentDet	BillableTime
FSAppointmentDet	ServiceID
FSSchedule	CustomStartDate
FSSchedule	EnableCustomStartDate
FSServiceContract	EnableExpirationDate
FSSODet	BillableTime
FSSODet	ServiceID
GIDesign	PagerStyle
PMProforma	DetailTotal
PMProforma	CuryDetailTotal
PMSetup	CommitmentTracking
PMTask	RetainagePct

Modified Field Types

Table	Field Name	Old Field Type	New Field Type	Old Max Length	New Max Length
CRCampaignType	Description	NVarChar	NVarChar	30	250
CRCampaignType	TypeID	NVarChar	NVarChar	10	30
CROpportunity	StageID	Char	VarChar	1	2
CROpportunityProbability	StageCode	Char	VarChar	1	2
FSAppointment	EstimatedLineTotal	6	4	0	0
FSAppointmentDet	EstimatedTranAmt	6	4	0	0
FSAppointmentDet	TranAmt	6	4	0	0
FSSODet	ApptTranAmt	6	4	0	0
FSSODet	EstimatedTranAmt	6	4	0	0
INItemClass	ItemClassID	NVarChar	Int	10	0
INItemClassRep	ItemClassID	NVarChar	Int	10	0
INItemClassSubItemSegment	ItemClassID	NVarChar	Int	10	0
INLocation	PrimaryItemClassID	NVarChar	Int	10	0
INReplenishmentLine	PONbr	VarChar	NVarChar	15	15
INUnit	ItemClassID	NVarChar	Int	10	0
InventoryItem	ItemClassID	NVarChar	Int	10	0
PMSetup	NonProjectCode	NVarChar	NVarChar	10	30
PMTTran	ARTranType	NVarChar	Char	3	3
POOrder	soordernbr	VarChar	NVarChar	15	15
SFSyncRecord	LocalID			30	36
SOOrderSite	OrderNbr	VarChar	NVarChar	15	15

Removed Data Access Classes (DACs)

Namespace	Name
PX.SM	SMPerformanceValues
PX.SM	AUNotificationProcess+AUNotificationFilter
PX.SM	KBSetup

Namespace	Name
PX.SM	UploadFileInScreen
PX.SM	WikiPageWithDefaultLanguage
PX.Data	LogRecord
PX.Data	ExtraFieldValue
PX.Data	ExtraField
PX.Data	ExtraFieldOnGraph
PX.Data.EP	DynamicAttachment
PX.SM	SMLanguageSearchSettings
PX.Objects.PM	ProjectBalanceValidationProcess+PMProjectStatusEx
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter
PX.Objects.PM	PMHistory2Accum
PX.Objects.PM	PMProjectStatus
PX.Objects.PM	PMProjectStatusAccum
PX.Objects.PM	PMProjectStatusEx
PX.Objects.PM	PMInventorySelectorAttribute+Cogs
PX.Objects.PM	PMInventorySelectorAttribute+Exp
PX.Objects.PM	PMInventorySelectorAttribute+Sale
PX.Objects.PM	ProjectBalanceEntry+ProjectBalanceFilter
PX.Objects.PM	TransactionInquiry+PMTranEx
PX.Objects.CR	CampaignDocuments+SOOrderAlias
PX.Objects.CR	CampaignDocuments+ARInvoiceAlias
PX.Objects.CR	CampaignDocuments+Filter
PX.Objects.CR	OpportunityMaint+ConvertedFilter
PX.Objects.CR	CampaignMemberMassProcess+CampaignOperationParam
PX.Objects.CR	SelCampaignMembers
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo
PX.Objects.CR	CRMarketingListMaint+MailUnsubscriptionInfo
PX.Objects.CR	CRMarketingListMaint+MarketingListInfo
PX.Objects.AR	ARDunningLetterProcess+ARDunningLetterDetail2

Deprecated Classes

Namespace	Class Name	Replacement
PX.Objects.AR	PrepareOnType	Renamed to PX.Objects.AR.ARStatementScheduleType
PX.Objects.AR	StatementTypes	Renamed to PX.Objects.AR.ARStatementType

Deprecated Methods

Namespace	Method Name	Replacement
PX.Objects.AR	ARStatementPrint.PrintStatements (PrintParameters,List<DetailsResult>,bool)	The overload with the markOnly boolean parameter is obsolete. To mark statements as Do not print, use the ARStatementPrint.MarkAsDoNotPrint (PrintParameters,IEnumerable<DetailsResult>) method.
PX.Objects.AR	StatementCycleProcessBO.GenerateStatement (ARStatementCycle,DateTime,bool)	The overload with the clearExisting boolean parameter is obsolete. To clear existing statements on the date, use the ARStatementProcess.RegenerateLastStatement (ARStatementCycle,DateTime) method.
PX.Objects.AR	StatementCycleProcessBO.Copy (ARStatement,ARStatementKey)	StatementCycleProcessBO.CombineStatementCustomizable
PX.Objects.AR	StatementCycleProcessBO.Copy (ARStatement,ARStatementCycle)	StatementCycleProcessBO.CombineStatementCustomizable
PX.Objects.AR	StatementCycleProcessBO.Copy (ARStatement,Customer)	StatementCycleProcessBO.CombineStatementCustomizable
PX.Objects.AR	StatementCycleProcessBO.Clear (ARStatement)	StatementCycleProcessBO.SetStatementAgeDaysToZero StatementCycleProcessBO.SetStatementAgeBalancesToZero

Namespace	Method Name	Replacement
PX.Objects.AR	StatementCycleProcessBO.Copy (ARStatementDetail,ARRegister)	ARStatementDetail.CombineStatementDetailCustomizable
PX.Objects.AR	StatementCycleProcessBO.Copy (ARStatementDetail,ARStatement)	ARStatementDetail.CombineStatementDetailCustomizable
PX.Objects.AR	StatementCreateBO.FinalLastCycleStatementDate (string,DateTime)	No replacement

Deprecated Fields

Namespace	Name	Replacement
ARStatement+ageDays04	PX.Objects.AR	Renamed to PX.Objects.AR.PrepareOnType.TwiceAMonth

Deprecated Constants

Namespace	Name
PX.Objects.AR	PrepareOnType.Custom

Removed Graphs

Namespace	Name
PX.Objects.PM	ProjectBalanceByPeriodEntry
PX.Objects.PM	ProjectBalanceEntry
PX.Objects.CR	CampaignMemberMassProcess

Removed Constants

Namespace	Name
PX.Objects.IN	InventoryAttribute+dimensionName
PX.Objects.CR	CROpportunityStagesAttribute+Deploy
PX.Objects.CR	CROpportunityStagesAttribute+Prospect
PX.Objects.CR	CampaignMemberMassProcess+CampaignOperationParam+ActionList+add
PX.Objects.CR	CampaignMemberMassProcess+CampaignOperationParam+ActionList+update
PX.Objects.CR	CampaignMemberMassProcess+CampaignOperationParam+ActionList+remove
PX.Objects.CR	OpportunityStatusAttribute+New
PX.Objects.CR	OpportunityStatusAttribute+Open
PX.Objects.CR	OpportunityStatusAttribute+Won
PX.Objects.CR	OpportunityStatusAttribute+Lost
PX.Objects.EP	PXDBTimeSpan2Attribute+zero
PX.Objects.CA	CABankStatementStatus+hold
PX.Objects.CA	CABankStatementStatus+balanced
PX.Objects.CA	CABankStatementStatus+released
PX.Objects.AP	MISC1099EFileFilter+include+allMarkedBranches

Other Removed Classes

Namespace	Name
	DotfuscatorAttribute
	MSDLBaseListener
	IMSDLListener
	MSDLBaseVisitor<Result>
	IMSDLVisitor<Result>
	MSDLLexer
	MSDLParser
	MSDLParser+MsdL_scriptContext
	MSDLParser+Statement_listContext
	MSDLParser+StatementContext
	MSDLParser+Basic_statementContext
	MSDLParser+Statement_with_bodyContext
	MSDLParser+Assignment_statementContext
	MSDLParser+CommandContext
	MSDLParser+Statement_endContext
	MSDLParser+ArgContext
	MSDLParser+Arg_listContext
PX.SM	SMPerformanceValues+recordId

Namespace	Name
PX.SM	SMPerformanceValues+name
PX.SM	SMPerformanceValues+sample
PX.SM	AUNotificationProcess+AUNotificationFilter+status
PX.SM	AUNotificationProcess+AUNotificationFilter+executionDate
PX.SM	AUNotificationProcess+AUNotificationFilter+executionDateTo
PX.SM	AUNotificationProcess+AUNotificationFilter+dateSent
PX.SM	AUNotificationProcess+AUNotificationFilter+dateSentTo
PX.SM	UserPreferences+headerFont
PX.SM	UserPreferences+headerFontSize
PX.SM	UserPreferences+headerFontColor
PX.SM	UserPreferences+headerFillColor
PX.SM	UserPreferences+headerFontType
PX.SM	UserPreferences+bodyFont
PX.SM	UserPreferences+bodyFontSize
PX.SM	UserPreferences+bodyFontColor
PX.SM	UserPreferences+bodyFillColor
PX.SM	UserPreferences+bodyFontType
PX.SM	UserPreferences+border
PX.SM	UserPreferences+borderColor

Namespace	Name
PX.SM	UserPreferences+hiddenSkip
PX.SM	KBSetup+wikiID
PX.SM	KBSetup+langNavPanelPageID
PX.SM	KBSetup+langNavPanelPageName
PX.SM	KBSetup+langNavPanelLinkCss
PX.SM	KBSetup+langNavPanelSelectedLinkCss
PX.SM	KBSetup+ctgNavPanelPageID
PX.SM	KBSetup+ctgNavPanelPageName
PX.SM	KBSetup+ctgNavPanelLinkCss
PX.SM	KBSetup+ctgNavPanelSelectedLinkCss
PX.SM	KBSetup+srchPageID
PX.SM	KBSetup+srchLinkCss
PX.SM	KBSetup+srchLangLinkCss
PX.SM	KBSetup+annotationPageID
PX.SM	KBSetup+annotationPageName
PX.SM	KBSetup+responsePageID
PX.SM	KBSetup+responsePageName
PX.SM	KBSetup+commentPageID
PX.SM	KBSetup+commentPageName

Namespace	Name
PX.SM	UploadFileInScreen+fileID
PX.SM	UploadFileInScreen+screenID
PX.SM	WikiPageWithCurrentLanguage+wikiName
PX.SM	WikiSetupMaint+TemplateSettings
PX.Data	LogRecord+logRecordID
PX.Data	LogRecord+message
PX.Data	LogRecord+stackTrace
PX.Data	LogRecord+createdDateTime
PX.Data	IExtraFieldsAnchor
PX.Data	ExtraFieldsAnchorAttribute
PX.Data	ExtraFieldAttribute
PX.Data	ExtraFieldInfo
PX.Data	ExtraFieldInfo+FieldOnGraph
PX.Data	ExtraFieldsDefinition
PX.Data	ExtraFieldValue+noteld
PX.Data	ExtraFieldValue+value
PX.Data	ExtraFieldValue+extFieldId
PX.Data	ExtraField+extFieldId
PX.Data	ExtraField+name

Namespace	Name
PX.Data	ExtraField+dacName
PX.Data	ExtraField+dataType
PX.Data	ExtraField+defaultAttributes
PX.Data	ExtraFieldOnGraph+extFieldId
PX.Data	ExtraFieldOnGraph+graphName
PX.Data	ExtraFieldOnGraph+attributes
PX.Data	PXCustomAttributeAttribute
PX.Data	PXEventLog
PX.Data	IDbSlotCleanupJob
PX.Data	Events+FieldSelecting2<Field,T>
PX.Data	Events+FieldSelecting2<Field,T>+EventDelegate
PX.Data	Events+FieldDefaulting2<Field,T>
PX.Data	Events+FieldDefaulting2<Field,T>+EventDelegate
PX.Data	Events+FieldVerifying2<Field,T>
PX.Data	Events+FieldVerifying2<Field,T>+EventDelegate
PX.Data	Events+ExceptionHandling2<Field,T>
PX.Data	Events+ExceptionHandling2<Field,T>+EventDelegate
PX.Data	Events+FieldUpdating2<Field,T>
PX.Data	Events+FieldUpdating2<Field,T>+EventDelegate

Namespace	Name
PX.Data	Events+FieldUpdated2<Field,T>
PX.Data	Events+FieldUpdated2<Field,T>+EventDelegate
PX.Data.BQL	SetOfConstants<TConstantType,TSetProvider>+ISetProvider
PX.Data.BQL	SetOfConstants<TConstantType,TSetProvider>+Contains<TField>
PX.Data.EP	DynamicAttachment+dynamicAttachmentID
PX.Data.EP	DynamicAttachment+refNoteID
PX.Data.EP	DynamicAttachment+type
PX.Data.EP	DynamicAttachment+name
PX.Data.EP	DynamicAttachment+data
PX.Data.EP	DynamicAttachment+noteID
PX.Data.EP	DynamicAttachment+processed
PX.Data.EP	RelatedEntity+noteID
PX.Data.EP	DynamicAttachmentManager
PX.Data.EP	DynamicAttachmentManager+IHandler
PX.Data.EP	DynamicAttachmentSection
PX.Data.EP	HandlersCollection
PX.Data.EP	HandlerElement
PX.Data.Update	PXUpdateLog
PX.Data.Update	IPXUpdateLogProvider

Namespace	Name
PX.Data.Update	PXFirstChanceExceptionLogProvider
PX.Data.Update	PXTraceLogProvider
PX.Data.Update	PXFileLogProvider
PX.Api	CustomAssembliesResolver
PX.Api.Mobile.Legacy	ContainerElement
PX.Api.Mobile.Legacy	SiteMap
PX.Api.Mobile.Legacy	Folder
PX.Api.Mobile.Legacy	SiteMapElement
PX.Api.Mobile.Legacy	Screen
PX.Api.Mobile.Legacy	ScreenContainerAttachmentsType
PX.Api.Mobile.Legacy	ScreenContainerAttachments
PX.Api.Mobile.Legacy	ScreenContainer
PX.Api.Mobile.Legacy	Attributes
PX.Api.Mobile.Legacy	ScreenContainerField
PX.Api.Mobile.Legacy	SelectorDisplayFormat
PX.Api.Mobile.Legacy	RecordActionLink
PX.Api.Mobile.Legacy	Layout
PX.Api.Mobile.Legacy	Group
PX.Api.Mobile.Legacy	FieldTextType

Namespace	Name
PX.Api.Mobile.Legacy	ListDisplayFormat
PX.Api.Mobile.Legacy	ScreenContainerContainerLink
PX.Api.Mobile.Legacy	ScreenContainerAction
PX.Api.Mobile.Legacy	ActionContext
PX.Api.Mobile.Legacy	ScreenType
PX.Api.Mobile.Legacy	FolderType
PX.Api.Mobile.Legacy	TextType
PX.Api.Mobile.Legacy	PickerType
PX.Api.Mobile.Legacy	OpenAs
PX.Api.Mobile.Sitemap	ScriptBuilder
PX.Api.Mobile.Sitemap	SitemapContext
PX.Api.Mobile.Sitemap.CommandTree	ArgType
PX.Api.Mobile.Sitemap.Model	ActionContextEnum
PX.Api.Mobile.Sitemap.Model	ActionAfterEnum
PX.Api.Mobile.Sitemap.Model	ActionBehaviourEnum
PX.Api.Mobile.Sitemap.Model	ActionNode
PX.Api.Mobile.Sitemap.Model	Node
PX.Api.Mobile.Sitemap.Model	ContainerActionNode
PX.Api.Mobile.Sitemap.Model	ListActionNode

Namespace	Name
PX.Api.Mobile.Sitemap.Model	RecordActionNode
PX.Api.Mobile.Sitemap.Model	SelectionActionNode
PX.Api.Mobile.Sitemap.Model	ImageAdjustmentPresetEnum
PX.Api.Mobile.Sitemap.Model	AttachmentsNode
PX.Api.Mobile.Sitemap.Model	AttachmentsTypeNode
PX.Api.Mobile.Sitemap.Model	AttributesNode
PX.Api.Mobile.Sitemap.Model	ContainerElementNode
PX.Api.Mobile.Sitemap.Model	ContainerLinkNode
PX.Api.Mobile.Sitemap.Model	ContainerTypeEnum
PX.Api.Mobile.Sitemap.Model	ContainerNode
PX.Api.Mobile.Sitemap.Model	FieldTextTypeEnum
PX.Api.Mobile.Sitemap.Model	ListDisplayFormatEnum
PX.Api.Mobile.Sitemap.Model	PickerTypeEnum
PX.Api.Mobile.Sitemap.Model	SelectorDisplayFormatEnum
PX.Api.Mobile.Sitemap.Model	SpecialEnum
PX.Api.Mobile.Sitemap.Model	FieldNode
PX.Api.Mobile.Sitemap.Model	GroupNode
PX.Api.Mobile.Sitemap.Model	LayoutNode
PX.Api.Mobile.Sitemap.Model	RecordActionLinkNode

Namespace	Name
PX.Api.Mobile.Sitemap.Model	RootNode
PX.Api.Mobile.Sitemap.Model	ScreenTypeEnum
PX.Api.Mobile.Sitemap.Model	OpenAsEnum
PX.Api.Mobile.Sitemap.Model	ScreenNode
PX.Api.Mobile.Sitemap.Model	SitemapElementNode
PX.Api.Mobile.Sitemap.Model	FolderTypeEnum
PX.Api.Mobile.Sitemap.Model	SitemapFolderNode
PX.Api.Mobile.Sitemap.Model	SitemapNode
PX.Api.Mobile.Sitemap.Model	SitemapScreenNode
PX.SM	SMLanguageSearchSettings+userID
PX.SM	SMLanguageSearchSettings+name
PX.SM	SMLanguageSearchSettings+active
PX.SM	SMLanguageSearchSettings+description
PX.SM	SMLanguageSearchSettings+Tstamp
PX.SM	SMLanguageSearchSettings+createdByID
PX.SM	SMLanguageSearchSettings+createdByScreenID
PX.SM	SMLanguageSearchSettings+createdDateTime
PX.SM	SMLanguageSearchSettings+lastModifiedByID
PX.SM	SMLanguageSearchSettings+lastModifiedByScreenID

Namespace	Name
PX.SM	SMLanguageSearchSettings+lastModifiedDateTime
PX.TM	CompanyTreeMaint+SelectedNode+folderID
PX.Objects.CT	Contract+visibleInEP
PX.Objects.PM	PMCommitment+periodID
PX.Objects.PM	PMAllocator+Group
PX.Objects.PM	PMAllocator+CapService
PX.Objects.PM	PMAllocator+PMTranComparer
PX.Objects.PM	ProjectBalanceValidationProcess+PMProjectStatusEx+accountGroupID
PX.Objects.PM	ProjectBalanceValidationProcess+PMProjectStatusEx+projectID
PX.Objects.PM	ProjectBalanceValidationProcess+PMProjectStatusEx+projectTaskID
PX.Objects.PM	ProjectBalanceValidationProcess+PMProjectStatusEx+periodID
PX.Objects.PM	ProjectBalanceValidationProcess+PMProjectStatusEx+inventoryID
PX.Objects.PM	PMBillingRule+wipAccountGroupID
PX.Objects.PM	PMBillingRule+invoiceDescription
PX.Objects.PM	PMBillingRule+limitQty
PX.Objects.PM	PMBillingRule+limitAmt
PX.Objects.PM	PMBillingRule+capsAccountGroupID
PX.Objects.PM	PMBillingRule+overflowAccountGroupID
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+accountGroupID

Namespace	Name
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+projectID
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+projectTaskID
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+inventoryID
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+qty
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+amount
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+revisedQty
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+revisedAmount
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+committedQty
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+committedAmount
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+committedReceivedQty
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+committedInvoicedQty
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+committedInvoicedAmount
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+committedOpenQty
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+committedOpenAmount
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+actualQty
PX.Objects.PM	ProjectBalanceByPeriodEntry+ProjectBalanceFilter+actualAmount
PX.Objects.PM	PMNoRateOption+ListAttribute
PX.Objects.PM	PMProject+type
PX.Objects.PM	PMProject+visibleInEP

Namespace	Name
PX.Objects.PM	PMHistory+budgetQty
PX.Objects.PM	PMHistory+budgetAmount
PX.Objects.PM	PMHistory+revisedQty
PX.Objects.PM	PMHistory+revisedAmount
PX.Objects.PM	PMHistory+committedQty
PX.Objects.PM	PMHistory+committedAmount
PX.Objects.PM	PMHistory+committedOpenQty
PX.Objects.PM	PMHistory+committedOpenAmount
PX.Objects.PM	PMHistory+committedReceivedQty
PX.Objects.PM	PMHistory+committedInvoicedQty
PX.Objects.PM	PMHistory+committedInvoicedAmount
PX.Objects.PM	PMHistory+pTDBudgetQty
PX.Objects.PM	PMHistory+pTDBudgetAmount
PX.Objects.PM	PMHistory+pTDRevisedQty
PX.Objects.PM	PMHistory+pTDRevisedAmount
PX.Objects.PM	PMHistory2Accum+projectID
PX.Objects.PM	PMHistory2Accum+projectTaskID
PX.Objects.PM	PMHistory2Accum+accountGroupID
PX.Objects.PM	PMHistory2Accum+inventoryID

Namespace	Name
PX.Objects.PM	PMHistory2Accum+periodID
PX.Objects.PM	PMProjectAccum2Attribute
PX.Objects.PM	IPMProjectStatus
PX.Objects.PM	PMProjectStatus+rowID
PX.Objects.PM	PMProjectStatus+accountGroupID
PX.Objects.PM	PMProjectStatus+projectID
PX.Objects.PM	PMProjectStatus+projectTaskID
PX.Objects.PM	PMProjectStatus+periodID
PX.Objects.PM	PMProjectStatus+inventoryID
PX.Objects.PM	PMProjectStatus+description
PX.Objects.PM	PMProjectStatus+qty
PX.Objects.PM	PMProjectStatus+uOM
PX.Objects.PM	PMProjectStatus+rate
PX.Objects.PM	PMProjectStatus+amount
PX.Objects.PM	PMProjectStatus+revisedQty
PX.Objects.PM	PMProjectStatus+revisedAmount
PX.Objects.PM	PMProjectStatus+actualQty
PX.Objects.PM	PMProjectStatus+actualAmount
PX.Objects.PM	PMProjectStatus+committedQty

Namespace	Name
PX.Objects.PM	PMProjectStatus+committedAmount
PX.Objects.PM	PMProjectStatus+committedOpenQty
PX.Objects.PM	PMProjectStatus+committedOpenAmount
PX.Objects.PM	PMProjectStatus+committedReceivedQty
PX.Objects.PM	PMProjectStatus+committedInvoicedQty
PX.Objects.PM	PMProjectStatus+committedInvoicedAmount
PX.Objects.PM	PMProjectStatus+isProduction
PX.Objects.PM	PMProjectStatus+isTemplate
PX.Objects.PM	PMProjectStatus+noteID
PX.Objects.PM	PMProjectStatus+Tstamp
PX.Objects.PM	PMProjectStatus+createdByID
PX.Objects.PM	PMProjectStatus+createdByScreenID
PX.Objects.PM	PMProjectStatus+createdDateTime
PX.Objects.PM	PMProjectStatus+lastModifiedByID
PX.Objects.PM	PMProjectStatus+lastModifiedByScreenID
PX.Objects.PM	PMProjectStatus+lastModifiedDateTime
PX.Objects.PM	PMProjectStatusAccum+periodID
PX.Objects.PM	PMProjectStatusAccum+projectID
PX.Objects.PM	PMProjectStatusAccum+projectTaskID

Namespace	Name
PX.Objects.PM	PMProjectStatusAccum+accountGroupID
PX.Objects.PM	PMProjectStatusAccum+inventoryID
PX.Objects.PM	PMProjectStatusAccum+uOM
PX.Objects.PM	PMProjectStatusAccum+actualQty
PX.Objects.PM	PMProjectStatusAccum+actualAmount
PX.Objects.PM	PMProjectStatusAccum+committedQty
PX.Objects.PM	PMProjectStatusAccum+committedAmount
PX.Objects.PM	PMProjectStatusAccum+committedOpenQty
PX.Objects.PM	PMProjectStatusAccum+committedOpenAmount
PX.Objects.PM	PMProjectStatusAccum+committedReceivedQty
PX.Objects.PM	PMProjectStatusAccum+committedInvoicedQty
PX.Objects.PM	PMProjectStatusAccum+committedInvoicedAmount
PX.Objects.PM	PMTask+completedPct
PX.Objects.PM	PMTask+visibleInEP
PX.Objects.PM	PMSetup+visibleInEP
PX.Objects.PM	ActiveProjectAttribute
PX.Objects.PM	ActiveProjectForINAttribute
PX.Objects.PM	ActiveProjectForARAttribute
PX.Objects.PM	ActiveOrInPlanningProjectAttribute

Namespace	Name
PX.Objects.PM	ActiveProjectForModuleAttribute
PX.Objects.PM	ActiveProjectOrContractAttribute
PX.Objects.PM	POActiveProjectAttribute
PX.Objects.PM	PMInventorySelectorAttribute+Cogs+accountID
PX.Objects.PM	PMInventorySelectorAttribute+Cogs+type
PX.Objects.PM	PMInventorySelectorAttribute+Cogs+accountGroupID
PX.Objects.PM	PMInventorySelectorAttribute+Exp+accountID
PX.Objects.PM	PMInventorySelectorAttribute+Exp+type
PX.Objects.PM	PMInventorySelectorAttribute+Exp+accountGroupID
PX.Objects.PM	PMInventorySelectorAttribute+Sale+accountID
PX.Objects.PM	PMInventorySelectorAttribute+Sale+type
PX.Objects.PM	PMInventorySelectorAttribute+Sale+accountGroupID
PX.Objects.PM	ProjectStatusAccumAttribute
PX.Objects.PM	PMProjectStatusEx+lineNbr
PX.Objects.PM	PMProjectStatusEx+projectID
PX.Objects.PM	PMProjectStatusEx+projectTaskID
PX.Objects.PM	PMProjectStatusEx+accountGroupID
PX.Objects.PM	PMProjectStatusEx+inventoryID
PX.Objects.PM	PMProjectStatusEx+description

Namespace	Name
PX.Objects.PM	PMProjectStatusEx+qty
PX.Objects.PM	PMProjectStatusEx+uOM
PX.Objects.PM	PMProjectStatusEx+rate
PX.Objects.PM	PMProjectStatusEx+amount
PX.Objects.PM	PMProjectStatusEx+revisedQty
PX.Objects.PM	PMProjectStatusEx+revisedAmount
PX.Objects.PM	PMProjectStatusEx+actualQty
PX.Objects.PM	PMProjectStatusEx+actualAmount
PX.Objects.PM	PMProjectStatusEx+committedQty
PX.Objects.PM	PMProjectStatusEx+committedAmount
PX.Objects.PM	PMProjectStatusEx+committedReceivedQty
PX.Objects.PM	PMProjectStatusEx+committedInvoicedQty
PX.Objects.PM	PMProjectStatusEx+committedInvoicedAmount
PX.Objects.PM	PMProjectStatusEx+committedOpenQty
PX.Objects.PM	PMProjectStatusEx+committedOpenAmount
PX.Objects.PM	PMProjectStatusEx+actualPlusOpenCommittedAmount
PX.Objects.PM	PMProjectStatusEx+varianceAmount
PX.Objects.PM	PMProjectStatusEx+isProduction
PX.Objects.PM	PMProjectStatusEx+performance

Namespace	Name
PX.Objects.PM	PMProjectStatusEx+taskStatus
PX.Objects.PM	PMProjectStatusEx+type
PX.Objects.PM	PMProjectStatusEx+sortOrder
PX.Objects.PM	ProjectStatusSelect<T,Where,OrderBy>
PX.Objects.PM	ProjectStatusSelectBase<T,Where,OrderBy>
PX.Objects.PM	ProjectBalanceEntry+ProjectBalanceFilter+projectID
PX.Objects.PM	ProjectBalanceEntry+ProjectBalanceFilter+accountGroupID
PX.Objects.PM	TransactionInquiry+PMTranEx+tranID
PX.Objects.PM	TransactionInquiry+PMTranEx+tranType
PX.Objects.PM	TransactionInquiry+PMTranEx+refNbr
PX.Objects.PO	POCreate+POCreateFilter+itemClassID
PX.Objects.PO	POSetup+vendorPriceUpdate
PX.Objects.PO	POVendorPriceUpdateType
PX.Objects.PO	POVendorPriceUpdateType+List
PX.Objects.SO	SOSetup+consolidateIN
PX.Objects.SO	SOSalesAcctSubDefault+CustomListAttribute
PX.Objects.SO	SOMiscAcctSubDefault+CustomListAttribute
PX.Objects.SO	SOFreightAcctSubDefault+CustomListAttribute
PX.Objects.SO	SODiscAcctSubDefault+CustomListAttribute

Namespace	Name
PX.Objects.SO	SOCOGSAcctSubDefault+CustomListAttribute
PX.Objects.SO	SOCreat+SOCreatFilter+itemClassID
PX.Objects.DR	NavigationHelper
PX.Objects.DR	DRSchedule+proxyScheduleID
PX.Objects.DR	DraftScheduleMaint+DRScheduleEx+scheduleID
PX.Objects.IN	INUpdateReplenishmentRules+Filter+itemClassID
PX.Objects.IN	INRepForecastApplicationGraph+Filter+itemClassID
PX.Objects.IN	INPIClass+itemClassID
PX.Objects.IN	INItemSite+lastPurchaseDate
PX.Objects.IN	INItemSite+lastPurchasePrice
PX.Objects.IN	INItemSite+lastVendorID
PX.Objects.IN	INItemStatsA+lastPurchasePrice
PX.Objects.IN	INItemStatsA+lastPurchaseDate
PX.Objects.IN	INItemStatsA+lastVendorID
PX.Objects.IN	INItemStats+lastPurchaseDate
PX.Objects.IN	INItemStats+lastPurchasePrice
PX.Objects.IN	INItemStats+lastVendorID
PX.Objects.IN	INSetup+dfltItemClassID
PX.Objects.IN	INSite+overrideAccSub

Namespace	Name
PX.Objects.IN	INSiteStatusFilter+itemClassID
PX.Objects.IN	PIGeneratorSettings+itemClassID
PX.Objects.IN	INItemClass+inclQtySOReverse
PX.Objects.IN	INItemClass+inclQtySOBackOrdered
PX.Objects.IN	INItemClass+inclQtySOPrepared
PX.Objects.IN	INItemClass+inclQtySOBooked
PX.Objects.IN	INItemClass+inclQtySOShipped
PX.Objects.IN	INItemClass+inclQtySOShipping
PX.Objects.IN	INItemClass+inclQtyInTransit
PX.Objects.IN	INItemClass+inclQtyPOReceipts
PX.Objects.IN	INItemClass+inclQtyPOPrepared
PX.Objects.IN	INItemClass+inclQtyPOOrders
PX.Objects.IN	INItemClass+inclQtyINIssues
PX.Objects.IN	INItemClass+inclQtyINReceipts
PX.Objects.IN	INItemClass+inclQtyINAssemblyDemand
PX.Objects.IN	INItemClass+inclQtyINAssemblySupply
PX.Objects.IN.S	INItemSite+lastPurchaseDate
PX.Objects.IN.S	INItemSite+lastPurchasePrice
PX.Objects.IN.S	INItemSite+lastVendorID

Namespace	Name
PX.Objects.IN.S	INItemStats+lastPurchaseDate
PX.Objects.IN.S	INItemStats+lastPurchasePrice
PX.Objects.IN.S	INItemStats+lastVendorID
PX.Objects.CS	Country+allowStateEdit
PX.Objects.CS	DimensionMaint+SegmentLenght
PX.Objects.EP	ReportHandler
PX.Objects.EP	EPTax+refNbr
PX.Objects.EP	ExpenseClaimEntry+EPCustomerUpdateAsk+customerUpdateAnsver
PX.Objects.EP	EPApprovalList<SourceAssign>
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef+refNbr
PX.Objects.CR	OpportunityCommonEmailProcessor
PX.Objects.CR	CampaignEnq+CampaignFilter+status
PX.Objects.CR	CRMarketingListMember+activated
PX.Objects.CR	CampaignMemberMassProcess+CampaignOperationParam+campaignID
PX.Objects.CR	CampaignMemberMassProcess+CampaignOperationParam+status
PX.Objects.CR	CampaignMemberMassProcess+CampaignOperationParam+action
PX.Objects.CR	CampaignMemberMassProcess+CampaignOperationParam+ActionList
PX.Objects.CR	SelCampaignMembers+contactID
PX.Objects.CR	SelCampaignMembers+campaignID

Namespace	Name
PX.Objects.CR	SelCampaignMembers+selected
PX.Objects.CR	SelCampaignMembers+displayName
PX.Objects.CR	SelCampaignMembers+firstName
PX.Objects.CR	SelCampaignMembers+midName
PX.Objects.CR	SelCampaignMembers+lastName
PX.Objects.CR	SelCampaignMembers+title
PX.Objects.CR	SelCampaignMembers+salutation
PX.Objects.CR	SelCampaignMembers+eMail
PX.Objects.CR	SelCampaignMembers+phone1
PX.Objects.CR	SelCampaignMembers+bAccountID
PX.Objects.CR	SelCampaignMembers+contactContactID
PX.Objects.CR	CRMassMailCampaign+targetStatus
PX.Objects.CR	CRMassMailCampaign+destinationStatus
PX.Objects.CR	CSAttributeGroupList<TEntityClass,TEntity>
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+email
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+firstName
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+lastName
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+companyName
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+activationID

Namespace	Name
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+salutation
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+source
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+status
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+phone
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+classID
PX.Objects.CR	CRMarketingListMaint+MailSubscriptionInfo+noCall
PX.Objects.CR	CRMarketingListMaint+MailUnsubscriptionInfo+email
PX.Objects.CR	CRCampaign+defaultMemberStatus
PX.Objects.CR	CRCampaign+actualCost
PX.Objects.CR	CRCampaign+leadsGenerated
PX.Objects.CR	CRCampaign+leadsConverted
PX.Objects.CR	CRCampaign+contacts
PX.Objects.CR	CRCampaign+responses
PX.Objects.CR	CRCampaign+opportunities
PX.Objects.CR	CRCampaign+closedOpportunities
PX.Objects.CR	CRCampaign+opportunitiesValue
PX.Objects.CR	CRCampaign+closedOpportunitiesValue
PX.Objects.CR	CRCampaign+targetStatus
PX.Objects.CR	CRCampaign+destinationStatus

Namespace	Name
PX.Objects.CR	CRCampaignMembers+status
PX.Objects.CR	CRMarketingList+isSelfManaged
PX.Objects.CR	StateAttribute+StateSelectorAttribute
PX.Objects.CR	OperationParam+assignmentMapID
PX.Objects.CR	CampaignStatusesAttribute
PX.Objects.Common.DataIntegrity	DataIntegrityValidator
PX.Objects.AR	ARDunningLetterProcess+ARDunningLetterDetail2+dunningLetterBAccountID
PX.Objects.AR	ARDunningLetterProcess+ARDunningLetterDetail2+docType
PX.Objects.AR	ARDunningLetterProcess+ARDunningLetterDetail2+refNbr
PX.Objects.AR	ARDunningLetterProcess+ARDunningLetterDetail2+voided
PX.Objects.AR	ARDunningLetterProcess+ARDunningLetterDetail2+released
PX.Objects.AR	ARCustomerBalanceEnq+ARHistoryFilter+curyDepositsSummary
PX.Objects.AR	ARTran+pMTranID
PX.Objects.AR	ARSalesPriceFilter+itemClassID
PX.Objects.AR	PrepareOnType+ListAttribute Replacement: [PX.Objects.Common.LabelListAttribute(typeof(ARStatementScheduleType))]
PX.Objects.AR	StatementCycleProcessBO+StatementKey Replacement: PX.Objects.AR.CustomerStatements.ARStatementKey
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry+CCProcTranOrderComparer

Namespace	Name
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry+CCTransState
PX.Objects.AR.CCPaymentProcessing	CCPaymentState
PX.Objects.AR.CCPaymentProcessing	ICCPayment
PX.Objects.AR.CCPaymentProcessing	ICCCapturePayment
PX.Objects.AR.CCPaymentProcessing	ICCAuthorizePayment
PX.Objects.AR.CCPaymentProcessing	CCProcessingUtils
PX.Objects.AR.CCPaymentProcessing	DocDateWarningDisplay
PX.Objects.AR.CCPaymentProcessing	ProcessingContext
PX.Objects.AR.CCPaymentProcessing	CCProcessingFeature
PX.Objects.AP	APVendorBalanceEnq+APHistoryFilter+curyBalanceSummary
PX.Objects.AP	APVendorBalanceEnq+APHistoryFilter+balanceSummary
PX.Objects.AP	APVendorBalanceEnq+APHistoryFilter+curyDepositsSummary
PX.Objects.AP	APVendorBalanceEnq+APHistoryFilter+depositsSummary
PX.Objects.AP	APVendorPriceFilter+itemClassID
PX.Objects.AP	APPayment+approved
PX.Objects.AP	APPayment+dontApprove
PX.Objects.AP	APRegister+requestApproval
PX.Objects.AP	APSetup+invoiceRequestApproval
PX.Objects.AP	Vendor+enableTaxStartDate

Namespace	Name
PX.Objects.AP	Vendor+taxYearStartDate
PX.Objects.AP.Standalone	APQuickCheck+approved
PX.Objects.AP.Standalone	APQuickCheck+dontApprove
PX.Objects.AP.Standalone	APRegisterAlias+requestApproval
PX.Data	ExternalValue<Field>
PX.Data	PXResetListNavigation<TNode>
PX.Data	GLast<TNode>
PX.Data	GLFirst<TNode>
PX.Data	GLPrevious<TNode>
PX.Data	GLNext<TNode>
PX.Data	PXGenericInqGrph+GLViewInfo
PX.Data	PXFileTraceProvider
PX.Data	PXTraceSection
PX.Data	PXSessionTraceProvider
PX.Data	SameLedgerBranch<Field,Parameter>
PX.Data.Maintenance.GI	GLDesign+pagerStyle
PX.Objects.PM	PMProforma+curyDetailTotal
PX.Objects.PM	PMProforma+detailTotal
PX.Objects.PM	PMCommitment+PXRefNoteAttribute+PXLinkState

Namespace	Name
PX.Objects.PM	PMProject+campaignID
PX.Objects.PM	PMTask+retainagePct
PX.Objects.PM	PMSetup+commitmentTracking
PX.Objects.TX	TaxPeriod+branchID
PX.Objects.TX	TaxYear+branchID
PX.Objects.TX	TaxPeriodMaster+branchID
PX.Objects.TX	TaxPeriodPlusOpen+branchID
PX.Objects.TX	TaxPeriodForReportShowing+branchID
PX.Objects.TX	TaxPeriodEffective+branchID
PX.Objects.TX	TaxYearMaint+TaxYearFilter+branchID
PX.Objects.TX	TaxYearMaint+TaxYearEx+branchID
PX.Objects.TX	TaxYearMaint+TaxPeriodEx+branchID
PX.Objects.SO	SOLineSplit+PXRefNoteAttribute+PXLinkState
PX.Objects.SO	SOOrder+campaignID
PX.Objects.SO	LSSOLine+Comparer<T>
PX.Objects.SO	SOOrderReceipt+receiptNbr
PX.Objects.SO	SOOrderReceipt+receiptDate
PX.Objects.SO	SOOrderReceipt+receiptQty
PX.Objects.SO	SOOrderReceipt+extWeight

Namespace	Name
PX.Objects.SO	SOOrderReceipt+extVolume
PX.Objects.SO	SOOrderReceipt+orderType
PX.Objects.SO	SOOrderReceipt+orderNbr
PX.Objects.SO	SOOrderReceipt+customerID
PX.Objects.SO	SOOrderReceipt+customerLocationID
PX.Objects.IN	INRegister+origShipmentType
PX.Objects.IN	INRegister+origShipmentNbr
PX.Objects.CT	CTBillEngine+InventoryAction
PX.Objects.CS	BranchMaint+BranchBAccount+mainBranchLogoName
PX.Objects.CS	BranchMaint+BranchBAccount+tCC
PX.Objects.CS	BranchMaint+BranchBAccount+foreignEntity
PX.Objects.CS	BranchMaint+BranchBAccount+cFSFiler
PX.Objects.CS	BranchMaint+BranchBAccount+contactName
PX.Objects.CS	BranchMaint+BranchBAccount+cTelNumber
PX.Objects.CS	BranchMaint+BranchBAccount+cEmail
PX.Objects.CS	BranchMaint+BranchBAccount+nameControl
PX.Objects.CS	BranchMaint+BranchBAccount+reporting1099
PX.Objects.CS	CompanyBAccount+masterBranchID
PX.Objects.CS	CompanyBAccount1099+masterBranchID

Namespace	Name
PX.Objects.CS	CompanyBAccount1099+logoName
PX.Objects.CR	CampaignDocuments+SOOrderAlias+orderType
PX.Objects.CR	CampaignDocuments+SOOrderAlias+orderNbr
PX.Objects.CR	CampaignDocuments+SOOrderAlias+campaignID
PX.Objects.CR	CampaignDocuments+SOOrderAlias+origCampaignID
PX.Objects.CR	CampaignDocuments+ARInvoiceAlias+docType
PX.Objects.CR	CampaignDocuments+ARInvoiceAlias+refNbr
PX.Objects.CR	CampaignDocuments+ARInvoiceAlias+campaignID
PX.Objects.CR	CampaignDocuments+ARInvoiceAlias+origCampaignID
PX.Objects.CR	CampaignDocuments+Filter+distFeatureInstalled
PX.Objects.CR	OUOpportunity+cROpportunityClassID
PX.Objects.CR	OUOpportunity+opportunityName
PX.Objects.CR	CROpportunityProducts+cROpportunityProductID
PX.Objects.CR	CROpportunityProducts+cROpportunityID
PX.Objects.CR	CROpportunityProducts+transactionDescription
PX.Objects.CR	CROpportunityTax+opportunityProductID
PX.Objects.CR	CRTaxTran+opportunityProductID
PX.Objects.CR	CROpportunity+opportunityNumber
PX.Objects.CR	CROpportunity+cROpportunityClassID

Namespace	Name
PX.Objects.CR	CROpportunity+opportunityName
PX.Objects.CR	CROpportunity+description
PX.Objects.CR	CROpportunity+aRRefNbr
PX.Objects.CR	CROpportunity+orderType
PX.Objects.CR	CROpportunity+orderNbr
PX.Objects.CR	CROpportunity+lastActivity
PX.Objects.CR	CROpportunity+curyDocDiscTot
PX.Objects.CR	CROpportunity+lastModified
PX.Objects.CR	CRTaxAttribute
PX.Objects.CR	OpportunityStatusAttribute
PX.Objects.CR	OpportunityMaint+ConvertedFilter+opportunityID
PX.Objects.CR	OpportunityMaint+MultiCurrenty
PX.Objects.CR.DAC.Standalone	CRCampaign+orderTotal
PX.Objects.GL	ConsolBranchAttribute
PX.Objects.GL	MasterBranchAttribute
PX.Objects.GL	MasterBranch1099Attribute
PX.Objects.GL	MasterBranch1099EFileAttribute
PX.Objects.GL	MasterBranchBaseAttribute
PX.Objects.GL	GLTranR+reclassifiedWithTranDate

Namespace	Name
PX.Objects.GL.Reclassification.Processing	ReclassifyTransactionsProcessor+GLTranForReclassTriple
PX.Objects.EP	EPExpenseClaim+aPDocType
PX.Objects.EP	EPExpenseClaim+aPRefNbr
PX.Objects.EP	EPExpenseClaim+aPStatus
PX.Objects.Common.Extensions	BranchClassExtensions
PX.Objects.CA	CAApplicationStatementDetail+cashAccountID
PX.Objects.CA	CAApplicationStatementDetail+refNbr
PX.Objects.CA	CAApplicationStatementDetail+lineNbr
PX.Objects.CA	CAApplicationStatementDetail+extRefNbr
PX.Objects.CA	CAApplicationStatementDetail+curyInfolD
PX.Objects.CA	CAApplicationStatementDetail+tranDate
PX.Objects.CA	CAApplicationStatementDetail+tranCode
PX.Objects.CA	CAApplicationStatementDetail+tranDesc
PX.Objects.CA	CAApplicationStatementDetail+origModule
PX.Objects.CA	CAApplicationStatementDetail+payeeBAccountID
PX.Objects.CA	CAApplicationStatementDetail+payeeName
PX.Objects.CA	CAApplicationStatementDetail+payeeLocationID
PX.Objects.CA	CAApplicationStatementDetail+paymentMethodID
PX.Objects.CA	CAApplicationStatementDetail+pMInstanceID

Namespace	Name
PX.Objects.CA	CAApplicationStatementDetail+invoiceInfo
PX.Objects.CA	CAApplicationStatementDetail+curyTotalAmount
PX.Objects.CA	CAApplicationStatementDetail+curyApplAmt
PX.Objects.CA	CAApplicationStatementDetail+curyUnappliedBal
PX.Objects.CA	CAApplicationStatementDetail+docType
PX.Objects.CA	CAApplicationStatementDetail+lineCntr
PX.Objects.CA	CAApplicationStatementDetail+cATranID
PX.Objects.CA	CAApplicationStatementDetail+curyDebitAmt
PX.Objects.CA	CAApplicationStatementDetail+curyCreditAmt
PX.Objects.CA	CAApplicationStatementDetail+curyReconciledDebit
PX.Objects.CA	CAApplicationStatementDetail+curyReconciledCredit
PX.Objects.CA	CAApplicationStatementDetail+countDebit
PX.Objects.CA	CAApplicationStatementDetail+countCredit
PX.Objects.CA	CAApplicationStatementDetail+reconciledCountDebit
PX.Objects.CA	CAApplicationStatementDetail+reconciledCountCredit
PX.Objects.CA	CABankStatement+cashAccountID
PX.Objects.CA	CABankStatement+cashAccountID1
PX.Objects.CA	CABankStatement+refNbr
PX.Objects.CA	CABankStatement+extRefNbr

Namespace	Name
PX.Objects.CA	CABankStatement+statementDate
PX.Objects.CA	CABankStatement+curyID
PX.Objects.CA	CABankStatement+startBalanceDate
PX.Objects.CA	CABankStatement+endBalanceDate
PX.Objects.CA	CABankStatement+curyBegBalance
PX.Objects.CA	CABankStatement+curyEndBalance
PX.Objects.CA	CABankStatement+curyDebitsTotal
PX.Objects.CA	CABankStatement+curyCreditsTotal
PX.Objects.CA	CABankStatement+countDebit
PX.Objects.CA	CABankStatement+countCredit
PX.Objects.CA	CABankStatement+curyDetailsEndBalance
PX.Objects.CA	CABankStatement+curyDetailsBalanceDiff
PX.Objects.CA	CABankStatement+curyReconciledDebits
PX.Objects.CA	CABankStatement+curyReconciledCredits
PX.Objects.CA	CABankStatement+reconciledCountDebit
PX.Objects.CA	CABankStatement+reconciledCountCredit
PX.Objects.CA	CABankStatement+curyReconciledEndBalance
PX.Objects.CA	CABankStatement+curyReconciledBalanceDiff
PX.Objects.CA	CABankStatement+status

Namespace	Name
PX.Objects.CA	CABankStatement+reconciled
PX.Objects.CA	CABankStatement+hold
PX.Objects.CA	CABankStatement+released
PX.Objects.CA	CABankStatement+voided
PX.Objects.CA	CABankStatement+imported
PX.Objects.CA	CABankStatement+bankStatementFormat
PX.Objects.CA	CABankStatement+formatVersionNbr
PX.Objects.CA	CABankStatement+noteID
PX.Objects.CA	CABankStatement+lineCntr
PX.Objects.CA	CABankStatement+createdByID
PX.Objects.CA	CABankStatement+createdByScreenID
PX.Objects.CA	CABankStatement+createdDateTime
PX.Objects.CA	CABankStatement+lastModifiedByID
PX.Objects.CA	CABankStatement+lastModifiedByScreenID
PX.Objects.CA	CABankStatement+lastModifiedDateTime
PX.Objects.CA	CABankStatement+tranMaxDate
PX.Objects.CA	CABankStatement+Tstamp
PX.Objects.CA	CABankStatement+curyBegBalanceRO
PX.Objects.CA	CABankStatement+curyEndBalanceRO

Namespace	Name
PX.Objects.CA	CABankStatementType+RefNbrAttribute
PX.Objects.CA	CABankStatementType+NumberingAttribute
PX.Objects.CA	CABankStatementStatus+ListAttribute
PX.Objects.CA	CABankStatementDetail+cashAccountID
PX.Objects.CA	CABankStatementDetail+refNbr
PX.Objects.CA	CABankStatementDetail+lineNbr
PX.Objects.CA	CABankStatementDetail+selected
PX.Objects.CA	CABankStatementDetail+extTranID
PX.Objects.CA	CABankStatementDetail+drCr
PX.Objects.CA	CABankStatementDetail+curyID
PX.Objects.CA	CABankStatementDetail+curyInfolD
PX.Objects.CA	CABankStatementDetail+tranDate
PX.Objects.CA	CABankStatementDetail+tranEntryDate
PX.Objects.CA	CABankStatementDetail+curyTranAmt
PX.Objects.CA	CABankStatementDetail+origCuryID
PX.Objects.CA	CABankStatementDetail+curyOrigAmt
PX.Objects.CA	CABankStatementDetail+extRefNbr
PX.Objects.CA	CABankStatementDetail+tranDesc
PX.Objects.CA	CABankStatementDetail+payeeName

Namespace	Name
PX.Objects.CA	CABankStatementDetail+payeeAddress1
PX.Objects.CA	CABankStatementDetail+payeeCity
PX.Objects.CA	CABankStatementDetail+payeeState
PX.Objects.CA	CABankStatementDetail+payeePostalCode
PX.Objects.CA	CABankStatementDetail+payeePhone
PX.Objects.CA	CABankStatementDetail+tranCode
PX.Objects.CA	CABankStatementDetail+origModule
PX.Objects.CA	CABankStatementDetail+payeeBAccountID
PX.Objects.CA	CABankStatementDetail+payeeLocationID
PX.Objects.CA	CABankStatementDetail+paymentMethodID
PX.Objects.CA	CABankStatementDetail+pMInstanceID
PX.Objects.CA	CABankStatementDetail+invoiceInfo
PX.Objects.CA	CABankStatementDetail+cATranID
PX.Objects.CA	CABankStatementDetail+payeeMatched
PX.Objects.CA	CABankStatementDetail+documentMatched
PX.Objects.CA	CABankStatementDetail+createDocument
PX.Objects.CA	CABankStatementDetail+entryTypeID
PX.Objects.CA	CABankStatementDetail+noteID
PX.Objects.CA	CABankStatementDetail+createdByID

Namespace	Name
PX.Objects.CA	CABankStatementDetail+createdByScreenID
PX.Objects.CA	CABankStatementDetail+createdDateTime
PX.Objects.CA	CABankStatementDetail+lastModifiedByID
PX.Objects.CA	CABankStatementDetail+lastModifiedByScreenID
PX.Objects.CA	CABankStatementDetail+lastModifiedDateTime
PX.Objects.CA	CABankStatementDetail+Tstamp
PX.Objects.CA	CABankStatementDetail+curyDebitAmt
PX.Objects.CA	CABankStatementDetail+curyCreditAmt
PX.Objects.CA	CABankStatementDetail+curyReconciledDebit
PX.Objects.CA	CABankStatementDetail+curyReconciledCredit
PX.Objects.CA	CABankStatementDetail+countDebit
PX.Objects.CA	CABankStatementDetail+countCredit
PX.Objects.CA	CABankStatementDetail+reconciledCountDebit
PX.Objects.CA	CABankStatementDetail+reconciledCountCredit
PX.Objects.CA	CABankStatementDetail+curyTotalAmount
PX.Objects.CA	CABankStatementDetail+curyApplAmt
PX.Objects.CA	CABankStatementDetail+curyUnappliedBal
PX.Objects.CA	CABankStatementDetail+docType
PX.Objects.CA	CABankStatementDetail+lineCntr

Namespace	Name
PX.Objects.CA	PaymentTypeInstance+cashAccountID
PX.Objects.CA	PaymentTypeInstance+pTInstanceID
PX.Objects.CA	PaymentTypeInstance+paymentMethodID
PX.Objects.CA	PaymentTypeInstance+bAccountID
PX.Objects.CA	PaymentTypeInstance+descr
PX.Objects.CA	PaymentTypeInstance+isActive
PX.Objects.CA	PaymentTypeInstance+expirationDate
PX.Objects.CA	PaymentTypeInstance+noteID
PX.Objects.CA	PaymentTypeInstance+createdByID
PX.Objects.CA	PaymentTypeInstance+createdByScreenID
PX.Objects.CA	PaymentTypeInstance+createdDateTime
PX.Objects.CA	PaymentTypeInstance+lastModifiedByID
PX.Objects.CA	PaymentTypeInstance+lastModifiedByScreenID
PX.Objects.CA	PaymentTypeInstance+lastModifiedDateTime
PX.Objects.CA	PaymentTypeInstance+Tstamp
PX.Objects.CA	PaymentTypeInstanceDetail+pTInstanceID
PX.Objects.CA	PaymentTypeInstanceDetail+paymentMethodID
PX.Objects.CA	PaymentTypeInstanceDetail+detailID
PX.Objects.CA	PaymentTypeInstanceDetail+value

Namespace	Name
PX.Objects.CA	PaymentTypeInstanceDetail+createdByID
PX.Objects.CA	PaymentTypeInstanceDetail+createdByScreenID
PX.Objects.CA	PaymentTypeInstanceDetail+createdDateTime
PX.Objects.CA	PaymentTypeInstanceDetail+lastModifiedByID
PX.Objects.CA	PaymentTypeInstanceDetail+lastModifiedByScreenID
PX.Objects.CA	PaymentTypeInstanceDetail+lastModifiedDateTime
PX.Objects.CA	PaymentTypeInstanceDetail+Tstamp
PX.Objects.CA	PTInstTran+tranID
PX.Objects.CA	PTInstTran+pTInstanceID
PX.Objects.CA	PTInstTran+origModule
PX.Objects.CA	PTInstTran+origTranType
PX.Objects.CA	PTInstTran+origRefNbr
PX.Objects.CA	PTInstTran+extRefNbr
PX.Objects.CA	PTInstTran+cashAccountID
PX.Objects.CA	PTInstTran+tranDate
PX.Objects.CA	PTInstTran+tranDesc
PX.Objects.CA	PTInstTran+drCr
PX.Objects.CA	PTInstTran+curyID
PX.Objects.CA	PTInstTran+curyInfolD

Namespace	Name
PX.Objects.CA	PTInstTran+reconDate
PX.Objects.CA	PTInstTran+reconNbr
PX.Objects.CA	PTInstTran+curyTranAmt
PX.Objects.CA	PTInstTran+tranAmt
PX.Objects.CA	PTInstTran+hold
PX.Objects.CA	PTInstTran+released
PX.Objects.CA	PTInstTran+reconciled
PX.Objects.CA	PTInstTran+cleared
PX.Objects.CA	PTInstTran+clearDate
PX.Objects.CA	PTInstTran+vendorID
PX.Objects.CA	PTInstTran+isBillable
PX.Objects.CA	PTInstTran+customerID
PX.Objects.CA	PTInstTran+noteID
PX.Objects.CA	PTInstTran+tranSource
PX.Objects.CA	PTInstTran+masterTranID
PX.Objects.CA	PTInstTran+createdByID
PX.Objects.CA	PTInstTran+createdByScreenID
PX.Objects.CA	PTInstTran+createdDateTime
PX.Objects.CA	PTInstTran+lastModifiedByID

Namespace	Name
PX.Objects.CA	PTInstTran+lastModifiedByScreenID
PX.Objects.CA	PTInstTran+lastModifiedDateTime
PX.Objects.CA	PTInstTran+Tstamp
PX.Objects.CA	CashAccountMaint+PaymentMethodAccount2+useForAP
PX.Objects.CA	CAReconEntry+CATranExt+processedFromStatement
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef+selected
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef+refNbr
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef+lineNbr
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef+cATranID
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef+cashAccountID
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef+matchRelevance
PX.Objects.CA.BankStatementHelpers	PXInvoiceSelectorAttribute
PX.Objects.AP	AP1099YearMaster+masterBranchID
PX.Objects.AP	AP1099Year+branchID
PX.Objects.AP	MISC1099EFileFilter+masterBranchID
PX.Objects.AP	CABankStatementAdjustment+refNbr
PX.Objects.AP	CABankStatementAdjustment+lineNbr
PX.Objects.AP	CABankStatementAdjustment+selected
PX.Objects.AP	CABankStatementAdjustment+adjdDocType

Namespace	Name
PX.Objects.AP	CABankStatementAdjustment+adjdRefNbr
PX.Objects.AP	CABankStatementAdjustment+adjdBranchID
PX.Objects.AP	CABankStatementAdjustment+adjNbr
PX.Objects.AP	CABankStatementAdjustment+curyAdjAmt
PX.Objects.AP	CABankStatementAdjustment+Tstamp
PX.Objects.AP	CABankStatementAdjustment+createdByID
PX.Objects.AP	CABankStatementAdjustment+createdByScreenID
PX.Objects.AP	CABankStatementAdjustment+createdDateTime
PX.Objects.AP	CABankStatementAdjustment+lastModifiedByID
PX.Objects.AP	CABankStatementAdjustment+lastModifiedByScreenID
PX.Objects.AP	CABankStatementAdjustment+lastModifiedDateTime
PX.Objects.AP	CABankStatementAdjustment+separateCheck
PX.Objects.AP	CABankStatementAdjustment+vendorID
PX.Objects.AP	CABankStatementAdjustment+adjdCurlyInfoID
PX.Objects.AP	CABankStatementAdjustment+printAdjDocType
PX.Objects.AP	CABankStatementAdjustment+stubNbr
PX.Objects.AP	CABankStatementAdjustment+adjBatchNbr
PX.Objects.AP	CABankStatementAdjustment+voidAdjNbr
PX.Objects.AP	CABankStatementAdjustment+adjdOrigCurlyInfoID

Namespace	Name
PX.Objects.AP	CABankStatementAdjustment+adjgCuryInfoID
PX.Objects.AP	CABankStatementAdjustment+adjgDocDate
PX.Objects.AP	CABankStatementAdjustment+adjgFinPeriodID
PX.Objects.AP	CABankStatementAdjustment+adjgTranPeriodID
PX.Objects.AP	CABankStatementAdjustment+adjdDocDate
PX.Objects.AP	CABankStatementAdjustment+adjdFinPeriodID
PX.Objects.AP	CABankStatementAdjustment+adjdClosedFinPeriodID
PX.Objects.AP	CABankStatementAdjustment+adjdTranPeriodID
PX.Objects.AP	CABankStatementAdjustment+curyAdjgDiscAmt
PX.Objects.AP	CABankStatementAdjustment+curyAdjgWhTaxAmt
PX.Objects.AP	CABankStatementAdjustment+curyAdjgAmt
PX.Objects.AP	CABankStatementAdjustment+adjDiscAmt
PX.Objects.AP	CABankStatementAdjustment+curyAdjdDiscAmt
PX.Objects.AP	CABankStatementAdjustment+adjWhTaxAmt
PX.Objects.AP	CABankStatementAdjustment+curyAdjdWhTaxAmt
PX.Objects.AP	CABankStatementAdjustment+adjAmt
PX.Objects.AP	CABankStatementAdjustment+rGOLAmt
PX.Objects.AP	CABankStatementAdjustment+released
PX.Objects.AP	CABankStatementAdjustment+hold

Namespace	Name
PX.Objects.AP	CABankStatementAdjustment+voided
PX.Objects.AP	CABankStatementAdjustment+adjdAPAcct
PX.Objects.AP	CABankStatementAdjustment+adjdAPSub
PX.Objects.AP	CABankStatementAdjustment+adjdARAcct
PX.Objects.AP	CABankStatementAdjustment+adjdARSub
PX.Objects.AP	CABankStatementAdjustment+adjdWhTaxAcctID
PX.Objects.AP	CABankStatementAdjustment+adjdWhTaxSubID
PX.Objects.AP	CABankStatementAdjustment+notelID
PX.Objects.AP	CABankStatementAdjustment+adjdCuryRate
PX.Objects.AP	CABankStatementAdjustment+curyDocBal
PX.Objects.AP	CABankStatementAdjustment+docBal
PX.Objects.AP	CABankStatementAdjustment+curyDiscBal
PX.Objects.AP	CABankStatementAdjustment+discBal
PX.Objects.AP	CABankStatementAdjustment+curyWhTaxBal
PX.Objects.AP	CABankStatementAdjustment+whTaxBal
PX.Objects.AP	CABankStatementAdjustment+adjgBalSign
PX.Objects.AP	APPayment+pTInstanceID
PX.Objects.AP.Standalone	APQuickCheck+pTInstanceID
PX.Objects.AP.Standalone	APPayment+pTInstanceID

Namespace	Name
PX.Objects.AP.DAC.ReportParameters	AP1099ReportParameters+masterBranchID

Modified Interfaces and Abstract Classes

Namespace	Name	Methods Added	Methods Removed
PX.Common	ITimeRegion	1	0
PX.Data	InBase3	1	0
PX.Data	PXCache	1	0
PX.Data	ISqlDialect	2	2
PX.Data	BqlFormulaEvaluator<Operand1>	0	1
PX.Data	ICollectionProvider	0	4
PX.Data	PXDatabaseProvider	1	0
PX.Data	ISqlDialect	1	0
PX.Data	SqlDialectBase	1	0
PX.Data.PushNotifications	IPrimaryNotificationQueueWriter	1	0
PX.Data.PushNotifications	IPushNotificationDefinitionProvider	1	0
PX.Data.PushNotifications	IPushNotificationDefinitionProvider	1	0
PX.Api.Services	ILoginService	4	1
PX.Objects.PM	IProjectFilter	1	0

PX.Objects.PO	IAPTranSource	6	0
PX.Objects.IN	IStatus	20	0
PX.Objects.IN.Overrides.INDocumentRelease	IQtyAllocated	18	0
PX.Objects.IN.Overrides.INDocumentRelease	IQtyAllocatedBase	7	0
PX.Objects.CS	DimensionMaint+SegmentKeysResizer	1	1
PX.Objects.DR.Descriptor	IDREntityStorage	1	0
PX.Objects.AP	IPrintCheckControlable	1	0
PX.PushNotifications.Sources	IInCodeNotificationDefinition	0	2
PX.Objects.CA	IStatementReader	0	1
PX.Objects.CA.BankStatementHelpers	IMatchSettings	0	2
PX.Objects.AR.Overrides.ARDocumentRelease	IBaseARHist	8	0
PX.Objects.AR.Overrides.ARDocumentRelease	ICuryARHist	8	0
PX.Objects.AP.Overrides.APDocumentRelease	IBaseAPHist	8	0

Other Breaking Methods

Namespace	Simple Name	Name
PX.Common	DaylightSavingTime	get_Offset()
PX.Translation	MobileSiteMapRipper	.ctor(String)
PX.Translation	LocalizationValue	get_IsObsolete()
PX.Translation	LocalizationValue	set_IsObsolete(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Translation	LocalizationResourceLite	get_ Language()
PX.Translation	LocalizationResourceLite	.ctor(String,LocalizationResourceType,String,String,Boolean)
PX.Translation	PXSpecialRipper	.ctor(String)
PX.Translation	PXDictionaryManager	.ctor(PXCultureDictionary)
PX.Translation	PXTranslator	get_ Language()
PX.Translation	PXTranslator	.ctor(String)
PX.Translation	PXSystemTranslator	.ctor(String,String,LocalizationResourceType[])
PX.SM	AUTemplateController	_(Events+FieldSelecting2<AUTemplateData+rowType,AUTemplateData>)
PX.SM	AUReportProcess	SendOne(ReportNode,AUReportProcess+ReportSettings)
PX.SM	AUNotificationHistory	get_ EmailRefNoteID()
PX.SM	AUNotificationHistory	set_ EmailRefNoteID(Nullable<Guid>)
PX.SM	UserPreferences	get_ HeaderFont()
PX.SM	UserPreferences	set_ HeaderFont(String)
PX.SM	UserPreferences	get_ HeaderFontSize()
PX.SM	UserPreferences	set_ HeaderFontSize(Nullable<Int16>)
PX.SM	UserPreferences	get_ HeaderFontColor()
PX.SM	UserPreferences	set_ HeaderFontColor(String)
PX.SM	UserPreferences	get_ HeaderFillColor()
PX.SM	UserPreferences	set_ HeaderFillColor(String)

Namespace	Simple Name	Name
PX.SM	UserPreferences	get_HeaderFontType()
PX.SM	UserPreferences	set_HeaderFontType(String)
PX.SM	UserPreferences	get_BodyFont()
PX.SM	UserPreferences	set_BodyFont(String)
PX.SM	UserPreferences	get_BodyFontSize()
PX.SM	UserPreferences	set_BodyFontSize(Nullable<Int16>)
PX.SM	UserPreferences	get_BodyFontColor()
PX.SM	UserPreferences	set_BodyFontColor(String)
PX.SM	UserPreferences	get_BodyFillColor()
PX.SM	UserPreferences	set_BodyFillColor(String)
PX.SM	UserPreferences	get_BodyFontType()
PX.SM	UserPreferences	set_BodyFontType(String)
PX.SM	UserPreferences	get_Border()
PX.SM	UserPreferences	set_Border(Nullable<Boolean>)
PX.SM	UserPreferences	get_BorderColor()
PX.SM	UserPreferences	set_BorderColor(String)
PX.SM	UserPreferences	get_HiddenSkip()
PX.SM	UserPreferences	set_HiddenSkip(Nullable<Boolean>)
PX.SM	BlobStorageMaint	BlobStorageConfig_RowSelected(PXCache,PXRowSelectedEventArgs)

Namespace	Simple Name	Name
PX.SM	WikiPageWithCurrentLanguage	get_Title()
PX.SM	WikiPageWithCurrentLanguage	set_Title(String)
PX.SM	WikiPageWithCurrentLanguage	get_Keywords()
PX.SM	WikiPageWithCurrentLanguage	set_Keywords(String)
PX.SM	WikiPageWithCurrentLanguage	get_WikiName()
PX.SM	WikiPageWithCurrentLanguage	set_WikiName(String)
PX.SM	UploadFileMaintenance	GetFileNamesAttachedToScreen(String)
PX.SM	UploadFileMaintenance	AttachToScreen(Guid,String)
PX.SM	WikiNotificationTemplateMaintenance	EntityType_Verifying(Events+FieldVerifying2<WikiNotificationTemplate+entityType,WikiNotificationTemplate>)
PX.SM	WikiNotificationTemplateMaintenance	GraphType_Verifying(Events+FieldVerifying2<WikiNotificationTemplate+graphType,WikiNotificationTemplate>)
PX.SM	WikiSetupMaint	SearchTemplateSettings(Guid)
PX.SM	WikiSetupMaint	WikiDescriptor_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.SM	WikiSetupMaint	WikiDescriptor_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.SM	WikiSetupMaint	WikiDescriptor_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Data	Default	Verify(PXCache,String,Object)
PX.Data	Default	Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Data	Default	Verify(PXCache,String,Object)
PX.Data	Default	Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)

Namespace	Simple Name	Name
PX.Data	Default	Verify(PXCache,String,Object)
PX.Data	Default	Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Data	Default	Verify(PXCache,String,Object)
PX.Data	Validate	Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Data	Validate	Verify(PXCache,String,Object)
PX.Data	Validate	Verify(PXCache,String,Object)
PX.Data	Validate	Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Data	Validate	Verify(PXCache,String,Object)
PX.Data	Validate	Verify(PXCache,Object,List<Object>,Nullable<Boolean>&,Object&)
PX.Data	Validate	Verify(PXCache,String,Object)
PX.Data	Case	Parse(PXGraph,List<IBqlParameter>,List<Type>,List<Type>,List<IBqlSortColumn>,StringBuilder,Bql Command+Selection)
PX.Data	Case	Parse(PXGraph,List<IBqlParameter>,List<Type>,List<Type>,List<IBqlSortColumn>,StringBuilder,Bql Command+Selection)
PX.Data	PXCache	_GetAttributeDefinition(Type)
PX.Data	PXProcessingBase	ProcessItems(List<Table>,PXProcessingBase<Table>+ProcessItemDelegate)
PX.Data	PXUIEnabledAttribute	RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Data	PXUIEnabledAttribute	SetEnabled(PXCache,Object,String,Type)
PX.Data	PXUIEnabledAttribute	SetEnabled(PXCache,Object,String)
PX.Data	PXUIEnabledAttribute	SetEnabled<Field>(PXCache,Object,Type)

Namespace	Simple Name	Name
PX.Data	PXUIEnabledAttribute	SetEnabled<Field>(PXCACHE, Object)
PX.Data	PXSelectorAttribute	createFilterView(PXGraph)
PX.Data	PXDimensionAttribute	SegmentSelect(Nullable<Int16>)
PX.Data	PXDimensionSelectorAttribute	SegmentSelect(Nullable<Int16>)
PX.Data	GLLast	.ctor(PXGraph, PXLAST<TNode>)
PX.Data	GLFirst	.ctor(PXGraph, PXFirst<TNode>)
PX.Data	GLPrevious	.ctor(PXGraph, PXPrevious<TNode>)
PX.Data	GLNext	.ctor(PXGraph, PXNext<TNode>)
PX.Data	PXTraceProviderCollection	.ctor()
PX.Data	ISqlDialect	scriptFunction<T1,T2>(Case<T1,T2>,StringBuilder,TypeCode,Action<StringBuilder>,Action<StringBui lder>)
PX.Data	ISqlDialect	scriptFunction<T1,T2,TNext>(Case<T1,T2,TNext>,StringBuilder,TypeCode,Action<StringBuilder>,Acti on<StringB uilder>,Action<StringBuilder>)
PX.Data	SqlDialectBase	scriptFunction<T1,T2>(Case<T1,T2>,StringBuilder,TypeCode,Action<StringBuilder>,Action<StringBui lder>)
PX.Data	SqlDialectBase	scriptFunction<T1,T2,TNext>(Case<T1,T2,TNext>,StringBuilder,TypeCode,Action<StringBuilder>,Acti on<StringB uilder>,Action<StringBuilder>)
PX.Data	PXNotification	Send(AUNotificationHistory)
PX.Data	WikiDefinition	UpdateNode(PXWikiMapNode, WikiPage, WikiDescriptor)
PX.Data	WikiDefinition	UpdateNode(PXWikiMapNode, WikiPageWithCurrentLanguage)

Namespace	Simple Name	Name
PX.Data	WikiDefinition	GetWikiPageWithDefaultLanguage(PXGraph)
PX.Data	ItemContainer	get_Item()
PX.Data	PXCheckUnique	get_IgnoreNulls()
PX.Data	PXCheckUnique	set_IgnoreNulls(Boolean)
PX.Data	PXCheckUnique	get_ClearOnDuplicate()
PX.Data	PXCheckUnique	set_ClearOnDuplicate(Boolean)
PX.Data	PXSegmentedState	CreateInstance(Object,String,PXSegment[],String,Nullable<Boolean>,String)
PX.Data	PXNoteState	CreateInstance(Object,String,String,String,String,String,String,String)
PX.Data.BQL	SetOfConstants	get_Set()
PX.Data.BQL	SetOfConstants	ContainsValue(TConstantType)
PX.Data.EP	RelatedEntity	get_NoteID()
PX.Data.EP	RelatedEntity	set_NoteID(Nullable<Guid>)
PX.Data.Search	PXHelpSearch	get_PreviousIndex()
PX.Data.Search	PXHelpSearch	get_NextIndex()
PX.Data.Search	PXHelpSearch	get_HasPrevPage()
PX.Data.Search	PXHelpSearch	get_HasNextPage()
PX.Data.Search	PXScreenSearch	get_PreviousIndex()
PX.Data.Search	PXScreenSearch	get_NextIndex()
PX.Data.Search	PXScreenSearch	get_HasPrevPage()

Namespace	Simple Name	Name
PX.Data.Search	PXScreenSearch	get_HasNextPage()
PX.Data.Search	PXEntitySearch	get_PreviousIndex()
PX.Data.Search	PXEntitySearch	get_NextIndex()
PX.Data.Search	PXEntitySearch	get_HasPrevPage()
PX.Data.Search	PXEntitySearch	get_HasNextPage()
PX.Data.Search	PXFileSearch	get_PreviousIndex()
PX.Data.Search	PXFileSearch	get_NextIndex()
PX.Data.Search	PXFileSearch	get_HasPrevPage()
PX.Data.Search	PXFileSearch	get_HasNextPage()
PX.Data.Auth	ExternalAuthenticationModule	AuthenticationFederated(HttpRequestWrapper)
PX.Data.Update	DatabaseLock	DatabaseOperation(PXDatabaseProvider,Action,Boolean)
PX.Data.Update	PXUpdateLog	get_Listeners()
PX.Data.Update	PXUpdateLog	WriteMessage(String)
PX.Data.Update	PXUpdateLog	WriteMessage(Exception)
PX.Data.Update	PXUpdateLog	WriteMessage(String,Exception)
PX.Data.Update	PXUpdateLog	WriteMessage(PXUpdateEvent)
PX.Data.Update	PXFileLogProvider	.ctor(String)
PX.Data.Update	PXFileLogProvider	Write(PXUpdateEvent)
PX.Data.Update	PXFileLogProvider	GetLog()

Namespace	Simple Name	Name
PX.Data.Update	PXFileLogProvider	ClearLog()
PX.Data.Description.GI	PXParameterValue	.ctor(PXParameter)
PX.Api	CustomAssembliesResolver	GetAssemblies()
PX.Api	CustomAssembliesResolver	Add(String)
PX.Api	CustomAssembliesResolver	.ctor()
PX.Api.Models	Credentials	get_TimeZone()
PX.Api.Models	Credentials	set_TimeZone(String)
PX.Api.Services	ILoginService	Logout()
PX.Api.Services	LoginService	Logout()
PX.Api.Services	LoginService	.ctor()
PX.Api.Mobile.Controllers	LoginController	.ctor(ILoginService)
PX.Api.Mobile.Controllers	LoginController	Login()
PX.Api.Mobile.Controllers	LoginController	GetCompanies(String,String)
PX.SM	MyProfileMaint	languageSearchSettings()
PX.Objects.RQ	RQInventoryItem	set_ItemClassID(String)
PX.Objects.RQ	RQSiteStatusSelected	set_ItemClassID(String)
PX.Objects.CT	Contract	get_VisibleInEP()
PX.Objects.CT	Contract	set_VisibleInEP(Nullable<Boolean>)
PX.Objects.RUTROT	ARTranRUTROT	get_RUTROTItemType()

Namespace	Simple Name	Name
PX.Objects.RUTROT	ARTranRUTROT	set_RUTROTItemType(String)
PX.Objects.RUTROT	ARTranRUTROT	get_RUTROTWorkTypeID()
PX.Objects.RUTROT	ARTranRUTROT	set_RUTROTWorkTypeID(Nullable<Int32>)
PX.Objects.RUTROT	InventoryItemRUTROT	get_RUTROTType()
PX.Objects.RUTROT	InventoryItemRUTROT	set_RUTROTType(String)
PX.Objects.RUTROT	InventoryItemRUTROT	get_RUTROTItemType()
PX.Objects.RUTROT	InventoryItemRUTROT	set_RUTROTItemType(String)
PX.Objects.RUTROT	InventoryItemRUTROT	get_RUTROTWorkTypeID()
PX.Objects.RUTROT	InventoryItemRUTROT	set_RUTROTWorkTypeID(Nullable<Int32>)
PX.Objects.RUTROT	RUTROT	get_DocType()
PX.Objects.RUTROT	RUTROT	set_DocType(String)
PX.Objects.RUTROT	RUTROT	get_RefNbr()
PX.Objects.RUTROT	RUTROT	set_RefNbr(String)
PX.Objects.RUTROT	RUTROT	get_CreatedByID()
PX.Objects.RUTROT	RUTROT	set_CreatedByID(Nullable<Guid>)
PX.Objects.RUTROT	RUTROT	get_CreatedByScreenID()
PX.Objects.RUTROT	RUTROT	set_CreatedByScreenID(String)
PX.Objects.RUTROT	RUTROT	get_CreatedDateTime()
PX.Objects.RUTROT	RUTROT	set_CreatedDateTime(Nullable<DateTime>)

Namespace	Simple Name	Name
PX.Objects.RUTROT	RUTROT	get_LastModifiedByID()
PX.Objects.RUTROT	RUTROT	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.RUTROT	RUTROT	get_LastModifiedByScreenID()
PX.Objects.RUTROT	RUTROT	set_LastModifiedByScreenID(String)
PX.Objects.RUTROT	RUTROT	get_LastModifiedDateTime()
PX.Objects.RUTROT	RUTROT	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.RUTROT	RUTROT	get_tstamp()
PX.Objects.RUTROT	RUTROT	set_tstamp(Byte[])
PX.Objects.RUTROT	RUTROT	get_NoteID()
PX.Objects.RUTROT	RUTROT	set_NoteID(Nullable<Guid>)
PX.Objects.RUTROT	RUTROTHelper	.ctor()
PX.Objects.RUTROT	SOLineRUTROT	get_RUTROTItemType()
PX.Objects.RUTROT	SOLineRUTROT	set_RUTROTItemType(String)
PX.Objects.RUTROT	SOLineRUTROT	get_RUTROTWorkTypeID()
PX.Objects.RUTROT	SOLineRUTROT	set_RUTROTWorkTypeID(Nullable<Int32>)
PX.Objects.RUTROT	ClaimRUTROT	documents()
PX.Objects.RUTROT	ClaimRUTROT	ExportDocs(List<ARInvoice>)
PX.Objects.RUTROT	ClaimRUTROT	ClaimDocs(List<ARInvoice>)
PX.Objects.RUTROT	ClaimRUTROTProcess	ClaimDocuments(IEnumerable<ARInvoice>)

Namespace	Simple Name	Name
PX.Objects.RUTROT	ClaimRUTROTProcess	ExportDocuments(IEnumerable<ARInvoice>)
PX.Objects.PM	PMCommitment	get_PeriodID()
PX.Objects.PM	PMCommitment	set_PeriodID(String)
PX.Objects.PM	ProjectBalance	CalculateRollupQty<T>(T,PMProjectStatus)
PX.Objects.PM	ProjectBalance	CalculateRollupQty<T>(T,PMProjectStatus,Nullable<Decimal>)
PX.Objects.PM	Result	.ctor(IList<PMHistory>,PMProjectStatus,PMTaskTotal)
PX.Objects.PM	Result	set_Status(PMProjectStatus)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_RowID_CacheAttached(PXCache)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_ProjectID_CacheAttached(PXCache)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_ProjectTaskID_CacheAttached(PXCache)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_AccountGroupID_CacheAttached(PXCache)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_InventoryID_CacheAttached(PXCache)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_UOM_CacheAttached(PXCache)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_UOM_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_UOM_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.PM	ProjectBalanceMaint	PMProjectStatus_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.PM	ProjectBalanceMaint	AddHistory(PMProjectStatus)

Namespace	Simple Name	Name
PX.Objects.PM	ProjectBalanceMaint	SubtractHistory(PMProjectStatus)
PX.Objects.PM	AllocationProcessByProject	PMAllocation_Description_CacheAttached(PXCache)
PX.Objects.PM	PMAllocator	get_OverrideAllocationDate()
PX.Objects.PM	PMAllocator	set_OverrideAllocationDate(Nullable<DateTime>)
PX.Objects.PM	PMAllocator	get_SourceTransactions()
PX.Objects.PM	PMAllocator	set_SourceTransactions(List<PMTran>)
PX.Objects.PM	PMAllocator	NonGIBillLaterAndReverse(String,List<PXResult<ARTran,PMTran>>,List<PXResult<ARTran,PMTran>>)
PX.Objects.PM	PMAllocator	PostFullDetail(PMAllocationStep,PMTask,List<PMTran>,List<PMTran>,PMAllocator+CapService,PMAllocator+AllocatedService)
PX.Objects.PM	PMAllocator	PostSummary(PMAllocationStep,PMTask,List<PMTran>,List<PMTran>,PMAllocator+CapService,PMAllocator+AllocatedService)
PX.Objects.PM	PMAllocator	ApplyLimits(PMAllocationStep,PMTran,Int32,List<Int64>,PMAllocator+CapService,PMAllocator+AllocatedService)
PX.Objects.PM	PMDDataNavigator	.ctor(PMAllocator,List<PMTran>)
PX.Objects.PM	PMBillEngine	InsertTransactions(List<PMBillEngine+BillingData>,Int32,CurrencyInfo)
PX.Objects.PM	PMBillEngine	ReverseWipTask(PMTask,PMBillingRule,DateTime)
PX.Objects.PM	PMBillEngine	get_IsEmulation()
PX.Objects.PM	PMBillEngine	set_IsEmulation(Boolean)

Namespace	Simple Name	Name
PX.Objects.PM	BillingData	get_PMTran()
PX.Objects.PM	BillingData	.ctor(ARTran,PMBillingRule,PMTran,String,String,Guid[])
PX.Objects.PM	ProjectBalanceValidationProcess	RunProjectBalanceVerification(PMProject,Boolean)
PX.Objects.PM	TemplateGlobalTaskMaint	PMTask_VisibleInEP_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTaskMaint	PMProjectStatus_RowID_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTaskMaint	PMProjectStatus_AccountGroupID_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTaskMaint	PMProjectStatus_ProjectID_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTaskMaint	PMProjectStatus_ProjectTaskID_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTaskMaint	PMProjectStatus_PeriodID_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTaskMaint	PMProjectStatus_InventoryID_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTaskMaint	PMProjectStatus_IsTemplate_CacheAttached(PXCache)
PX.Objects.PM	TemplateGlobalTaskMaint	PMTask_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	TemplateGlobalTaskMaint	PMAccountGroup_Description_CacheAttached(PXCache)
PX.Objects.PM	AutoBudgetWorkerProcess	Run(PMTask)
PX.Objects.PM	AutoBudgetWorkerProcess	CreateExpenseTransactions(PMTask,Nullable<DateTime>&)
PX.Objects.PM	BillingMaint	PMBillingRule_LimitQty_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	BillingMaint	PMBillingRule_LimitAmt_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	BillingMaint	PMBillingRule_CapsAccountGroupID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.PM	BillingMaint	PMBillingRule_AccountSource_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)

Namespace	Simple Name	Name
PX.Objects.PM	AllocationProcess	PMAllocation_Description_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	PMProjectStatus_RowID_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	PMProjectStatus_AccountGroupID_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	PMProjectStatus_ProjectID_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	PMProjectStatus_ProjectTaskID_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	PMProjectStatus_PeriodID_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	PMProjectStatus_InventoryID_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	PMProjectStatus_IsTemplate_CacheAttached(PXCache)
PX.Objects.PM	TemplateTaskMaint	PMTask_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	TemplateTaskMaint	PMAccountGroup_Description_CacheAttached(PXCache)
PX.Objects.PM	TemplateMaint	PMProject_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	TemplateMaint	PMRateTable_Description_CacheAttached(PXCache)
PX.Objects.PM	TemplateMaint	PMAllocation_Description_CacheAttached(PXCache)
PX.Objects.PM	TemplateMaint	PMBilling_Description_CacheAttached(PXCache)
PX.Objects.PM	PMBillingRule	get_WipAccountGroupID()
PX.Objects.PM	PMBillingRule	set_WipAccountGroupID(Nullable<Int32>)
PX.Objects.PM	PMBillingRule	get_InvoiceDescription()
PX.Objects.PM	PMBillingRule	set_InvoiceDescription(String)
PX.Objects.PM	PMBillingRule	get_LimitQty()

Namespace	Simple Name	Name
PX.Objects.PM	PMBillingRule	set_LimitQty(Nullable<Boolean>)
PX.Objects.PM	PMBillingRule	get_LimitAmt()
PX.Objects.PM	PMBillingRule	set_LimitAmt(Nullable<Boolean>)
PX.Objects.PM	PMBillingRule	get_CapsAccountGroupID()
PX.Objects.PM	PMBillingRule	set_CapsAccountGroupID(Nullable<Int32>)
PX.Objects.PM	PMBillingRule	get_OverflowAccountGroupID()
PX.Objects.PM	PMBillingRule	set_OverflowAccountGroupID(Nullable<Int32>)
PX.Objects.PM	RegisterEntry	PMTran_InventoryID_CacheAttached(PXCache)
PX.Objects.PM	RegisterEntry	PMAccountGroup_Description_CacheAttached(PXCache)
PX.Objects.PM	PMProject	get_Type()
PX.Objects.PM	PMProject	set_Type(String)
PX.Objects.PM	PMProject	get_VisibleInEP()
PX.Objects.PM	PMProject	set_VisibleInEP(Nullable<Boolean>)
PX.Objects.PM	PMHistory	get_BudgetQty()
PX.Objects.PM	PMHistory	set_BudgetQty(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_BudgetAmount()
PX.Objects.PM	PMHistory	set_BudgetAmount(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_RevisedQty()
PX.Objects.PM	PMHistory	set_RevisedQty(Nullable<Decimal>)

Namespace	Simple Name	Name
PX.Objects.PM	PMHistory	get_RevisedAmount()
PX.Objects.PM	PMHistory	set_RevisedAmount(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_CommittedQty()
PX.Objects.PM	PMHistory	set_CommittedQty(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_CommittedAmount()
PX.Objects.PM	PMHistory	set_CommittedAmount(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_CommittedOpenQty()
PX.Objects.PM	PMHistory	set_CommittedOpenQty(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_CommittedOpenAmount()
PX.Objects.PM	PMHistory	set_CommittedOpenAmount(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_CommittedReceivedQty()
PX.Objects.PM	PMHistory	set_CommittedReceivedQty(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_CommittedInvoicedQty()
PX.Objects.PM	PMHistory	set_CommittedInvoicedQty(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_CommittedInvoicedAmount()
PX.Objects.PM	PMHistory	set_CommittedInvoicedAmount(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_PTDBudgetQty()
PX.Objects.PM	PMHistory	set_PTDBudgetQty(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_PTDBudgetAmount()

Namespace	Simple Name	Name
PX.Objects.PM	PMHistory	set_PTDBudgetAmount(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_PTDRRevisedQty()
PX.Objects.PM	PMHistory	set_PTDRRevisedQty(Nullable<Decimal>)
PX.Objects.PM	PMHistory	get_PTDRRevisedAmount()
PX.Objects.PM	PMHistory	set_PTDRRevisedAmount(Nullable<Decimal>)
PX.Objects.PM	PMTask	get_CompletedPct()
PX.Objects.PM	PMTask	set_CompletedPct(Nullable<Int32>)
PX.Objects.PM	PMTask	get_VisibleInEP()
PX.Objects.PM	PMTask	set_VisibleInEP(Nullable<Boolean>)
PX.Objects.PM	PMSetup	get_VisibleInEP()
PX.Objects.PM	PMSetup	set_VisibleInEP(Nullable<Boolean>)
PX.Objects.PM	ProjectAttribute	IsPMVisible(PXGraph,String)
PX.Objects.PM	BaseProjectTaskAttribute	.ctor(Type,Type,Type)
PX.Objects.PM	ActiveProjectTaskAttribute	.ctor(Type,Type,Type)
PX.Objects.PM	ProjectDefaultAttribute	NonProject(PXGraph)
PX.Objects.PM	ProjectDefaultAttribute	NonProjectCD(PXGraph)
PX.Objects.PM	ProjectDefaultAttribute	IsNonProject(PXGraph,Nullable<Int32>)
PX.Objects.PM	PMInventorySelectorAttribute	.ctor(Type)
PX.Objects.PM	PMInventorySelectorAttribute	FieldVerifying(PXCache,PXFieldVerifyingEventArgs)

Namespace	Simple Name	Name
PX.Objects.PM	PMInventorySelectorAttribute	SubstituteKeyFieldUpdating(PXCache,PXFieldUpdatingEventArgs)
PX.Objects.PM	PMInventorySelectorAttribute	FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.PM	PMExpressionParser	set_Engine(PMAllocator)
PX.Objects.PM	PMExpressionParser	get_Step()
PX.Objects.PM	PMExpressionParser	set_Step(PMAllocationStep)
PX.Objects.PM	PMExpressionParser	Parse(PMAllocator,PMAllocationStep,String)
PX.Objects.PM	PMExpressionContext	.ctor(PMAllocator,PMAllocationStep)
PX.Objects.PM	PMNameNode	get_IsParameter()
PX.Objects.PM	ProjectEntry	PMProjectStatusEx_ProjectID_CacheAttached(PXCache)
PX.Objects.PM	ProjectEntry	PMProjectStatusEx_ProjectTaskID_CacheAttached(PXCache)
PX.Objects.PM	ProjectEntry	ViewBalance(PXAdapter)
PX.Objects.PM	ProjectEntry	invoices()
PX.Objects.PM	ProjectEntry	SelectedTask_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	ProjectEntry	PMTask_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.PM	ProjectEntry	PMTask_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.PM	ProjectEntry	PMTask_CompletedPct_FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.PM	ProjectEntry	PMProject_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	ProjectEntry	PMProjectBalanceRecord_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.PM	ProjectEntry	ExecuteSelect(String,Object[],Object[],String[],Boolean[],PXFilterRow[],Int32&,Int32&,Int32&)

Namespace	Simple Name	Name
PX.Objects.PM	PMProjectBalanceRecord	FromStatus(PMProjectStatus,PMAccountGroup)
PX.Objects.PM	PMProjectBalanceRecord	CreateHeader(String)
PX.Objects.PM	PMProjectBalanceRecord	CreateTotal(String,Decimal,Decimal,Decimal,Decimal,Decimal,Decimal)
PX.Objects.PM	PMProjectBalanceRecord	CreateFooter(String)
PX.Objects.PM	ProjectTaskEntry	PMProjectStatusEx_ProjectID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	PMProjectStatusEx_ProjectTaskID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	PMProjectStatusEx_AccountGroupID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	PMProjectStatusEx_InventoryID_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	PMProjectStatusEx_UOM_CacheAttached(PXCache)
PX.Objects.PM	ProjectTaskEntry	projectStatus()
PX.Objects.PM	ProjectTaskEntry	ViewBalance(PXAdapter)
PX.Objects.PM	ProjectTaskEntry	ViewCommitments(PXAdapter)
PX.Objects.PM	ProjectTaskEntry	ViewTransactions(PXAdapter)
PX.Objects.PM	ProjectTaskEntry	AutoBudget(PXAdapter)
PX.Objects.PM	ProjectTaskEntry	RunAutoBudget()
PX.Objects.PM	ProjectTaskEntry	PMProjectStatusEx_LineNbr_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.PM	ProjectTaskEntry	PMProjectStatusEx_AccountGroupID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.PM	ProjectTaskEntry	PMProjectStatusEx_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	ProjectTaskEntry	PMTask_CompletedPct_FieldSelecting(PXCache,PXFieldSelectingEventArgs)

Namespace	Simple Name	Name
PX.Objects.PM	ProjectTaskEntry	PMTask_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.PM	ProjectTaskEntry	Persist()
PX.Objects.PM	ProjectTaskEntry	ValidateUniqueFields()
PX.Objects.PM	ProjectTaskEntry	RunAutoBudget(PMTask)
PX.Objects.PM	RateEngineV2	.ctor(PMAllocator,IList<String>,IList<String>)
PX.Objects.PM	RateMaint	PMRateSequence_Sequence_FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.PM	TemplateGlobalTaskListMaint	PMTask_VisibleInEP_CacheAttached(PXCache)
PX.Objects.PM	TransactionInquiry	ViewAllocation(PXAdapter)
PX.Objects.PO	POReceipt	get_TermsID()
PX.Objects.PO	POReceipt	set_TermsID(String)
PX.Objects.PO	POCreateFilter	get_ItemClassID()
PX.Objects.PO	POCreateFilter	set_ItemClassID(String)
PX.Objects.PO	POOrder	get_TermsID()
PX.Objects.PO	POOrder	set_TermsID(String)
PX.Objects.PO	POSetup	get_VendorPriceUpdate()
PX.Objects.PO	POSetup	set_VendorPriceUpdate(String)
PX.Objects.PO	POLineRPlanIDAttribute	get_Current()
PX.Objects.PO	POLineRPlanIDAttribute	set_Current(POLineUOpen)
PX.Objects.PO	POLineRPlanIDAttribute	CacheAttached(PXCache)

Namespace	Simple Name	Name
PX.Objects.PO	POLineRPlanIDAttribute	Plan_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.PO	POLineRPlanIDAttribute	RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.PO	POLineRPlanIDAttribute	RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.PO	POLineRPlanIDAttribute	RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.PO	POLineRPlanIDAttribute	GetTargetPlanType<TNode>(PXGraph,INItemPlan,INPlanType)
PX.Objects.PO	PORceiptLineSplitPlanIDAttribute	get_Current()
PX.Objects.PO	PORceiptLineSplitPlanIDAttribute	set_Current(PORceiptLineSplit)
PX.Objects.PO	PORceiptLineSplitPlanIDAttribute	CacheAttached(PXCache)
PX.Objects.PO	PORceiptLineSplitPlanIDAttribute	RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.PO	PORceiptLineSplitPlanIDAttribute	RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.PO	PORceiptLineSplitPlanIDAttribute	RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.PO	PORceiptLineSplitPlanIDAttribute	Plan_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.PO	PORceiptLineSplitPlanIDAttribute	GetInclQtyAvail<TNode>(PXGraph,Object,Decimal&,Decimal&)
PX.Objects.PO	PORceiptLineSplitPlanIDAttribute	GetTargetPlanType<TNode>(PXGraph,INItemPlan,INPlanType)
PX.Objects.PO	POSiteStatusSelected	set_ItemClassID(String)
PX.TM	CompanyTreeMaint	items(Nullable<Int32>)
PX.TM	CompanyTreeMaint	EPCompanyTreeMaster_SortOrder_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.TM	CompanyTreeMaint	EPCompanyTreeMaster_ParentWGID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.TM	CompanyTreeMaint	EPCompanyTreeMaster_BypassEscalation_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)

Namespace	Simple Name	Name
PX.TM	CompanyTreeMaint	EPCompanyTreeMaster_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.TM	CompanyTreeMaint	EPCompanyTreeMember_UserID_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.TM	CompanyTreeMaint	updateTree(PXAdapter)
PX.TM	CompanyTreeMaint	Left(PXAdapter)
PX.TM	CompanyTreeMaint	Right(PXAdapter)
PX.TM	CompanyTreeMaint	members(Nullable<Int32>)
PX.TM	CompanyTreeMaint	EPCompanyTreeMember_WorkGroupID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.TM	CompanyTreeMaint	EPCompanyTreeMember_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.TM	SelectedNode	get_FolderID()
PX.TM	SelectedNode	set_FolderID(Nullable<Int32>)
PX.Objects.TX	TaxYear	get_VendorID()
PX.Objects.TX	TaxYear	set_VendorID(Nullable<Int32>)
PX.Objects.TX	TaxYear	get_Year()
PX.Objects.TX	TaxYear	set_Year(String)
PX.Objects.TX	TaxYear	get_StartDate()
PX.Objects.TX	TaxYear	set_StartDate(Nullable<DateTime>)
PX.Objects.TX	TaxCalendar	Create<TPeriod>(PXGraph,PXSelectBase<TaxYear>,PXSelectBase<TPeriod>,Vendor,Nullable<DateTime>,Nullable<DateTime>)
PX.Objects.TX	TaxCalendar	GetPeriod(Int32,Nullable<DateTime>)

Namespace	Simple Name	Name
PX.Objects.TX	TaxPeriodFilter	get_TaxPeriodID()
PX.Objects.TX	TaxPeriodFilter	set_TaxPeriodID(String)
PX.Objects.TX	ReportTaxDetail	TaxHistoryMaster_BranchID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.TX	TaxRevisionManager	CurrentRevisionId(PXGraph,Nullable<Int32>,String)
PX.Objects.TX	TaxRevisionManager	NewRevisionID(PXGraph,Nullable<Int32>,String)
PX.Objects.TX	TaxRevisionManager	HasRevisions(PXGraph,Nullable<Int32>,String)
PX.Objects.TX	ReportTaxReview	TaxPeriodFilter_BranchID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.TX	ReportTax	TaxPeriodFilter_BranchID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.TX	ReportTax	GetTaxPeriod(TaxPeriodFilter)
PX.Objects.TX	ReportTaxProcess	FindTaxPeriodByKey(PXGraph,Nullable<Int32>,String)
PX.Objects.TX	ReportTaxProcess	GetTaxPeriodByKey(PXGraph,Nullable<Int32>,String)
PX.Objects.TX	ReportTaxProcess	PreparedTaxPeriodForVendorExists(PXGraph,Nullable<Int32>)
PX.Objects.TX	ReportTaxProcess	CheckForUnprocessedPPD(PXGraph,Nullable<Int32>,Nullable<DateTime>)
PX.Objects.SO	SOSetup	get_ConsolidateIN()
PX.Objects.SO	SOSetup	set_ConsolidateIN(Nullable<Boolean>)
PX.Objects.SO	SOLineSplit2PlanIDAttribute	get_Current()
PX.Objects.SO	SOLineSplit2PlanIDAttribute	set_Current(SOLineSplit2)
PX.Objects.SO	SOLineSplit2PlanIDAttribute	CacheAttached(PXCache)
PX.Objects.SO	SOLineSplit2PlanIDAttribute	Plan_RowUpdated(PXCache,PXRowUpdatedEventArgs)

Namespace	Simple Name	Name
PX.Objects.SO	SOLineSplit2PlanIDAttribute	Plan_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.SO	SOLineSplit2PlanIDAttribute	RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.SO	SOLineSplit2PlanIDAttribute	RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.SO	SOLineSplit2PlanIDAttribute	RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.SO	SOLineSplit2PlanIDAttribute	GetTargetPlanType<TNode>(PXGraph,INItemPlan,INPlanType)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	get_Current()
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	set_Current(SOShipLineSplit)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	CacheAttached(PXCache)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	Plan_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	Plan_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	GetInclQtyAvail<TNode>(PXGraph,Object,Decimal&,Decimal&)
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	GetTargetPlanType<TNode>(PXGraph,INItemPlan,INPlanType)
PX.Objects.SO	AcctListAttribute	CacheAttached(PXCache)
PX.Objects.SO	SubListAttribute	CacheAttached(PXCache)
PX.Objects.SO	AcctListAttribute	CacheAttached(PXCache)
PX.Objects.SO	SubListAttribute	CacheAttached(PXCache)

Namespace	Simple Name	Name
PX.Objects.SO	AcctListAttribute	CacheAttached(PXCache)
PX.Objects.SO	SubListAttribute	CacheAttached(PXCache)
PX.Objects.SO	AcctListAttribute	CacheAttached(PXCache)
PX.Objects.SO	SubListAttribute	CacheAttached(PXCache)
PX.Objects.SO	AcctListAttribute	CacheAttached(PXCache)
PX.Objects.SO	SubListAttribute	CacheAttached(PXCache)
PX.Objects.SO	SOCreatFilter	get_ItemClassID()
PX.Objects.SO	SOCreatFilter	set_ItemClassID(String)
PX.Objects.SO	SOOrderEntry	SOLine_ShipComplete_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.SO	SOSiteStatusSelected	set_ItemClassID(String)
PX.Objects.FA	FABookPeriodSetup	get_EndDateUI()
PX.Objects.FA	FABookPeriodSetup	set_EndDateUI(Nullable<DateTime>)
PX.Objects.DR	DRSchedulePrimary	Update()
PX.Objects.DR	DRSchedule	get_ProxyScheduleID()
PX.Objects.DR	DRDocumentRecord	get_BAccountCD()
PX.Objects.DR	DRDocumentRecord	set_BAccountCD(String)
PX.Objects.DR	DraftScheduleMaint	associated(Nullable<Int32>)
PX.Objects.DR	DRScheduleEx	get_ScheduleID()
PX.Objects.DR	DRScheduleEx	set_ScheduleID(Nullable<Int32>)

Namespace	Simple Name	Name
PX.Objects.DR	SchedulesFilter	get_BAccountID()
PX.Objects.DR	SchedulesFilter	set_BAccountID(Nullable<Int32>)
PX.Objects.DR	SchedulesInq	ViewSchedule(PXAdapter)
PX.Objects.DR	SchedulesFilter	get_BAccountID()
PX.Objects.DR	SchedulesFilter	set_BAccountID(Nullable<Int32>)
PX.Objects.DR	ScheduleTransInq	ViewSchedule(PXAdapter)
PX.Objects.DR	ScheduleTransFilter	get_BAccountID()
PX.Objects.DR	ScheduleTransFilter	set_BAccountID(Nullable<Int32>)
PX.Objects.IN	ClassFilter	set_ItemClassID(String)
PX.Objects.IN	Filter	get_ItemClassID()
PX.Objects.IN	Filter	set_ItemClassID(String)
PX.Objects.IN	InventoryItemRO	set_ItemClassID(String)
PX.Objects.IN	Filter	get_ItemClassID()
PX.Objects.IN	Filter	set_ItemClassID(String)
PX.Objects.IN	INPIClass	get_ItemClassID()
PX.Objects.IN	INPIClass	set_ItemClassID(String)
PX.Objects.IN	INItemClassRep	set_ItemClassID(String)
PX.Objects.IN	INAccessItem	INItemClass_ItemClassID_CacheAttached(PXCache)
PX.Objects.IN	INAccessDetailItem	INItemClass_ItemClassID_CacheAttached(PXCache)

Namespace	Simple Name	Name
PX.Objects.IN	INItemClassSubItemSegment	set_ItemClassID(String)
PX.Objects.IN	INItemSite	get_LastPurchaseDate()
PX.Objects.IN	INItemSite	set_LastPurchaseDate(Nullable<DateTime>)
PX.Objects.IN	INItemSite	get_LastPurchasePrice()
PX.Objects.IN	INItemSite	set_LastPurchasePrice(Nullable<Decimal>)
PX.Objects.IN	INItemSite	get_LastVendorID()
PX.Objects.IN	INItemSite	set_LastVendorID(Nullable<Int32>)
PX.Objects.IN	INItemStats	get_LastPurchaseDate()
PX.Objects.IN	INItemStats	set_LastPurchaseDate(Nullable<DateTime>)
PX.Objects.IN	INItemStats	get_LastPurchasePrice()
PX.Objects.IN	INItemStats	set_LastPurchasePrice(Nullable<Decimal>)
PX.Objects.IN	INItemStats	get_LastVendorID()
PX.Objects.IN	INItemStats	set_LastVendorID(Nullable<Int32>)
PX.Objects.IN	INLocation	set_PrimaryItemClassID(String)
PX.Objects.IN	INSetup	get_DfltItemClassID()
PX.Objects.IN	INSetup	set_DfltItemClassID(String)
PX.Objects.IN	INSiteStatusFilter	get_ItemClassID()
PX.Objects.IN	INSiteStatusFilter	set_ItemClassID(String)

Namespace	Simple Name	Name
PX.Objects.IN	INSiteStatusSelected	set_ItemClassID(String)
PX.Objects.IN	PIGeneratorSettings	get_ItemClassID()
PX.Objects.IN	PIGeneratorSettings	set_ItemClassID(String)
PX.Objects.IN	INReplenishmentItem	set_ItemClassID(String)
PX.Objects.IN	INReleaseProcess	UpdateCostHist(PXGraph,INReleaseProcess+INHistBucket,INTranCost,String,Boolean)
PX.Objects.IN	INSiteStatusSelected	set_ItemClassID(String)
PX.Objects.IN	InventoryItem	set_ItemClassID(String)
PX.Objects.IN	InventoryItem	get_TaxCategoryID()
PX.Objects.IN	InventoryItem	set_TaxCategoryID(String)
PX.Objects.IN	INUnit	set_ItemClassID(String)
PX.Objects.IN	INItemClass	get_ItemClassID()
PX.Objects.IN	INItemClass	set_ItemClassID(String)
PX.Objects.IN	INItemClass	get_InclQtySOReverse()
PX.Objects.IN	INItemClass	set_InclQtySOReverse(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtySOBackOrdered()
PX.Objects.IN	INItemClass	set_InclQtySOBackOrdered(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtySOPrepared()
PX.Objects.IN	INItemClass	set_InclQtySOPrepared(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtySOBooked()

Namespace	Simple Name	Name
PX.Objects.IN	INItemClass	set_InclQtySOBooked(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtySOShipped()
PX.Objects.IN	INItemClass	set_InclQtySOShipped(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtySOShipping()
PX.Objects.IN	INItemClass	set_InclQtySOShipping(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtyInTransit()
PX.Objects.IN	INItemClass	set_InclQtyInTransit(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtyPOReceipts()
PX.Objects.IN	INItemClass	set_InclQtyPOReceipts(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtyPOPrepared()
PX.Objects.IN	INItemClass	set_InclQtyPOPrepared(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtyPOOrders()
PX.Objects.IN	INItemClass	set_InclQtyPOOrders(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtyINIssues()
PX.Objects.IN	INItemClass	set_InclQtyINIssues(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtyINReceipts()
PX.Objects.IN	INItemClass	set_InclQtyINReceipts(Nullable<Boolean>)
PX.Objects.IN	INItemClass	get_InclQtyINAssemblyDemand()
PX.Objects.IN	INItemClass	set_InclQtyINAssemblyDemand(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.IN	INItemClass	get_InclQtyINAssemblySupply()
PX.Objects.IN	INItemClass	set_InclQtyINAssemblySupply(Nullable<Boolean>)
PX.Objects.IN	FilterItemByClass	set_ItemClassID(String)
PX.Objects.IN	INTranSplitPlanIDAttribute	GetTargetPlanType<TNode>(PXGraph,INItemPlan,INPlanType)
PX.Objects.IN	INItemPlanIDAttribute	GetInclQtyAvail<TNode>(PXGraph,INItemPlan,INPlanType,Decimal&,Decimal&)
PX.Objects.IN	INItemPlanIDAttribute	FetchPlan(PXCache,Object)
PX.Objects.IN	AlternativeItemAttribute	.ctor(INPrimaryAlternateType,Type,Type)
PX.Objects.IN	INItemClassMaint	Reset(String)
PX.Objects.IN	INItemClassMaint	INItemClass_ItemType_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.IN	INItemClassMaint	INItemClass_ValMethod_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.IN	InventoryItemMaint	CheckExistence<TEntity,TInventoryField>(InventoryItem,String,String[])
PX.Objects.IN	InventoryItemMaint	INItemXRef_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.IN	InventoryItemMaint	AppendGroupMask(String,Boolean)
PX.Objects.IN	NonStockItemMaint	INItemXRef_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.IN.S	INItemSite	get_LastPurchaseDate()
PX.Objects.IN.S	INItemSite	set_LastPurchaseDate(Nullable<DateTime>)
PX.Objects.IN.S	INItemSite	get_LastPurchasePrice()
PX.Objects.IN.S	INItemSite	set_LastPurchasePrice(Nullable<Decimal>)
PX.Objects.IN.S	INItemSite	get_LastVendorID()

Namespace	Simple Name	Name
PX.Objects.IN.S	INItemSite	set_LastVendorID(Nullable<Int32>)
PX.Objects.IN.S	INItemStats	get_LastPurchaseDate()
PX.Objects.IN.S	INItemStats	set_LastPurchaseDate(Nullable<DateTime>)
PX.Objects.IN.S	INItemStats	get_LastPurchasePrice()
PX.Objects.IN.S	INItemStats	set_LastPurchasePrice(Nullable<Decimal>)
PX.Objects.IN.S	INItemStats	get_LastVendorID()
PX.Objects.IN.S	INItemStats	set_LastVendorID(Nullable<Int32>)
PX.Objects.IN.Overrides.INDocumentRelease	SiteStatus	set_ItemClassID(String)
PX.Objects.IN.Overrides.INDocumentRelease	TransitSiteStatus	set_ItemClassID(String)
PX.Objects.IN.Overrides.INDocumentRelease	TransitLocationStatus	set_ItemClassID(String)
PX.Objects.IN.Overrides.INDocumentRelease	LocationStatus	set_ItemClassID(String)
PX.Objects.IN.Overrides.INDocumentRelease	LotSerialStatus	set_ItemClassID(String)
PX.Objects.IN.Overrides.INDocumentRelease	TransitLotSerialStatus	set_ItemClassID(String)
PX.Objects.IN.Overrides.INDocumentRelease	ItemLotSerial	set_ItemClassID(String)
PX.Objects.IN.Overrides.INDocumentRelease	SiteLotSerial	set_ItemClassID(String)

Namespace	Simple Name	Name
cumentRelease		
PX.Objects.CS	PMHistoryKeyTuple	.ctor(Int32,String,Int32,Int32)
PX.Objects.CS	Country	get_AllowStateEdit()
PX.Objects.CS	Country	set_AllowStateEdit(Nullable<Boolean>)
PX.Objects.CS	SegmentKeysResizer	UpdateSegmentLenght(PXGraph,Dictionary<Nullable<Int16>,DimensionMaint+SegmentLenght>)
PX.Objects.CS.Email	ExchangeBaseLogicSyncCommand	ExportFirst(EMailSyncPolicy,PXEmailSyncDirection+Directions,PXSyncMailbox[])
PX.Objects.CS.Email	ExchangeBaseLogicSyncCommand	ImportFirst(EMailSyncPolicy,PXEmailSyncDirection+Directions,PXSyncMailbox[])
PX.Objects.CS.Email	EmailsSyncMaint	reset(PXAdapter)
PX.Objects.EP	EPApprovalProcess	Approve(List<EPApprovalProcess+EPOwned>)
PX.Objects.EP	ExpenseClaimDetailEntry	EPExpenseClaimDetails_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.EP	EPTax	get_RefNbr()
PX.Objects.EP	EPTax	set_RefNbr(String)
PX.Objects.EP	EPTax	get_ClaimDetailID()
PX.Objects.EP	EPTax	set_ClaimDetailID(Nullable<Int32>)
PX.Objects.EP	EPTax	get_CuryTaxableAmt()
PX.Objects.EP	EPTax	set_CuryTaxableAmt(Nullable<Decimal>)
PX.Objects.EP	EPTax	get_TaxableAmt()
PX.Objects.EP	EPTax	set_TaxableAmt(Nullable<Decimal>)
PX.Objects.EP	EPTax	get_CuryTaxAmt()

Namespace	Simple Name	Name
PX.Objects.EP	EPTax	set_CuryTaxAmt(Nullable<Decimal>)
PX.Objects.EP	EPTax	get_TaxAmt()
PX.Objects.EP	EPTax	set_TaxAmt(Nullable<Decimal>)
PX.Objects.EP	EPTax	get_tstamp()
PX.Objects.EP	EPTax	set_tstamp(Byte[])
PX.Objects.EP	EPTaxTran	get_RefNbr()
PX.Objects.EP	EPTaxTran	set_RefNbr(String)
PX.Objects.EP	EPTaxTran	get_ClaimDetailID()
PX.Objects.EP	EPTaxTran	set_ClaimDetailID(Nullable<Int32>)
PX.Objects.EP	EPTaxTran	get_CuryTaxableAmt()
PX.Objects.EP	EPTaxTran	set_CuryTaxableAmt(Nullable<Decimal>)
PX.Objects.EP	EPTaxTran	get_CuryTaxAmt()
PX.Objects.EP	EPTaxTran	set_CuryTaxAmt(Nullable<Decimal>)
PX.Objects.EP	EPTaxAttribute	.ctor(Type,Type,Type)
PX.Objects.EP	EPTaxAttribute	ParentChanged(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.EP	EPTaxAttribute	CacheAttached(PXCache)
PX.Objects.EP	EPExpenseClaim	get_BranchID()
PX.Objects.EP	EPExpenseClaim	set_BranchID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaim	get_RefNbr()

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaim	set_RefNbr(String)
PX.Objects.EP	EPExpenseClaim	get_EmployeeID()
PX.Objects.EP	EPExpenseClaim	set_EmployeeID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaim	get_WorkgroupID()
PX.Objects.EP	EPExpenseClaim	set_WorkgroupID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaim	get_ApproverID()
PX.Objects.EP	EPExpenseClaim	set_ApproverID(Nullable<Guid>)
PX.Objects.EP	EPExpenseClaim	get_ApprovedByID()
PX.Objects.EP	EPExpenseClaim	set_ApprovedByID(Nullable<Guid>)
PX.Objects.EP	EPExpenseClaim	get_DepartmentID()
PX.Objects.EP	EPExpenseClaim	set_DepartmentID(String)
PX.Objects.EP	EPExpenseClaim	get_LocationID()
PX.Objects.EP	EPExpenseClaim	set_LocationID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaim	get_DocDate()
PX.Objects.EP	EPExpenseClaim	set_DocDate(Nullable<DateTime>)
PX.Objects.EP	EPExpenseClaim	get_ApproveDate()
PX.Objects.EP	EPExpenseClaim	set_ApproveDate(Nullable<DateTime>)
PX.Objects.EP	EPExpenseClaim	get_TranPeriodID()
PX.Objects.EP	EPExpenseClaim	set_TranPeriodID(String)

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaim	get_FinPeriodID()
PX.Objects.EP	EPExpenseClaim	set_FinPeriodID(String)
PX.Objects.EP	EPExpenseClaim	get_DocDesc()
PX.Objects.EP	EPExpenseClaim	set_DocDesc(String)
PX.Objects.EP	EPExpenseClaim	get_CuryID()
PX.Objects.EP	EPExpenseClaim	set_CuryID(String)
PX.Objects.EP	EPExpenseClaim	get_CuryInfoID()
PX.Objects.EP	EPExpenseClaim	set_CuryInfoID(Nullable<Int64>)
PX.Objects.EP	EPExpenseClaim	get_CuryDocBal()
PX.Objects.EP	EPExpenseClaim	set_CuryDocBal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaim	get_DocBal()
PX.Objects.EP	EPExpenseClaim	set_DocBal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaim	get_Approved()
PX.Objects.EP	EPExpenseClaim	set_Approved(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaim	get_Released()
PX.Objects.EP	EPExpenseClaim	set_Released(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaim	get_Hold()
PX.Objects.EP	EPExpenseClaim	set_Hold(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaim	get_Rejected()

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaim	set_Rejected(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaim	get_APDocType()
PX.Objects.EP	EPExpenseClaim	set_APDocType(String)
PX.Objects.EP	EPExpenseClaim	get_APRefNbr()
PX.Objects.EP	EPExpenseClaim	set_APRefNbr(String)
PX.Objects.EP	EPExpenseClaim	get_APStatus()
PX.Objects.EP	EPExpenseClaim	set_APStatus(String)
PX.Objects.EP	EPExpenseClaim	get_TaxZoneID()
PX.Objects.EP	EPExpenseClaim	set_TaxZoneID(String)
PX.Objects.EP	EPExpenseClaim	get_CreatedByScreenID()
PX.Objects.EP	EPExpenseClaim	set_CreatedByScreenID(String)
PX.Objects.EP	EPExpenseClaim	get_CreatedByID()
PX.Objects.EP	EPExpenseClaim	set_CreatedByID(Nullable<Guid>)
PX.Objects.EP	EPExpenseClaim	get_CreatedDateTime()
PX.Objects.EP	EPExpenseClaim	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPExpenseClaim	get_LastModifiedByID()
PX.Objects.EP	EPExpenseClaim	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.EP	EPExpenseClaim	get_LastModifiedByScreenID()
PX.Objects.EP	EPExpenseClaim	set_LastModifiedByScreenID(String)

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaim	get_LastModifiedDateTime()
PX.Objects.EP	EPExpenseClaim	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPExpenseClaim	get_NoteID()
PX.Objects.EP	EPExpenseClaim	set_NoteID(Nullable<Guid>)
PX.Objects.EP	EPExpenseClaim	get_tstamp()
PX.Objects.EP	EPExpenseClaim	set_tstamp(Byte[])
PX.Objects.EP	EPExpenseClaim	get_Selected()
PX.Objects.EP	EPExpenseClaim	set_Selected(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaim	get_CuryTaxTotal()
PX.Objects.EP	EPExpenseClaim	set_CuryTaxTotal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaim	get_TaxTotal()
PX.Objects.EP	EPExpenseClaim	set_TaxTotal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaim	get_CuryLineTotal()
PX.Objects.EP	EPExpenseClaim	set_CuryLineTotal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaim	get_LineTotal()
PX.Objects.EP	EPExpenseClaim	set_LineTotal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaim	get_CustomerID()
PX.Objects.EP	EPExpenseClaim	set_CustomerID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaim	get_CustomerLocationID()

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaim	set_CustomerLocationID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaim	get_CuryVatExemptTotal()
PX.Objects.EP	EPExpenseClaim	set_CuryVatExemptTotal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaim	get_VatExemptTotal()
PX.Objects.EP	EPExpenseClaim	set_VatExemptTotal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaim	get_CuryVatTaxableTotal()
PX.Objects.EP	EPExpenseClaim	set_CuryVatTaxableTotal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaim	get_VatTaxableTotal()
PX.Objects.EP	EPExpenseClaim	set_VatTaxableTotal(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_ClaimDetailID()
PX.Objects.EP	EPExpenseClaimDetails	set_ClaimDetailID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_BranchID()
PX.Objects.EP	EPExpenseClaimDetails	set_BranchID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_RefNbr()
PX.Objects.EP	EPExpenseClaimDetails	set_RefNbr(String)
PX.Objects.EP	EPExpenseClaimDetails	get_EmployeeID()
PX.Objects.EP	EPExpenseClaimDetails	set_EmployeeID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_CuryInfoID()
PX.Objects.EP	EPExpenseClaimDetails	set_CuryInfoID(Nullable<Int64>)

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaimDetails	get_CuryID()
PX.Objects.EP	EPExpenseClaimDetails	set_CuryID(String)
PX.Objects.EP	EPExpenseClaimDetails	get_ClaimCuryInfoID()
PX.Objects.EP	EPExpenseClaimDetails	set_ClaimCuryInfoID(Nullable<Int64>)
PX.Objects.EP	EPExpenseClaimDetails	get_ExpenseDate()
PX.Objects.EP	EPExpenseClaimDetails	set_ExpenseDate(Nullable<DateTime>)
PX.Objects.EP	EPExpenseClaimDetails	get_ExpenseRefNbr()
PX.Objects.EP	EPExpenseClaimDetails	set_ExpenseRefNbr(String)
PX.Objects.EP	EPExpenseClaimDetails	get_InventoryID()
PX.Objects.EP	EPExpenseClaimDetails	set_InventoryID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_TaxCategoryID()
PX.Objects.EP	EPExpenseClaimDetails	set_TaxCategoryID(String)
PX.Objects.EP	EPExpenseClaimDetails	get_UOM()
PX.Objects.EP	EPExpenseClaimDetails	set_UOM(String)
PX.Objects.EP	EPExpenseClaimDetails	get_Qty()
PX.Objects.EP	EPExpenseClaimDetails	set_Qty(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_CuryUnitCost()
PX.Objects.EP	EPExpenseClaimDetails	set_CuryUnitCost(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_UnitCost()

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaimDetails	set_UnitCost(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_CuryEmployeePart()
PX.Objects.EP	EPExpenseClaimDetails	set_CuryEmployeePart(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_EmployeePart()
PX.Objects.EP	EPExpenseClaimDetails	set_EmployeePart(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_CuryExtCost()
PX.Objects.EP	EPExpenseClaimDetails	set_CuryExtCost(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_ExtCost()
PX.Objects.EP	EPExpenseClaimDetails	set_ExtCost(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_CuryTranAmt()
PX.Objects.EP	EPExpenseClaimDetails	set_CuryTranAmt(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_TranAmt()
PX.Objects.EP	EPExpenseClaimDetails	set_TranAmt(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_ClaimCuryTranAmt()
PX.Objects.EP	EPExpenseClaimDetails	set_ClaimCuryTranAmt(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_ClaimTranAmt()
PX.Objects.EP	EPExpenseClaimDetails	set_ClaimTranAmt(Nullable<Decimal>)
PX.Objects.EP	EPExpenseClaimDetails	get_TranDesc()
PX.Objects.EP	EPExpenseClaimDetails	set_TranDesc(String)

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaimDetails	get_CustomerID()
PX.Objects.EP	EPExpenseClaimDetails	set_CustomerID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_CustomerLocationID()
PX.Objects.EP	EPExpenseClaimDetails	set_CustomerLocationID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_ContractID()
PX.Objects.EP	EPExpenseClaimDetails	set_ContractID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_TaskID()
PX.Objects.EP	EPExpenseClaimDetails	set_TaskID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_Billable()
PX.Objects.EP	EPExpenseClaimDetails	set_Billable(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaimDetails	get_Billed()
PX.Objects.EP	EPExpenseClaimDetails	set_Billed(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaimDetails	get_Released()
PX.Objects.EP	EPExpenseClaimDetails	set_Released(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaimDetails	get_ExpenseAccountID()
PX.Objects.EP	EPExpenseClaimDetails	set_ExpenseAccountID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_ExpenseSubID()
PX.Objects.EP	EPExpenseClaimDetails	set_ExpenseSubID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_SalesAccountID()

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaimDetails	set_SalesAccountID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_SalesSubID()
PX.Objects.EP	EPExpenseClaimDetails	set_SalesSubID(Nullable<Int32>)
PX.Objects.EP	EPExpenseClaimDetails	get_ARDocType()
PX.Objects.EP	EPExpenseClaimDetails	set_ARDocType(String)
PX.Objects.EP	EPExpenseClaimDetails	get_ARRefNbr()
PX.Objects.EP	EPExpenseClaimDetails	set_ARRefNbr(String)
PX.Objects.EP	EPExpenseClaimDetails	get_ByCorporateCard()
PX.Objects.EP	EPExpenseClaimDetails	set_ByCorporateCard(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaimDetails	get_CreatedByID()
PX.Objects.EP	EPExpenseClaimDetails	set_CreatedByID(Nullable<Guid>)
PX.Objects.EP	EPExpenseClaimDetails	get_CreatedByScreenID()
PX.Objects.EP	EPExpenseClaimDetails	set_CreatedByScreenID(String)
PX.Objects.EP	EPExpenseClaimDetails	get_CreatedDateTime()
PX.Objects.EP	EPExpenseClaimDetails	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPExpenseClaimDetails	get_LastModifiedByID()
PX.Objects.EP	EPExpenseClaimDetails	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.EP	EPExpenseClaimDetails	get_LastModifiedByScreenID()
PX.Objects.EP	EPExpenseClaimDetails	set_LastModifiedByScreenID(String)

Namespace	Simple Name	Name
PX.Objects.EP	EPExpenseClaimDetails	get_LastModifiedDateTime()
PX.Objects.EP	EPExpenseClaimDetails	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.EP	EPExpenseClaimDetails	get_NoteID()
PX.Objects.EP	EPExpenseClaimDetails	set_NoteID(Nullable<Guid>)
PX.Objects.EP	EPExpenseClaimDetails	get_tstamp()
PX.Objects.EP	EPExpenseClaimDetails	set_tstamp(Byte[])
PX.Objects.EP	EPExpenseClaimDetails	get_Selected()
PX.Objects.EP	EPExpenseClaimDetails	set_Selected(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaimDetails	get_Submitted()
PX.Objects.EP	EPExpenseClaimDetails	set_Submitted(Nullable<Boolean>)
PX.Objects.EP	EPCustomerBillingProcess	InsertARTran(ARInvoiceEntry,EPExpenseClaimDetails,Decimal)
PX.Objects.EP	ExpenseClaimEntry	EPExpenseClaimDetails_ClaimCuryTranAmt_ FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.EP	ExpenseClaimEntry	SubmitDetail(EPExpenseClaimDetails)
PX.Objects.EP	EPCustomerUpdateAsk	get_CustomerUpdateAnsver()
PX.Objects.EP	EPCustomerUpdateAsk	set_CustomerUpdateAnsver(String)
PX.Objects.EP	EPCustomerUpdateAsk	get_OldCustomerID()
PX.Objects.EP	EPCustomerUpdateAsk	set_OldCustomerID(Nullable<Int32>)
PX.Objects.EP	EPEventMaint	PMTIMEActivity_ProjectTaskID_CacheAttached(PXCache)

Namespace	Simple Name	Name
PX.Objects.EP	EquipmentTimeCardMaint	approval()
PX.Objects.EP	TimeCardMaint	approval()
PX.Objects.EP	EPRequireApprovalAttribute	RowSelecting(PXCache,PXRowSelectingEventArgs)
PX.Objects.EP	ExpenseClaimEntry	approval()
PX.Objects.EP	ExpenceClaimApproval	DoAssignApprover(SourceAssign,Int32)
PX.Objects.GL	GLVoucher	get_WorkBookID()
PX.Objects.GL	GLVoucher	set_WorkBookID(String)
PX.Objects.GL	GLVoucher	get_VoucherBatchNbr()
PX.Objects.GL	GLVoucher	set_VoucherBatchNbr(String)
PX.Objects.GL	GLVoucher	get_LineNbr()
PX.Objects.GL	GLVoucher	set_LineNbr(Nullable<Int32>)
PX.Objects.GL	GLVoucher	get_Module()
PX.Objects.GL	GLVoucher	set_Module(String)
PX.Objects.GL	GLVoucher	get_DocType()
PX.Objects.GL	GLVoucher	set_DocType(String)
PX.Objects.GL	GLVoucher	get_RefNbr()
PX.Objects.GL	GLVoucher	set_RefNbr(String)
PX.Objects.GL	GLVoucher	get_tstamp()
PX.Objects.GL	GLVoucher	set_tstamp(Byte[])

Namespace	Simple Name	Name
PX.Objects.GL	GLVoucherBatch	get_Selected()
PX.Objects.GL	GLVoucherBatch	set_Selected(Nullable<Boolean>)
PX.Objects.GL	GLVoucherBatch	get_WorkBookID()
PX.Objects.GL	GLVoucherBatch	set_WorkBookID(String)
PX.Objects.GL	GLVoucherBatch	get_VoucherBatchNbr()
PX.Objects.GL	GLVoucherBatch	set_VoucherBatchNbr(String)
PX.Objects.GL	GLVoucherBatch	get_Descr()
PX.Objects.GL	GLVoucherBatch	set_Descr(String)
PX.Objects.GL	GLVoucherBatch	get_Module()
PX.Objects.GL	GLVoucherBatch	set_Module(String)
PX.Objects.GL	GLVoucherBatch	get_DocType()
PX.Objects.GL	GLVoucherBatch	set_DocType(String)
PX.Objects.GL	GLVoucherBatch	get_LineCntr()
PX.Objects.GL	GLVoucherBatch	set_LineCntr(Nullable<Int32>)
PX.Objects.GL	GLVoucherBatch	get_Released()
PX.Objects.GL	GLVoucherBatch	set_Released(Nullable<Boolean>)
PX.Objects.GL	GLVoucherBatch	get_DocCount()
PX.Objects.GL	GLVoucherBatch	set_DocCount(Nullable<Int32>)
PX.Objects.GL	GLVoucherBatch	get_BatchTotal()

Namespace	Simple Name	Name
PX.Objects.GL	GLVoucherBatch	set_BatchTotal(Nullable<Decimal>)
PX.Objects.GL	GLVoucherBatch	get_tstamp()
PX.Objects.GL	GLVoucherBatch	set_tstamp(Byte[])
PX.Objects.GL	GLVoucherBatch	get_CreatedByID()
PX.Objects.GL	GLVoucherBatch	set_CreatedByID(Nullable<Guid>)
PX.Objects.GL	GLVoucherBatch	get_CreatedByScreenID()
PX.Objects.GL	GLVoucherBatch	set_CreatedByScreenID(String)
PX.Objects.GL	GLVoucherBatch	get_CreatedDateTime()
PX.Objects.GL	GLVoucherBatch	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.GL	GLVoucherBatch	get_LastModifiedByID()
PX.Objects.GL	GLVoucherBatch	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.GL	GLVoucherBatch	get_LastModifiedByScreenID()
PX.Objects.GL	GLVoucherBatch	set_LastModifiedByScreenID(String)
PX.Objects.GL	GLVoucherBatch	get_LastModifiedDateTime()
PX.Objects.GL	GLVoucherBatch	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.GL	GLWorkBook	get_WorkBookID()
PX.Objects.GL	GLWorkBook	set_WorkBookID(String)
PX.Objects.GL	GLWorkBook	get_Module()
PX.Objects.GL	GLWorkBook	set_Module(String)

Namespace	Simple Name	Name
PX.Objects.GL	GLWorkBook	get_DocType()
PX.Objects.GL	GLWorkBook	set_DocType(String)
PX.Objects.GL	GLWorkBook	get_Descr()
PX.Objects.GL	GLWorkBook	set_Descr(String)
PX.Objects.GL	GLWorkBook	get_VoucherBatchNumberingID()
PX.Objects.GL	GLWorkBook	set_VoucherBatchNumberingID(String)
PX.Objects.GL	GLWorkBook	get_VoucherNumberingID()
PX.Objects.GL	GLWorkBook	set_VoucherNumberingID(String)
PX.Objects.GL	GLWorkBook	get_DefaultDescription()
PX.Objects.GL	GLWorkBook	set_DefaultDescription(String)
PX.Objects.GL	GLWorkBook	get_DefaultCashAccountID()
PX.Objects.GL	GLWorkBook	set_DefaultCashAccountID(Nullable<Int32>)
PX.Objects.GL	GLWorkBook	get_DefaultEntryTypeID()
PX.Objects.GL	GLWorkBook	set_DefaultEntryTypeID(String)
PX.Objects.GL	GLWorkBook	get_DefaultBAccountID()
PX.Objects.GL	GLWorkBook	set_DefaultBAccountID(Nullable<Int32>)
PX.Objects.GL	GLWorkBook	get_DefaultLocationID()
PX.Objects.GL	GLWorkBook	set_DefaultLocationID(Nullable<Int32>)
PX.Objects.GL	GLWorkBook	get_SingleOpenVoucherBatch()

Namespace	Simple Name	Name
PX.Objects.GL	GLWorkBook	set_SingleOpenVoucherBatch(Nullable<Boolean>)
PX.Objects.GL	GLWorkBook	get_tstamp()
PX.Objects.GL	GLWorkBook	set_tstamp(Byte[])
PX.Objects.GL	GLWorkBook	get_CreatedByID()
PX.Objects.GL	GLWorkBook	set_CreatedByID(Nullable<Guid>)
PX.Objects.GL	GLWorkBook	get_CreatedByScreenID()
PX.Objects.GL	GLWorkBook	set_CreatedByScreenID(String)
PX.Objects.GL	GLWorkBook	get_CreatedDateTime()
PX.Objects.GL	GLWorkBook	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.GL	GLWorkBook	get_LastModifiedByID()
PX.Objects.GL	GLWorkBook	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.GL	GLWorkBook	get_LastModifiedByScreenID()
PX.Objects.GL	GLWorkBook	set_LastModifiedByScreenID(String)
PX.Objects.GL	GLWorkBook	get_LastModifiedDateTime()
PX.Objects.GL	GLWorkBook	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.GL	GLBudgetEntry	GLBudgetLine_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.GL	Filter	get_WorkBookID()
PX.Objects.GL	Filter	set_WorkBookID(String)
PX.Objects.GL	GLTranDoc	get_BranchID()

Namespace	Simple Name	Name
PX.Objects.GL	GLTranDoc	set_BranchID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_Module()
PX.Objects.GL	GLTranDoc	set_Module(String)
PX.Objects.GL	GLTranDoc	get_BatchNbr()
PX.Objects.GL	GLTranDoc	set_BatchNbr(String)
PX.Objects.GL	GLTranDoc	get_LineNbr()
PX.Objects.GL	GLTranDoc	set_LineNbr(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_ImportRefNbr()
PX.Objects.GL	GLTranDoc	set_ImportRefNbr(String)
PX.Objects.GL	GLTranDoc	get_LedgerID()
PX.Objects.GL	GLTranDoc	set_LedgerID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_ParentLineNbr()
PX.Objects.GL	GLTranDoc	set_ParentLineNbr(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_Split()
PX.Objects.GL	GLTranDoc	set_Split(Nullable<Boolean>)
PX.Objects.GL	GLTranDoc	get_ProjectID()
PX.Objects.GL	GLTranDoc	set_ProjectID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_TaskID()
PX.Objects.GL	GLTranDoc	set_TaskID(Nullable<Int32>)

Namespace	Simple Name	Name
PX.Objects.GL	GLTranDoc	get_CuryID()
PX.Objects.GL	GLTranDoc	set_CuryID(String)
PX.Objects.GL	GLTranDoc	get_Trancode()
PX.Objects.GL	GLTranDoc	set_Trancode(String)
PX.Objects.GL	GLTranDoc	get_TrancodeModule()
PX.Objects.GL	GLTranDoc	set_TrancodeModule(String)
PX.Objects.GL	GLTranDoc	get_TrancodeType()
PX.Objects.GL	GLTranDoc	set_TrancodeType(String)
PX.Objects.GL	GLTranDoc	get_TrancodeDate()
PX.Objects.GL	GLTranDoc	set_TrancodeDate(Nullable<DateTime>)
PX.Objects.GL	GLTranDoc	get_BAccountID()
PX.Objects.GL	GLTranDoc	set_BAccountID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_LocationID()
PX.Objects.GL	GLTranDoc	set_LocationID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_EntryTypeID()
PX.Objects.GL	GLTranDoc	set_EntryTypeID(String)
PX.Objects.GL	GLTranDoc	get_CADrCr()
PX.Objects.GL	GLTranDoc	set_CADrCr(String)
PX.Objects.GL	GLTranDoc	get_PaymentMethodID()

Namespace	Simple Name	Name
PX.Objects.GL	GLTranDoc	set_PaymentMethodID(String)
PX.Objects.GL	GLTranDoc	get_TaxCategoryID()
PX.Objects.GL	GLTranDoc	set_TaxCategoryID(String)
PX.Objects.GL	GLTranDoc	get_DebitAccountID()
PX.Objects.GL	GLTranDoc	set_DebitAccountID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_DebitSubID()
PX.Objects.GL	GLTranDoc	set_DebitSubID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_CreditAccountID()
PX.Objects.GL	GLTranDoc	set_CreditAccountID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_CreditSubID()
PX.Objects.GL	GLTranDoc	set_CreditSubID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_RefNbr()
PX.Objects.GL	GLTranDoc	set_RefNbr(String)
PX.Objects.GL	GLTranDoc	get_DocCreated()
PX.Objects.GL	GLTranDoc	set_DocCreated(Nullable<Boolean>)
PX.Objects.GL	GLTranDoc	get_ExtRefNbr()
PX.Objects.GL	GLTranDoc	set_ExtRefNbr(String)
PX.Objects.GL	GLTranDoc	get_TranAmt()
PX.Objects.GL	GLTranDoc	set_TranAmt(Nullable<Decimal>)

Namespace	Simple Name	Name
PX.Objects.GL	GLTranDoc	get_TransTotal()
PX.Objects.GL	GLTranDoc	set_TransTotal(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_CuryInfoID()
PX.Objects.GL	GLTranDoc	set_CuryInfoID(Nullable<Int64>)
PX.Objects.GL	GLTranDoc	get_CuryTranTotal()
PX.Objects.GL	GLTranDoc	set_CuryTranTotal(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_CuryTranAmt()
PX.Objects.GL	GLTranDoc	set_CuryTranAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_Released()
PX.Objects.GL	GLTranDoc	set_Released(Nullable<Boolean>)
PX.Objects.GL	GLTranDoc	get_TransClass()
PX.Objects.GL	GLTranDoc	set_TransClass(String)
PX.Objects.GL	GLTranDoc	get_TransDesc()
PX.Objects.GL	GLTranDoc	set_TransDesc(String)
PX.Objects.GL	GLTranDoc	get_TransLineNbr()
PX.Objects.GL	GLTranDoc	set_TransLineNbr(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_PMInstanceID()
PX.Objects.GL	GLTranDoc	set_PMInstanceID(Nullable<Int32>)
PX.Objects.GL	GLTranDoc	get_FinPeriodID()

Namespace	Simple Name	Name
PX.Objects.GL	GLTranDoc	set_FinPeriodID(String)
PX.Objects.GL	GLTranDoc	get_TranPeriodID()
PX.Objects.GL	GLTranDoc	set_TranPeriodID(String)
PX.Objects.GL	GLTranDoc	get_PMTranID()
PX.Objects.GL	GLTranDoc	set_PMTranID(Nullable<Int64>)
PX.Objects.GL	GLTranDoc	get_LedgerBalanceType()
PX.Objects.GL	GLTranDoc	set_LedgerBalanceType(String)
PX.Objects.GL	GLTranDoc	get_TermsID()
PX.Objects.GL	GLTranDoc	set_TermsID(String)
PX.Objects.GL	GLTranDoc	get_DueDate()
PX.Objects.GL	GLTranDoc	set_DueDate(Nullable<DateTime>)
PX.Objects.GL	GLTranDoc	get_DiscDate()
PX.Objects.GL	GLTranDoc	set_DiscDate(Nullable<DateTime>)
PX.Objects.GL	GLTranDoc	get_CuryDiscAmt()
PX.Objects.GL	GLTranDoc	set_CuryDiscAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_DiscAmt()
PX.Objects.GL	GLTranDoc	set_DiscAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_NoteID()
PX.Objects.GL	GLTranDoc	set_NoteID(Nullable<Guid>)

Namespace	Simple Name	Name
PX.Objects.GL	GLTranDoc	get_tstamp()
PX.Objects.GL	GLTranDoc	set_tstamp(Byte[])
PX.Objects.GL	GLTranDoc	get_CreatedByID()
PX.Objects.GL	GLTranDoc	set_CreatedByID(Nullable<Guid>)
PX.Objects.GL	GLTranDoc	get_CreatedByScreenID()
PX.Objects.GL	GLTranDoc	set_CreatedByScreenID(String)
PX.Objects.GL	GLTranDoc	get_CreatedDateTime()
PX.Objects.GL	GLTranDoc	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.GL	GLTranDoc	get_LastModifiedByID()
PX.Objects.GL	GLTranDoc	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.GL	GLTranDoc	get_LastModifiedByScreenID()
PX.Objects.GL	GLTranDoc	set_LastModifiedByScreenID(String)
PX.Objects.GL	GLTranDoc	get_LastModifiedDateTime()
PX.Objects.GL	GLTranDoc	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.GL	GLTranDoc	get_CuryBalanceAmt()
PX.Objects.GL	GLTranDoc	set_CuryBalanceAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_TaxZoneID()
PX.Objects.GL	GLTranDoc	set_TaxZoneID(String)
PX.Objects.GL	GLTranDoc	get_TaxID()

Namespace	Simple Name	Name
PX.Objects.GL	GLTranDoc	set_TaxID(String)
PX.Objects.GL	GLTranDoc	get_TaxRate()
PX.Objects.GL	GLTranDoc	set_TaxRate(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_CuryTaxableAmt()
PX.Objects.GL	GLTranDoc	set_CuryTaxableAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_TaxableAmt()
PX.Objects.GL	GLTranDoc	set_TaxableAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_CuryTaxAmt()
PX.Objects.GL	GLTranDoc	set_CuryTaxAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_TaxAmt()
PX.Objects.GL	GLTranDoc	set_TaxAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_CuryInclTaxAmt()
PX.Objects.GL	GLTranDoc	set_CuryInclTaxAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_InclTaxAmt()
PX.Objects.GL	GLTranDoc	set_InclTaxAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_CuryOrigWhTaxAmt()
PX.Objects.GL	GLTranDoc	set_CuryOrigWhTaxAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_OrigWhTaxAmt()
PX.Objects.GL	GLTranDoc	set_OrigWhTaxAmt(Nullable<Decimal>)

Namespace	Simple Name	Name
PX.Objects.GL	GLTranDoc	get_CuryApplAmt()
PX.Objects.GL	GLTranDoc	set_CuryApplAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_ApplAmt()
PX.Objects.GL	GLTranDoc	set_ApplAmt(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_CuryDiscTaken()
PX.Objects.GL	GLTranDoc	set_CuryDiscTaken(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_DiscTaken()
PX.Objects.GL	GLTranDoc	set_DiscTaken(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_CuryTaxWheld()
PX.Objects.GL	GLTranDoc	set_CuryTaxWheld(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_TaxWheld()
PX.Objects.GL	GLTranDoc	set_TaxWheld(Nullable<Decimal>)
PX.Objects.GL	GLTranDoc	get_ApplCount()
PX.Objects.GL	GLTranDoc	set_ApplCount(Nullable<Int32>)
PX.Objects.GL	GLTranDocAP	get_BatchNbr()
PX.Objects.GL	GLTranDocAP	set_BatchNbr(String)
PX.Objects.GL	GLTranDocAP	get_BAccountID()
PX.Objects.GL	GLTranDocAP	set_BAccountID(Nullable<Int32>)
PX.Objects.GL	GLTranDocAP	get_TaxCategoryID()

Namespace	Simple Name	Name
PX.Objects.GL	GLTranDocAP	set_TaxCategoryID(String)
PX.Objects.GL	GLTranDocAR	get_BatchNbr()
PX.Objects.GL	GLTranDocAR	set_BatchNbr(String)
PX.Objects.GL	GLTranDocAR	get_BAccountID()
PX.Objects.GL	GLTranDocAR	set_BAccountID(Nullable<Int32>)
PX.Objects.GL	GLTranDocAR	get_TaxCategoryID()
PX.Objects.GL	GLTranDocAR	set_TaxCategoryID(String)
PX.Objects.GL	AcctSubAttribute	get_IsDBField()
PX.Objects.GL	AcctSubAttribute	set_IsDBField(Boolean)
PX.Objects.GL	AcctSubAttribute	get_SelectorAttr()
PX.Objects.GL	CashAccountAttribute	get_SuppressCurrencyValidation()
PX.Objects.GL	CashAccountAttribute	set_SuppressCurrencyValidation(Boolean)
PX.Objects.GL	BranchAcctMap	get_BranchID()
PX.Objects.GL	BranchAcctMap	set_BranchID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMap	get_LineNbr()
PX.Objects.GL	BranchAcctMap	set_LineNbr(Nullable<Int32>)
PX.Objects.GL	BranchAcctMap	get_FromBranchID()
PX.Objects.GL	BranchAcctMap	set_FromBranchID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMap	get_ToBranchID()

Namespace	Simple Name	Name
PX.Objects.GL	BranchAcctMap	set_ToBranchID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMap	get_FromAccountCD()
PX.Objects.GL	BranchAcctMap	set_FromAccountCD(String)
PX.Objects.GL	BranchAcctMap	get_ToAccountCD()
PX.Objects.GL	BranchAcctMap	set_ToAccountCD(String)
PX.Objects.GL	BranchAcctMap	get_MapAccountID()
PX.Objects.GL	BranchAcctMap	set_MapAccountID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMap	get_MapSubID()
PX.Objects.GL	BranchAcctMap	set_MapSubID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapFrom	get_BranchID()
PX.Objects.GL	BranchAcctMapFrom	set_BranchID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapFrom	get_LineNbr()
PX.Objects.GL	BranchAcctMapFrom	set_LineNbr(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapFrom	get_FromBranchID()
PX.Objects.GL	BranchAcctMapFrom	set_FromBranchID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapFrom	get_ToBranchID()
PX.Objects.GL	BranchAcctMapFrom	set_ToBranchID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapFrom	get_FromAccountCD()
PX.Objects.GL	BranchAcctMapFrom	set_FromAccountCD(String)

Namespace	Simple Name	Name
PX.Objects.GL	BranchAcctMapFrom	get_ToAccountCD()
PX.Objects.GL	BranchAcctMapFrom	set_ToAccountCD(String)
PX.Objects.GL	BranchAcctMapFrom	get_MapAccountID()
PX.Objects.GL	BranchAcctMapFrom	set_MapAccountID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapFrom	get_MapSubID()
PX.Objects.GL	BranchAcctMapFrom	set_MapSubID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapTo	get_BranchID()
PX.Objects.GL	BranchAcctMapTo	set_BranchID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapTo	get_LineNbr()
PX.Objects.GL	BranchAcctMapTo	set_LineNbr(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapTo	get_FromBranchID()
PX.Objects.GL	BranchAcctMapTo	set_FromBranchID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapTo	get_ToBranchID()
PX.Objects.GL	BranchAcctMapTo	set_ToBranchID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapTo	get_FromAccountCD()
PX.Objects.GL	BranchAcctMapTo	set_FromAccountCD(String)
PX.Objects.GL	BranchAcctMapTo	get_ToAccountCD()
PX.Objects.GL	BranchAcctMapTo	set_ToAccountCD(String)
PX.Objects.GL	BranchAcctMapTo	get_MapAccountID()

Namespace	Simple Name	Name
PX.Objects.GL	BranchAcctMapTo	set_MapAccountID(Nullable<Int32>)
PX.Objects.GL	BranchAcctMapTo	get_MapSubID()
PX.Objects.GL	BranchAcctMapTo	set_MapSubID(Nullable<Int32>)
PX.Objects.CA	CAResult	get_CashAccountID()
PX.Objects.CA	CAResult	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CCProcessingCenterMaint	GetExpFormatDetail(ICCProcessingExpDateFormatting)
PX.Objects.CA	CABankTranHeader	get_CashAccountID()
PX.Objects.CA	CABankTranHeader	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CABankTranHeader	get_RefNbr()
PX.Objects.CA	CABankTranHeader	set_RefNbr(String)
PX.Objects.CA	CABankTranHeader	get_TrnType()
PX.Objects.CA	CABankTranHeader	set_TrnType(String)
PX.Objects.CA	CABankTranHeader	get_DocDate()
PX.Objects.CA	CABankTranHeader	set_DocDate(Nullable<DateTime>)
PX.Objects.CA	CABankTranHeader	get_CuryID()
PX.Objects.CA	CABankTranHeader	set_CuryID(String)
PX.Objects.CA	CABankTranHeader	get_StartBalanceDate()
PX.Objects.CA	CABankTranHeader	set_StartBalanceDate(Nullable<DateTime>)
PX.Objects.CA	CABankTranHeader	get_EndBalanceDate()

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranHeader	set_EndBalanceDate(Nullable<DateTime>)
PX.Objects.CA	CABankTranHeader	get_CuryBegBalance()
PX.Objects.CA	CABankTranHeader	set_CuryBegBalance(Nullable<Decimal>)
PX.Objects.CA	CABankTranHeader	get_CuryEndBalance()
PX.Objects.CA	CABankTranHeader	set_CuryEndBalance(Nullable<Decimal>)
PX.Objects.CA	CABankTranHeader	get_CuryDebitsTotal()
PX.Objects.CA	CABankTranHeader	set_CuryDebitsTotal(Nullable<Decimal>)
PX.Objects.CA	CABankTranHeader	get_CuryCreditsTotal()
PX.Objects.CA	CABankTranHeader	set_CuryCreditsTotal(Nullable<Decimal>)
PX.Objects.CA	CABankTranHeader	get_BankStatementFormat()
PX.Objects.CA	CABankTranHeader	set_BankStatementFormat(String)
PX.Objects.CA	CABankTranHeader	get_FormatVersionNbr()
PX.Objects.CA	CABankTranHeader	set_FormatVersionNbr(String)
PX.Objects.CA	CABankTranHeader	get_TranMaxDate()
PX.Objects.CA	CABankTranHeader	set_TranMaxDate(Nullable<DateTime>)
PX.Objects.CA	CABankTranHeader	get_NoteID()
PX.Objects.CA	CABankTranHeader	set_NoteID(Nullable<Guid>)
PX.Objects.CA	CABankTranHeader	get_CreatedByID()
PX.Objects.CA	CABankTranHeader	set_CreatedByID(Nullable<Guid>)

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranHeader	get_CreatedByScreenID()
PX.Objects.CA	CABankTranHeader	set_CreatedByScreenID(String)
PX.Objects.CA	CABankTranHeader	get_CreatedDateTime()
PX.Objects.CA	CABankTranHeader	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CABankTranHeader	get_LastModifiedByID()
PX.Objects.CA	CABankTranHeader	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CABankTranHeader	get_LastModifiedByScreenID()
PX.Objects.CA	CABankTranHeader	set_LastModifiedByScreenID(String)
PX.Objects.CA	CABankTranHeader	get_LastModifiedDateTime()
PX.Objects.CA	CABankTranHeader	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CABankTranHeader	get_tstamp()
PX.Objects.CA	CABankTranHeader	set_tstamp(Byte[])
PX.Objects.CA	CABankTranMatch	get_TranID()
PX.Objects.CA	CABankTranMatch	set_TranID(Nullable<Int32>)
PX.Objects.CA	CABankTranMatch	get_TranType()
PX.Objects.CA	CABankTranMatch	set_TranType(String)
PX.Objects.CA	CABankTranMatch	get_CATranID()
PX.Objects.CA	CABankTranMatch	set_CATranID(Nullable<Int64>)
PX.Objects.CA	CABankTranMatch	get_DocModule()

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranMatch	set_DocModule(String)
PX.Objects.CA	CABankTranMatch	get_DocType()
PX.Objects.CA	CABankTranMatch	set_DocType(String)
PX.Objects.CA	CABankTranMatch	get_DocRefNbr()
PX.Objects.CA	CABankTranMatch	set_DocRefNbr(String)
PX.Objects.CA	CABankTranMatch	get_ReferenceID()
PX.Objects.CA	CABankTranMatch	set_ReferenceID(Nullable<Int32>)
PX.Objects.CA	CABankTranMatch	get_CuryAmt()
PX.Objects.CA	CABankTranMatch	set_CuryAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranMatch	get_tstamp()
PX.Objects.CA	CABankTranMatch	set_tstamp(Byte[])
PX.Objects.CA	CABankTranDetail	get_BranchID()
PX.Objects.CA	CABankTranDetail	set_BranchID(Nullable<Int32>)
PX.Objects.CA	CABankTranDetail	get_BankTranID()
PX.Objects.CA	CABankTranDetail	set_BankTranID(Nullable<Int32>)
PX.Objects.CA	CABankTranDetail	get_BankTranType()
PX.Objects.CA	CABankTranDetail	set_BankTranType(String)
PX.Objects.CA	CABankTranDetail	get_LineNbr()
PX.Objects.CA	CABankTranDetail	set_LineNbr(Nullable<Int32>)

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranDetail	get_AccountID()
PX.Objects.CA	CABankTranDetail	set_AccountID(Nullable<Int32>)
PX.Objects.CA	CABankTranDetail	get_SubID()
PX.Objects.CA	CABankTranDetail	set_SubID(Nullable<Int32>)
PX.Objects.CA	CABankTranDetail	get_CashAccountID()
PX.Objects.CA	CABankTranDetail	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CABankTranDetail	get_TaxCategoryID()
PX.Objects.CA	CABankTranDetail	set_TaxCategoryID(String)
PX.Objects.CA	CABankTranDetail	get_ReferenceID()
PX.Objects.CA	CABankTranDetail	set_ReferenceID(Nullable<Int32>)
PX.Objects.CA	CABankTranDetail	get_TranDesc()
PX.Objects.CA	CABankTranDetail	set_TranDesc(String)
PX.Objects.CA	CABankTranDetail	get_CuryInfoID()
PX.Objects.CA	CABankTranDetail	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CA	CABankTranDetail	get_CuryTranAmt()
PX.Objects.CA	CABankTranDetail	set_CuryTranAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranDetail	get_TranAmt()
PX.Objects.CA	CABankTranDetail	set_TranAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranDetail	get_CuryTaxableAmt()

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranDetail	set_CuryTaxableAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranDetail	get_TaxableAmt()
PX.Objects.CA	CABankTranDetail	set_TaxableAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranDetail	get_InventoryID()
PX.Objects.CA	CABankTranDetail	set_InventoryID(Nullable<Int32>)
PX.Objects.CA	CABankTranDetail	get_Qty()
PX.Objects.CA	CABankTranDetail	set_Qty(Nullable<Decimal>)
PX.Objects.CA	CABankTranDetail	get_UnitPrice()
PX.Objects.CA	CABankTranDetail	set_UnitPrice(Nullable<Decimal>)
PX.Objects.CA	CABankTranDetail	get_CuryUnitPrice()
PX.Objects.CA	CABankTranDetail	set_CuryUnitPrice(Nullable<Decimal>)
PX.Objects.CA	CABankTranDetail	get_ProjectID()
PX.Objects.CA	CABankTranDetail	set_ProjectID(Nullable<Int32>)
PX.Objects.CA	CABankTranDetail	get_TaskID()
PX.Objects.CA	CABankTranDetail	set_TaskID(Nullable<Int32>)
PX.Objects.CA	CABankTranDetail	get_NonBillable()
PX.Objects.CA	CABankTranDetail	set_NonBillable(Nullable<Boolean>)
PX.Objects.CA	CABankTranDetail	get_NoteID()
PX.Objects.CA	CABankTranDetail	set_NoteID(Nullable<Guid>)

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranDetail	get_CreatedByID()
PX.Objects.CA	CABankTranDetail	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	CABankTranDetail	get_CreatedByScreenID()
PX.Objects.CA	CABankTranDetail	set_CreatedByScreenID(String)
PX.Objects.CA	CABankTranDetail	get_CreatedDateTime()
PX.Objects.CA	CABankTranDetail	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CABankTranDetail	get_LastModifiedByID()
PX.Objects.CA	CABankTranDetail	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CABankTranDetail	get_LastModifiedByScreenID()
PX.Objects.CA	CABankTranDetail	set_LastModifiedByScreenID(String)
PX.Objects.CA	CABankTranDetail	get_LastModifiedDateTime()
PX.Objects.CA	CABankTranDetail	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CABankTranDetail	get_tstamp()
PX.Objects.CA	CABankTranDetail	set_tstamp(Byte[])
PX.Objects.CA	CADepositCharge	get_TranType()
PX.Objects.CA	CADepositCharge	set_TranType(String)
PX.Objects.CA	CADepositCharge	get_RefNbr()
PX.Objects.CA	CADepositCharge	set_RefNbr(String)
PX.Objects.CA	CADepositCharge	get_EntryTypeID()

Namespace	Simple Name	Name
PX.Objects.CA	CADepositCharge	set_EntryTypeID(String)
PX.Objects.CA	CADepositCharge	get_DepositAcctID()
PX.Objects.CA	CADepositCharge	set_DepositAcctID(Nullable<Int32>)
PX.Objects.CA	CADepositCharge	get_PaymentMethodID()
PX.Objects.CA	CADepositCharge	set_PaymentMethodID(String)
PX.Objects.CA	CADepositCharge	get_AccountID()
PX.Objects.CA	CADepositCharge	set_AccountID(Nullable<Int32>)
PX.Objects.CA	CADepositCharge	get_SubID()
PX.Objects.CA	CADepositCharge	set_SubID(Nullable<Int32>)
PX.Objects.CA	CADepositCharge	get_DrCr()
PX.Objects.CA	CADepositCharge	set_DrCr(String)
PX.Objects.CA	CADepositCharge	get_ChargeRate()
PX.Objects.CA	CADepositCharge	set_ChargeRate(Nullable<Decimal>)
PX.Objects.CA	CADepositCharge	get_CuryInfoID()
PX.Objects.CA	CADepositCharge	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CA	CADepositCharge	get_CuryChargeableAmt()
PX.Objects.CA	CADepositCharge	set_CuryChargeableAmt(Nullable<Decimal>)
PX.Objects.CA	CADepositCharge	get_ChargeableAmt()
PX.Objects.CA	CADepositCharge	set_ChargeableAmt(Nullable<Decimal>)

Namespace	Simple Name	Name
PX.Objects.CA	CADepositCharge	get_CuryChargeAmt()
PX.Objects.CA	CADepositCharge	set_CuryChargeAmt(Nullable<Decimal>)
PX.Objects.CA	CADepositCharge	get_ChargeAmt()
PX.Objects.CA	CADepositCharge	set_ChargeAmt(Nullable<Decimal>)
PX.Objects.CA	CADepositCharge	get_CreatedByID()
PX.Objects.CA	CADepositCharge	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	CADepositCharge	get_CreatedByScreenID()
PX.Objects.CA	CADepositCharge	set_CreatedByScreenID(String)
PX.Objects.CA	CADepositCharge	get_CreatedDateTime()
PX.Objects.CA	CADepositCharge	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CADepositCharge	get_LastModifiedByID()
PX.Objects.CA	CADepositCharge	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CADepositCharge	get_LastModifiedByScreenID()
PX.Objects.CA	CADepositCharge	set_LastModifiedByScreenID(String)
PX.Objects.CA	CADepositCharge	get_LastModifiedDateTime()
PX.Objects.CA	CADepositCharge	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CADepositCharge	get_tstamp()
PX.Objects.CA	CADepositCharge	set_tstamp(Byte[])
PX.Objects.CA	CashAccountDeposit	get_AccountID()

Namespace	Simple Name	Name
PX.Objects.CA	CashAccountDeposit	set_AccountID(Nullable<Int32>)
PX.Objects.CA	CashAccountDeposit	get_DepositAcctID()
PX.Objects.CA	CashAccountDeposit	set_DepositAcctID(Nullable<Int32>)
PX.Objects.CA	CashAccountDeposit	get_PaymentMethodID()
PX.Objects.CA	CashAccountDeposit	set_PaymentMethodID(String)
PX.Objects.CA	CashAccountDeposit	get_ChargeEntryTypeID()
PX.Objects.CA	CashAccountDeposit	set_ChargeEntryTypeID(String)
PX.Objects.CA	CashAccountDeposit	get_ChargeRate()
PX.Objects.CA	CashAccountDeposit	set_ChargeRate(Nullable<Decimal>)
PX.Objects.CA	CASetupApproval	get_ApprovalID()
PX.Objects.CA	CASetupApproval	set_ApprovalID(Nullable<Int32>)
PX.Objects.CA	CASetupApproval	get_AssignmentMapID()
PX.Objects.CA	CASetupApproval	set_AssignmentMapID(Nullable<Int32>)
PX.Objects.CA	CASetupApproval	get_AssignmentNotificationID()
PX.Objects.CA	CASetupApproval	set_AssignmentNotificationID(Nullable<Int32>)
PX.Objects.CA	CASetupApproval	get_tstamp()
PX.Objects.CA	CASetupApproval	set_tstamp(Byte[])
PX.Objects.CA	CASetupApproval	get_CreatedByID()
PX.Objects.CA	CASetupApproval	set_CreatedByID(Nullable<Guid>)

Namespace	Simple Name	Name
PX.Objects.CA	CASetupApproval	get_CreatedByScreenID()
PX.Objects.CA	CASetupApproval	set_CreatedByScreenID(String)
PX.Objects.CA	CASetupApproval	get_CreatedDateTime()
PX.Objects.CA	CASetupApproval	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CASetupApproval	get_LastModifiedByID()
PX.Objects.CA	CASetupApproval	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CASetupApproval	get_LastModifiedByScreenID()
PX.Objects.CA	CASetupApproval	set_LastModifiedByScreenID(String)
PX.Objects.CA	CASetupApproval	get_LastModifiedDateTime()
PX.Objects.CA	CASetupApproval	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CASetupApproval	get_IsActive()
PX.Objects.CA	CASetupApproval	set_IsActive(Nullable<Boolean>)
PX.Objects.CA	CashFlowForecast	get_RecordID()
PX.Objects.CA	CashFlowForecast	set_RecordID(Nullable<Int64>)
PX.Objects.CA	CashFlowForecast	get_StartingDate()
PX.Objects.CA	CashFlowForecast	set_StartingDate(Nullable<DateTime>)
PX.Objects.CA	CashFlowForecast	get_RecordType()
PX.Objects.CA	CashFlowForecast	set_RecordType(Nullable<Int32>)
PX.Objects.CA	CashFlowForecast	get_CashAccountID()

Namespace	Simple Name	Name
PX.Objects.CA	CashFlowForecast	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CashFlowForecast	get_BAccountID()
PX.Objects.CA	CashFlowForecast	set_BAccountID(Nullable<Int32>)
PX.Objects.CA	CashFlowForecast	get_EntryID()
PX.Objects.CA	CashFlowForecast	set_EntryID(Nullable<Int32>)
PX.Objects.CA	CashFlowForecast	get_CuryID()
PX.Objects.CA	CashFlowForecast	set_CuryID(String)
PX.Objects.CA	CashFlowForecast	get_AcctCuryID()
PX.Objects.CA	CashFlowForecast	set_AcctCuryID(String)
PX.Objects.CA	CashFlowForecast	get_CuryInfoID()
PX.Objects.CA	CashFlowForecast	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CA	CashFlowForecast	get_CuryAmountDay0()
PX.Objects.CA	CashFlowForecast	set_CuryAmountDay0(Nullable<Decimal>)
PX.Objects.CA	CashFlowForecast2	get_RecordID()
PX.Objects.CA	CashFlowForecast2	set_RecordID(Nullable<Int64>)
PX.Objects.CA	CashFlowForecast2	get_TranDate()
PX.Objects.CA	CashFlowForecast2	set_TranDate(Nullable<DateTime>)
PX.Objects.CA	CashFlowForecast2	get_CashAccountID()
PX.Objects.CA	CashFlowForecast2	set_CashAccountID(Nullable<Int32>)

Namespace	Simple Name	Name
PX.Objects.CA	CashFlowForecast2	get_CuryID()
PX.Objects.CA	CashFlowForecast2	set_CuryID(String)
PX.Objects.CA	CashFlowForecast2	get_AcctCuryID()
PX.Objects.CA	CashFlowForecast2	set_AcctCuryID(String)
PX.Objects.CA	CashFlowForecast2	get_RecordType()
PX.Objects.CA	CashFlowForecast2	set_RecordType(Nullable<Int32>)
PX.Objects.CA	CashFlowForecast2	get_BAccountID()
PX.Objects.CA	CashFlowForecast2	set_BAccountID(Nullable<Int32>)
PX.Objects.CA	CashFlowForecast2	get_EntryID()
PX.Objects.CA	CashFlowForecast2	set_EntryID(Nullable<Int32>)
PX.Objects.CA	CashFlowForecast2	get_CuryInfoID()
PX.Objects.CA	CashFlowForecast2	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CA	CashForecastTran	get_TranID()
PX.Objects.CA	CashForecastTran	set_TranID(Nullable<Int32>)
PX.Objects.CA	CashForecastTran	get_TranDate()
PX.Objects.CA	CashForecastTran	set_TranDate(Nullable<DateTime>)
PX.Objects.CA	CashForecastTran	get_CashAccountID()
PX.Objects.CA	CashForecastTran	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CashForecastTran	get_DrCr()

Namespace	Simple Name	Name
PX.Objects.CA	CashForecastTran	set_DrCr(String)
PX.Objects.CA	CashForecastTran	get_TransDesc()
PX.Objects.CA	CashForecastTran	set_TransDesc(String)
PX.Objects.CA	CashForecastTran	get_CuryID()
PX.Objects.CA	CashForecastTran	set_CuryID(String)
PX.Objects.CA	CashForecastTran	get_CuryTranAmt()
PX.Objects.CA	CashForecastTran	set_CuryTranAmt(Nullable<Decimal>)
PX.Objects.CA	CashForecastTran	get_TransAmt()
PX.Objects.CA	CashForecastTran	set_TransAmt(Nullable<Decimal>)
PX.Objects.CA	CashForecastTran	get_NoteID()
PX.Objects.CA	CashForecastTran	set_NoteID(Nullable<Guid>)
PX.Objects.CA	CashForecastTran	get_CreatedByID()
PX.Objects.CA	CashForecastTran	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	CashForecastTran	get_CreatedByScreenID()
PX.Objects.CA	CashForecastTran	set_CreatedByScreenID(String)
PX.Objects.CA	CashForecastTran	get_CreatedDateTime()
PX.Objects.CA	CashForecastTran	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CashForecastTran	get_LastModifiedByID()
PX.Objects.CA	CashForecastTran	set_LastModifiedByID(Nullable<Guid>)

Namespace	Simple Name	Name
PX.Objects.CA	CashForecastTran	get_LastModifiedByScreenID()
PX.Objects.CA	CashForecastTran	set_LastModifiedByScreenID(String)
PX.Objects.CA	CashForecastTran	get_LastModifiedDateTime()
PX.Objects.CA	CashForecastTran	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CABankTranAdjustment	get_TranID()
PX.Objects.CA	CABankTranAdjustment	set_TranID(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_Selected()
PX.Objects.CA	CABankTranAdjustment	set_Selected(Nullable<Boolean>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdModule()
PX.Objects.CA	CABankTranAdjustment	set_AdjdModule(String)
PX.Objects.CA	CABankTranAdjustment	get_AdjdDocType()
PX.Objects.CA	CABankTranAdjustment	set_AdjdDocType(String)
PX.Objects.CA	CABankTranAdjustment	get_AdjdRefNbr()
PX.Objects.CA	CABankTranAdjustment	set_AdjdRefNbr(String)
PX.Objects.CA	CABankTranAdjustment	get_AdjdBranchID()
PX.Objects.CA	CABankTranAdjustment	set_AdjdBranchID(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_AdjNbr()
PX.Objects.CA	CABankTranAdjustment	set_AdjNbr(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_CuryAdjAmt()

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranAdjustment	set_CuryAdjAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_tstamp()
PX.Objects.CA	CABankTranAdjustment	set_tstamp(Byte[])
PX.Objects.CA	CABankTranAdjustment	get_CreatedByID()
PX.Objects.CA	CABankTranAdjustment	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	CABankTranAdjustment	get_CreatedByScreenID()
PX.Objects.CA	CABankTranAdjustment	set_CreatedByScreenID(String)
PX.Objects.CA	CABankTranAdjustment	get_CreatedDateTime()
PX.Objects.CA	CABankTranAdjustment	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CABankTranAdjustment	get_LastModifiedByID()
PX.Objects.CA	CABankTranAdjustment	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CABankTranAdjustment	get_LastModifiedByScreenID()
PX.Objects.CA	CABankTranAdjustment	set_LastModifiedByScreenID(String)
PX.Objects.CA	CABankTranAdjustment	get_LastModifiedDateTime()
PX.Objects.CA	CABankTranAdjustment	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CABankTranAdjustment	get_SeparateCheck()
PX.Objects.CA	CABankTranAdjustment	set_SeparateCheck(Nullable<Boolean>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdCuryInfoID()
PX.Objects.CA	CABankTranAdjustment	set_AdjdCuryInfoID(Nullable<Int64>)

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranAdjustment	get_StubNbr()
PX.Objects.CA	CABankTranAdjustment	set_StubNbr(String)
PX.Objects.CA	CABankTranAdjustment	get_AdjBatchNbr()
PX.Objects.CA	CABankTranAdjustment	set_AdjBatchNbr(String)
PX.Objects.CA	CABankTranAdjustment	get_VoidAdjNbr()
PX.Objects.CA	CABankTranAdjustment	set_VoidAdjNbr(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdOrigCuryInfoID()
PX.Objects.CA	CABankTranAdjustment	set_AdjdOrigCuryInfoID(Nullable<Int64>)
PX.Objects.CA	CABankTranAdjustment	get_AdjgCuryInfoID()
PX.Objects.CA	CABankTranAdjustment	set_AdjgCuryInfoID(Nullable<Int64>)
PX.Objects.CA	CABankTranAdjustment	get_AdjgDocDate()
PX.Objects.CA	CABankTranAdjustment	set_AdjgDocDate(Nullable<DateTime>)
PX.Objects.CA	CABankTranAdjustment	get_AdjgFinPeriodID()
PX.Objects.CA	CABankTranAdjustment	set_AdjgFinPeriodID(String)
PX.Objects.CA	CABankTranAdjustment	get_AdjgTranPeriodID()
PX.Objects.CA	CABankTranAdjustment	set_AdjgTranPeriodID(String)
PX.Objects.CA	CABankTranAdjustment	get_AdjdDocDate()
PX.Objects.CA	CABankTranAdjustment	set_AdjdDocDate(Nullable<DateTime>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdFinPeriodID()

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranAdjustment	set_AdjdFinPeriodID(String)
PX.Objects.CA	CABankTranAdjustment	get_AdjdClosedFinPeriodID()
PX.Objects.CA	CABankTranAdjustment	set_AdjdClosedFinPeriodID(String)
PX.Objects.CA	CABankTranAdjustment	get_AdjdTranPeriodID()
PX.Objects.CA	CABankTranAdjustment	set_AdjdTranPeriodID(String)
PX.Objects.CA	CABankTranAdjustment	get_CuryAdjgDiscAmt()
PX.Objects.CA	CABankTranAdjustment	set_CuryAdjgDiscAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_CuryAdjgWhTaxAmt()
PX.Objects.CA	CABankTranAdjustment	set_CuryAdjgWhTaxAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_CuryAdjgAmt()
PX.Objects.CA	CABankTranAdjustment	set_CuryAdjgAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_AdjDiscAmt()
PX.Objects.CA	CABankTranAdjustment	set_AdjDiscAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_CuryAdjdDiscAmt()
PX.Objects.CA	CABankTranAdjustment	set_CuryAdjdDiscAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_AdjWhTaxAmt()
PX.Objects.CA	CABankTranAdjustment	set_AdjWhTaxAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_CuryAdjdWhTaxAmt()
PX.Objects.CA	CABankTranAdjustment	set_CuryAdjdWhTaxAmt(Nullable<Decimal>)

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranAdjustment	get_AdjAmt()
PX.Objects.CA	CABankTranAdjustment	set_AdjAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_RGOLAmt()
PX.Objects.CA	CABankTranAdjustment	set_RGOLAmt(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_Released()
PX.Objects.CA	CABankTranAdjustment	set_Released(Nullable<Boolean>)
PX.Objects.CA	CABankTranAdjustment	get_Hold()
PX.Objects.CA	CABankTranAdjustment	set_Hold(Nullable<Boolean>)
PX.Objects.CA	CABankTranAdjustment	get_Voided()
PX.Objects.CA	CABankTranAdjustment	set_Voided(Nullable<Boolean>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdAPAcct()
PX.Objects.CA	CABankTranAdjustment	set_AdjdAPAcct(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdAPSub()
PX.Objects.CA	CABankTranAdjustment	set_AdjdAPSub(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdARAcct()
PX.Objects.CA	CABankTranAdjustment	set_AdjdARAcct(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdARSub()
PX.Objects.CA	CABankTranAdjustment	set_AdjdARSub(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdWhTaxAcctID()

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranAdjustment	set_AdjdWhTaxAcctID(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdWhTaxSubID()
PX.Objects.CA	CABankTranAdjustment	set_AdjdWhTaxSubID(Nullable<Int32>)
PX.Objects.CA	CABankTranAdjustment	get_NotelID()
PX.Objects.CA	CABankTranAdjustment	set_NotelID(Nullable<Guid>)
PX.Objects.CA	CABankTranAdjustment	get_AdjdCuryRate()
PX.Objects.CA	CABankTranAdjustment	set_AdjdCuryRate(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_CuryDocBal()
PX.Objects.CA	CABankTranAdjustment	set_CuryDocBal(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_DocBal()
PX.Objects.CA	CABankTranAdjustment	set_DocBal(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_CuryDiscBal()
PX.Objects.CA	CABankTranAdjustment	set_CuryDiscBal(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_DiscBal()
PX.Objects.CA	CABankTranAdjustment	set_DiscBal(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_CuryWhTaxBal()
PX.Objects.CA	CABankTranAdjustment	set_CuryWhTaxBal(Nullable<Decimal>)
PX.Objects.CA	CABankTranAdjustment	get_WhTaxBal()
PX.Objects.CA	CABankTranAdjustment	set_WhTaxBal(Nullable<Decimal>)

Namespace	Simple Name	Name
PX.Objects.CA	CABankTranAdjustment	get_WriteOffReasonCode()
PX.Objects.CA	CABankTranAdjustment	set_WriteOffReasonCode(String)
PX.Objects.CA	CATax	get_AdjTranType()
PX.Objects.CA	CATax	set_AdjTranType(String)
PX.Objects.CA	CATax	get_AdjRefNbr()
PX.Objects.CA	CATax	set_AdjRefNbr(String)
PX.Objects.CA	CATax	get_LineNbr()
PX.Objects.CA	CATax	set_LineNbr(Nullable<Int32>)
PX.Objects.CA	CATax	get_CuryTaxableAmt()
PX.Objects.CA	CATax	set_CuryTaxableAmt(Nullable<Decimal>)
PX.Objects.CA	CATax	get_TaxableAmt()
PX.Objects.CA	CATax	set_TaxableAmt(Nullable<Decimal>)
PX.Objects.CA	CATax	get_CuryTaxAmt()
PX.Objects.CA	CATax	set_CuryTaxAmt(Nullable<Decimal>)
PX.Objects.CA	CATax	get_TaxAmt()
PX.Objects.CA	CATax	set_TaxAmt(Nullable<Decimal>)
PX.Objects.CA	CATax	get_tstamp()
PX.Objects.CA	CATax	set_tstamp(Byte[])
PX.Objects.CA	CABankTransactionsMaint	EvaluateMatching(String,String,Boolean)

Namespace	Simple Name	Name
PX.Objects.CA	CABankTransactionsMaint	EvaluateTideMatching(String,String,Boolean)
PX.Objects.CA	PaymentMethodAccount	get_CashAccountID()
PX.Objects.CA	PaymentMethodAccount	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	AddTrxFilter	get_EntryTypeID()
PX.Objects.CA	AddTrxFilter	set_EntryTypeID(String)
PX.Objects.CA	CashAccountCheck	get_AccountID()
PX.Objects.CA	CashAccountCheck	set_AccountID(Nullable<Int32>)
PX.Objects.CA	CashAccountCheck	get_PaymentMethodID()
PX.Objects.CA	CashAccountCheck	set_PaymentMethodID(String)
PX.Objects.CA	CashAccountCheck	get_CheckNbr()
PX.Objects.CA	CashAccountCheck	set_CheckNbr(String)
PX.Objects.CA	CashAccountCheck	get_DocType()
PX.Objects.CA	CashAccountCheck	set_DocType(String)
PX.Objects.CA	CashAccountCheck	get_RefNbr()
PX.Objects.CA	CashAccountCheck	set_RefNbr(String)
PX.Objects.CA	CashAccountCheck	get_tstamp()
PX.Objects.CA	CashAccountCheck	set_tstamp(Byte[])
PX.Objects.CA	CashAccountCheck	get_CreatedByID()
PX.Objects.CA	CashAccountCheck	set_CreatedByID(Nullable<Guid>)

Namespace	Simple Name	Name
PX.Objects.CA	CashAccountCheck	get_CreatedByScreenID()
PX.Objects.CA	CashAccountCheck	set_CreatedByScreenID(String)
PX.Objects.CA	CashAccountCheck	get_CreatedDateTime()
PX.Objects.CA	CashAccountCheck	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CashAccountCheck	get_LastModifiedByID()
PX.Objects.CA	CashAccountCheck	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CashAccountCheck	get_LastModifiedByScreenID()
PX.Objects.CA	CashAccountCheck	set_LastModifiedByScreenID(String)
PX.Objects.CA	CashAccountCheck	get_LastModifiedDateTime()
PX.Objects.CA	CashAccountCheck	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	PaymentMethod	get_PaymentMethodID()
PX.Objects.CA	PaymentMethod	set_PaymentMethodID(String)
PX.Objects.CA	PaymentMethod	get_PMInstanceID()
PX.Objects.CA	PaymentMethod	set_PMInstanceID(Nullable<Int32>)
PX.Objects.CA	PaymentMethod	get_Descr()
PX.Objects.CA	PaymentMethod	set_Descr(String)
PX.Objects.CA	PaymentMethod	get_PaymentType()
PX.Objects.CA	PaymentMethod	set_PaymentType(String)
PX.Objects.CA	PaymentMethod	get_DefaultCashAccountID()

Namespace	Simple Name	Name
PX.Objects.CA	PaymentMethod	set_DefaultCashAccountID(Nullable<Int32>)
PX.Objects.CA	PaymentMethod	get_IsActive()
PX.Objects.CA	PaymentMethod	set_IsActive(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_UseForAR()
PX.Objects.CA	PaymentMethod	set_UseForAR(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_UseForAP()
PX.Objects.CA	PaymentMethod	set_UseForAP(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_UseForCA()
PX.Objects.CA	PaymentMethod	set_UseForCA(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_APAdditionalProcessing()
PX.Objects.CA	PaymentMethod	set_APAdditionalProcessing(String)
PX.Objects.CA	PaymentMethod	get_APCreateBatchPayment()
PX.Objects.CA	PaymentMethod	set_APCreateBatchPayment(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_APBatchExportSYMmappingID()
PX.Objects.CA	PaymentMethod	set_APBatchExportSYMmappingID(Nullable<Guid>)
PX.Objects.CA	PaymentMethod	get_APPrintChecks()
PX.Objects.CA	PaymentMethod	set_APPrintChecks(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_APCheckReportID()
PX.Objects.CA	PaymentMethod	set_APCheckReportID(String)

Namespace	Simple Name	Name
PX.Objects.CA	PaymentMethod	get_APStubLines()
PX.Objects.CA	PaymentMethod	set_APStubLines(Nullable<Int16>)
PX.Objects.CA	PaymentMethod	get_APPrintRemittance()
PX.Objects.CA	PaymentMethod	set_APPrintRemittance(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_APRemittanceReportID()
PX.Objects.CA	PaymentMethod	set_APRemittanceReportID(String)
PX.Objects.CA	PaymentMethod	get_APRequirePaymentRef()
PX.Objects.CA	PaymentMethod	set_APRequirePaymentRef(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_ARIsProcessingRequired()
PX.Objects.CA	PaymentMethod	set_ARIsProcessingRequired(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_ARIsOnePerCustomer()
PX.Objects.CA	PaymentMethod	set_ARIsOnePerCustomer(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_ARDepositAsBatch()
PX.Objects.CA	PaymentMethod	set_ARDepositAsBatch(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_ARVoidOnDepositAccount()
PX.Objects.CA	PaymentMethod	set_ARVoidOnDepositAccount(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_ARDefaultVoidDateToDocumentDate()
PX.Objects.CA	PaymentMethod	set_ARDefaultVoidDateToDocumentDate(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_ARHasBillingInfo()

Namespace	Simple Name	Name
PX.Objects.CA	PaymentMethod	set_ARHasBillingInfo(Nullable<Boolean>)
PX.Objects.CA	PaymentMethod	get_NoteID()
PX.Objects.CA	PaymentMethod	set_NoteID(Nullable<Guid>)
PX.Objects.CA	PaymentMethod	get_CreatedByID()
PX.Objects.CA	PaymentMethod	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	PaymentMethod	get_CreatedByScreenID()
PX.Objects.CA	PaymentMethod	set_CreatedByScreenID(String)
PX.Objects.CA	PaymentMethod	get_CreatedDateTime()
PX.Objects.CA	PaymentMethod	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	PaymentMethod	get_LastModifiedByID()
PX.Objects.CA	PaymentMethod	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	PaymentMethod	get_LastModifiedByScreenID()
PX.Objects.CA	PaymentMethod	set_LastModifiedByScreenID(String)
PX.Objects.CA	PaymentMethod	get_LastModifiedDateTime()
PX.Objects.CA	PaymentMethod	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	PaymentMethod	get_tstamp()
PX.Objects.CA	PaymentMethod	set_tstamp(Byte[])
PX.Objects.CA	PaymentMethod	get_APAAllowInstances()
PX.Objects.CA	PaymentMethod	set_APAAllowInstances(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.CA	PMInstance	get_tstamp()
PX.Objects.CA	PMInstance	set_tstamp(Byte[])
PX.Objects.CA	PaymentMethodDetail	get_PaymentMethodID()
PX.Objects.CA	PaymentMethodDetail	set_PaymentMethodID(String)
PX.Objects.CA	PaymentMethodDetail	get_UseFor()
PX.Objects.CA	PaymentMethodDetail	set_UseFor(String)
PX.Objects.CA	PaymentMethodDetail	get_DetailID()
PX.Objects.CA	PaymentMethodDetail	set_DetailID(String)
PX.Objects.CA	PaymentMethodDetail	get_Descr()
PX.Objects.CA	PaymentMethodDetail	set_Descr(String)
PX.Objects.CA	PaymentMethodDetail	get_EntryMask()
PX.Objects.CA	PaymentMethodDetail	set_EntryMask(String)
PX.Objects.CA	PaymentMethodDetail	get_ValidRegexp()
PX.Objects.CA	PaymentMethodDetail	set_ValidRegexp(String)
PX.Objects.CA	PaymentMethodDetail	get_DisplayMask()
PX.Objects.CA	PaymentMethodDetail	set_DisplayMask(String)
PX.Objects.CA	PaymentMethodDetail	get_IsEncrypted()
PX.Objects.CA	PaymentMethodDetail	set_IsEncrypted(Nullable<Boolean>)
PX.Objects.CA	PaymentMethodDetail	get_IsRequired()

Namespace	Simple Name	Name
PX.Objects.CA	PaymentMethodDetail	set_IsRequired(Nullable<Boolean>)
PX.Objects.CA	PaymentMethodDetail	get_IsIdentifier()
PX.Objects.CA	PaymentMethodDetail	set_IsIdentifier(Nullable<Boolean>)
PX.Objects.CA	PaymentMethodDetail	get_IsExpirationDate()
PX.Objects.CA	PaymentMethodDetail	set_IsExpirationDate(Nullable<Boolean>)
PX.Objects.CA	PaymentMethodDetail	get_IsOwnerName()
PX.Objects.CA	PaymentMethodDetail	set_IsOwnerName(Nullable<Boolean>)
PX.Objects.CA	PaymentMethodDetail	get_IsCCProcessingID()
PX.Objects.CA	PaymentMethodDetail	set_IsCCProcessingID(Nullable<Boolean>)
PX.Objects.CA	PaymentMethodDetail	get_OrderIndex()
PX.Objects.CA	PaymentMethodDetail	set_OrderIndex(Nullable<Int16>)
PX.Objects.CA	PaymentMethodDetail	get_tstamp()
PX.Objects.CA	PaymentMethodDetail	set_tstamp(Byte[])
PX.Objects.CA	PaymentMethodDetail	get_CreatedByID()
PX.Objects.CA	PaymentMethodDetail	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	PaymentMethodDetail	get_CreatedByScreenID()
PX.Objects.CA	PaymentMethodDetail	set_CreatedByScreenID(String)
PX.Objects.CA	PaymentMethodDetail	get_CreatedDateTime()
PX.Objects.CA	PaymentMethodDetail	set_CreatedDateTime(Nullable<DateTime>)

Namespace	Simple Name	Name
PX.Objects.CA	PaymentMethodDetail	get_LastModifiedByID()
PX.Objects.CA	PaymentMethodDetail	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	PaymentMethodDetail	get_LastModifiedByScreenID()
PX.Objects.CA	PaymentMethodDetail	set_LastModifiedByScreenID(String)
PX.Objects.CA	PaymentMethodDetail	get_LastModifiedDateTime()
PX.Objects.CA	PaymentMethodDetail	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	PaymentMethodDetail	get_NoteID()
PX.Objects.CA	PaymentMethodDetail	set_NoteID(Nullable<Guid>)
PX.Objects.CA	CATranRefNbr	get_RefNbr()
PX.Objects.CA	CATranRefNbr	set_RefNbr(String)
PX.Objects.CA	PXProviderTypeSelectorAttribute	.ctor(Type)
PX.Objects.CA	PaymentMethodMaint	Persist()
PX.Objects.CA	PaymentMethodAccount2	get_PaymentMethodID()
PX.Objects.CA	PaymentMethodAccount2	set_PaymentMethodID(String)
PX.Objects.CA	PaymentMethodAccount2	get_CashAccountID()
PX.Objects.CA	PaymentMethodAccount2	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	PaymentMethodAccount2	get_UseForAP()
PX.Objects.CA	PaymentMethodAccount2	set_UseForAP(Nullable<Boolean>)
PX.Objects.CA	CashAccount	get_Active()

Namespace	Simple Name	Name
PX.Objects.CA	CashAccount	set_Active(Nullable<Boolean>)
PX.Objects.CA	CashAccount	get_CashAccountID()
PX.Objects.CA	CashAccount	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CashAccount	get_CashAccountCD()
PX.Objects.CA	CashAccount	set_CashAccountCD(String)
PX.Objects.CA	CashAccount	get_AccountID()
PX.Objects.CA	CashAccount	set_AccountID(Nullable<Int32>)
PX.Objects.CA	CashAccount	get_BranchID()
PX.Objects.CA	CashAccount	set_BranchID(Nullable<Int32>)
PX.Objects.CA	CashAccount	get_SubID()
PX.Objects.CA	CashAccount	set_SubID(Nullable<Int32>)
PX.Objects.CA	CashAccount	get_Descr()
PX.Objects.CA	CashAccount	set_Descr(String)
PX.Objects.CA	CashAccount	get_CuryID()
PX.Objects.CA	CashAccount	set_CuryID(String)
PX.Objects.CA	CashAccount	get_CuryRateTypeID()
PX.Objects.CA	CashAccount	set_CuryRateTypeID(String)
PX.Objects.CA	CashAccount	get_ExtRefNbr()
PX.Objects.CA	CashAccount	set_ExtRefNbr(String)

Namespace	Simple Name	Name
PX.Objects.CA	CashAccount	get_Reconcile()
PX.Objects.CA	CashAccount	set_Reconcile(Nullable<Boolean>)
PX.Objects.CA	CashAccount	get_ReferenceID()
PX.Objects.CA	CashAccount	set_ReferenceID(Nullable<Int32>)
PX.Objects.CA	CashAccount	get_ReconNumberingID()
PX.Objects.CA	CashAccount	set_ReconNumberingID(String)
PX.Objects.CA	CashAccount	get_ClearingAccount()
PX.Objects.CA	CashAccount	set_ClearingAccount(Nullable<Boolean>)
PX.Objects.CA	CashAccount	get_StatementImportTypeName()
PX.Objects.CA	CashAccount	set_StatementImportTypeName(String)
PX.Objects.CA	CashAccount	get_PTInstancesAllowed()
PX.Objects.CA	CashAccount	set_PTInstancesAllowed(Nullable<Boolean>)
PX.Objects.CA	CashAccount	get_AcctSettingsAllowed()
PX.Objects.CA	CashAccount	set_AcctSettingsAllowed(Nullable<Boolean>)
PX.Objects.CA	CAEntryType	get_EntryTypeId()
PX.Objects.CA	CAEntryType	set_EntryTypeId(String)
PX.Objects.CA	CAEntryType	get_Module()
PX.Objects.CA	CAEntryType	set_Module(String)
PX.Objects.CA	CAEntryType	get_CashAccountID()

Namespace	Simple Name	Name
PX.Objects.CA	CAEntryType	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CAEntryType	get_AccountID()
PX.Objects.CA	CAEntryType	set_AccountID(Nullable<Int32>)
PX.Objects.CA	CAEntryType	get_SubID()
PX.Objects.CA	CAEntryType	set_SubID(Nullable<Int32>)
PX.Objects.CA	CAEntryType	get_BranchID()
PX.Objects.CA	CAEntryType	set_BranchID(Nullable<Int32>)
PX.Objects.CA	CAEntryType	get_ReferenceID()
PX.Objects.CA	CAEntryType	set_ReferenceID(Nullable<Int32>)
PX.Objects.CA	CAEntryType	get_DrCr()
PX.Objects.CA	CAEntryType	set_DrCr(String)
PX.Objects.CA	CAEntryType	get_Descr()
PX.Objects.CA	CAEntryType	set_Descr(String)
PX.Objects.CA	CAEntryType	get_UseToReclassifyPayments()
PX.Objects.CA	CAEntryType	set_UseToReclassifyPayments(Nullable<Boolean>)
PX.Objects.CA	CAEntryType	get_Consolidate()
PX.Objects.CA	CAEntryType	set_Consolidate(Nullable<Boolean>)
PX.Objects.CA	CAEntryType	get_tstamp()
PX.Objects.CA	CAEntryType	set_tstamp(Byte[])

Namespace	Simple Name	Name
PX.Objects.CA	CAEntryType	get_CreatedByID()
PX.Objects.CA	CAEntryType	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	CAEntryType	get_CreatedByScreenID()
PX.Objects.CA	CAEntryType	set_CreatedByScreenID(String)
PX.Objects.CA	CAEntryType	get_CreatedDateTime()
PX.Objects.CA	CAEntryType	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CAEntryType	get_LastModifiedByID()
PX.Objects.CA	CAEntryType	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CAEntryType	get_LastModifiedByScreenID()
PX.Objects.CA	CAEntryType	set_LastModifiedByScreenID(String)
PX.Objects.CA	CAEntryType	get_LastModifiedDateTime()
PX.Objects.CA	CAEntryType	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CADailySummary	get_CashAccountID()
PX.Objects.CA	CADailySummary	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CADailySummary	get_TranDate()
PX.Objects.CA	CADailySummary	set_TranDate(Nullable<DateTime>)
PX.Objects.CA	CADailySummary	get_AmtReleasedClearedDr()
PX.Objects.CA	CADailySummary	set_AmtReleasedClearedDr(Nullable<Decimal>)
PX.Objects.CA	CADailySummary	get_AmtUnreleasedClearedDr()

Namespace	Simple Name	Name
PX.Objects.CA	CADailySummary	set_AmtUnreleasedClearedDr(Nullable<Decimal>)
PX.Objects.CA	CADailySummary	get_AmtReleasedUnclearedDr()
PX.Objects.CA	CADailySummary	set_AmtReleasedUnclearedDr(Nullable<Decimal>)
PX.Objects.CA	CADailySummary	get_AmtUnreleasedUnclearedDr()
PX.Objects.CA	CADailySummary	set_AmtUnreleasedUnclearedDr(Nullable<Decimal>)
PX.Objects.CA	CADailySummary	get_AmtReleasedClearedCr()
PX.Objects.CA	CADailySummary	set_AmtReleasedClearedCr(Nullable<Decimal>)
PX.Objects.CA	CADailySummary	get_AmtUnreleasedClearedCr()
PX.Objects.CA	CADailySummary	set_AmtUnreleasedClearedCr(Nullable<Decimal>)
PX.Objects.CA	CADailySummary	get_AmtReleasedUnclearedCr()
PX.Objects.CA	CADailySummary	set_AmtReleasedUnclearedCr(Nullable<Decimal>)
PX.Objects.CA	CADailySummary	get_AmtUnreleasedUnclearedCr()
PX.Objects.CA	CADailySummary	set_AmtUnreleasedUnclearedCr(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_Selected()
PX.Objects.CA	CARecon	set_Selected(Nullable<Boolean>)
PX.Objects.CA	CARecon	get_CashAccountID()
PX.Objects.CA	CARecon	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CARecon	get_ReconNbr()
PX.Objects.CA	CARecon	set_ReconNbr(String)

Namespace	Simple Name	Name
PX.Objects.CA	CARecon	get_ReconDate()
PX.Objects.CA	CARecon	set_ReconDate(Nullable<DateTime>)
PX.Objects.CA	CARecon	get_LastReconDate()
PX.Objects.CA	CARecon	set_LastReconDate(Nullable<DateTime>)
PX.Objects.CA	CARecon	get_LoadDocumentsTill()
PX.Objects.CA	CARecon	set_LoadDocumentsTill(Nullable<DateTime>)
PX.Objects.CA	CARecon	get_CuryBegBalance()
PX.Objects.CA	CARecon	set_CuryBegBalance(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_CuryBalance()
PX.Objects.CA	CARecon	set_CuryBalance(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_CuryReconciledDebits()
PX.Objects.CA	CARecon	set_CuryReconciledDebits(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_ReconciledDebits()
PX.Objects.CA	CARecon	set_ReconciledDebits(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_CuryReconciledCredits()
PX.Objects.CA	CARecon	set_CuryReconciledCredits(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_ReconciledCredits()
PX.Objects.CA	CARecon	set_ReconciledCredits(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_CuryReconciledBalance()

Namespace	Simple Name	Name
PX.Objects.CA	CARecon	set_CuryReconciledBalance(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_CuryReconciledTurnover()
PX.Objects.CA	CARecon	set_CuryReconciledTurnover(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_ReconciledTurnover()
PX.Objects.CA	CARecon	set_ReconciledTurnover(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_CuryDiffBalance()
PX.Objects.CA	CARecon	set_CuryDiffBalance(Nullable<Decimal>)
PX.Objects.CA	CARecon	get_CuryID()
PX.Objects.CA	CARecon	set_CuryID(String)
PX.Objects.CA	CARecon	get_CuryInfoID()
PX.Objects.CA	CARecon	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CA	CARecon	get_LineCntr()
PX.Objects.CA	CARecon	set_LineCntr(Nullable<Int32>)
PX.Objects.CA	CARecon	get_CountDebit()
PX.Objects.CA	CARecon	set_CountDebit(Nullable<Int32>)
PX.Objects.CA	CARecon	get_CountCredit()
PX.Objects.CA	CARecon	set_CountCredit(Nullable<Int32>)
PX.Objects.CA	CARecon	get_SkipVoided()
PX.Objects.CA	CARecon	set_SkipVoided(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.CA	CARecon	get_ShowBatchPayments()
PX.Objects.CA	CARecon	set_ShowBatchPayments(Nullable<Boolean>)
PX.Objects.CA	CARecon	get_tstamp()
PX.Objects.CA	CARecon	set_tstamp(Byte[])
PX.Objects.CA	CARecon	get_NotelID()
PX.Objects.CA	CARecon	set_NotelID(Nullable<Guid>)
PX.Objects.CA	CARecon	get_CreatedByID()
PX.Objects.CA	CARecon	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	CARecon	get_CreatedByScreenID()
PX.Objects.CA	CARecon	set_CreatedByScreenID(String)
PX.Objects.CA	CARecon	get_CreatedDateTime()
PX.Objects.CA	CARecon	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CARecon	get_LastModifiedByID()
PX.Objects.CA	CARecon	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CARecon	get_LastModifiedByScreenID()
PX.Objects.CA	CARecon	set_LastModifiedByScreenID(String)
PX.Objects.CA	CARecon	get_LastModifiedDateTime()
PX.Objects.CA	CARecon	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	AddDetailFilter	get_OrigModule()

Namespace	Simple Name	Name
PX.Objects.CA	AddDetailFilter	set_OrigModule(String)
PX.Objects.CA	AddDetailFilter	get_OrigTranType()
PX.Objects.CA	AddDetailFilter	set_OrigTranType(String)
PX.Objects.CA	AddDetailFilter	get_TranDate()
PX.Objects.CA	AddDetailFilter	set_TranDate(Nullable<DateTime>)
PX.Objects.CA	AddDetailFilter	get_CashAccountID()
PX.Objects.CA	AddDetailFilter	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	AddDetailFilter	get_CuryID()
PX.Objects.CA	AddDetailFilter	set_CuryID(String)
PX.Objects.CA	AddDetailFilter	get_ExtRefNbr()
PX.Objects.CA	AddDetailFilter	set_ExtRefNbr(String)
PX.Objects.CA	AddDetailFilter	get_EntryTypeID()
PX.Objects.CA	AddDetailFilter	set_EntryTypeID(String)
PX.Objects.CA	AddDetailFilter	get_Descr()
PX.Objects.CA	AddDetailFilter	set_Descr(String)
PX.Objects.CA	AddDetailFilter	get_AccountID()
PX.Objects.CA	AddDetailFilter	set_AccountID(Nullable<Int32>)
PX.Objects.CA	AddDetailFilter	get_SubID()
PX.Objects.CA	AddDetailFilter	set_SubID(Nullable<Int32>)

Namespace	Simple Name	Name
PX.Objects.CA	AddDetailFilter	get_CuryTranAmt()
PX.Objects.CA	AddDetailFilter	set_CuryTranAmt(Nullable<Decimal>)
PX.Objects.CA	AddDetailFilter	get_DrCr()
PX.Objects.CA	AddDetailFilter	set_DrCr(String)
PX.Objects.CA	AddDetailFilter	get_ReferenceID()
PX.Objects.CA	AddDetailFilter	set_ReferenceID(Nullable<Int32>)
PX.Objects.CA	CATran	get_Selected()
PX.Objects.CA	CATran	set_Selected(Nullable<Boolean>)
PX.Objects.CA	CATran	get_BegBal()
PX.Objects.CA	CATran	set_BegBal(Nullable<Decimal>)
PX.Objects.CA	CATran	get_EndBal()
PX.Objects.CA	CATran	set_EndBal(Nullable<Decimal>)
PX.Objects.CA	CATran	get_DayDesc()
PX.Objects.CA	CATran	set_DayDesc(String)
PX.Objects.CA	CATran	get_OrigModule()
PX.Objects.CA	CATran	set_OrigModule(String)
PX.Objects.CA	CATran	get_OrigTranType()
PX.Objects.CA	CATran	set_OrigTranType(String)
PX.Objects.CA	CATran	get_OrigRefNbr()

Namespace	Simple Name	Name
PX.Objects.CA	CATran	set_OrigRefNbr(String)
PX.Objects.CA	CATran	get_ExtRefNbr()
PX.Objects.CA	CATran	set_ExtRefNbr(String)
PX.Objects.CA	CATran	get_CashAccountID()
PX.Objects.CA	CATran	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CATran	get_TranID()
PX.Objects.CA	CATran	set_TranID(Nullable<Int64>)
PX.Objects.CA	CATran	get_TranDate()
PX.Objects.CA	CATran	set_TranDate(Nullable<DateTime>)
PX.Objects.CA	CATran	get_DrCr()
PX.Objects.CA	CATran	set_DrCr(String)
PX.Objects.CA	CATran	get_ReferenceID()
PX.Objects.CA	CATran	set_ReferenceID(Nullable<Int32>)
PX.Objects.CA	CATran	get_ReferenceName()
PX.Objects.CA	CATran	set_ReferenceName(String)
PX.Objects.CA	CATran	get_TranDesc()
PX.Objects.CA	CATran	set_TranDesc(String)
PX.Objects.CA	CATran	get_TranPeriodID()
PX.Objects.CA	CATran	set_TranPeriodID(String)

Namespace	Simple Name	Name
PX.Objects.CA	CATran	get_FinPeriodID()
PX.Objects.CA	CATran	set_FinPeriodID(String)
PX.Objects.CA	CATran	get_CuryInfoID()
PX.Objects.CA	CATran	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CA	CATran	get_Hold()
PX.Objects.CA	CATran	set_Hold(Nullable<Boolean>)
PX.Objects.CA	CATran	get_Released()
PX.Objects.CA	CATran	set_Released(Nullable<Boolean>)
PX.Objects.CA	CATran	get_Posted()
PX.Objects.CA	CATran	set_Posted(Nullable<Boolean>)
PX.Objects.CA	CATran	get_Reconciled()
PX.Objects.CA	CATran	set_Reconciled(Nullable<Boolean>)
PX.Objects.CA	CATran	get_ReconDate()
PX.Objects.CA	CATran	set_ReconDate(Nullable<DateTime>)
PX.Objects.CA	CATran	get_ReconNbr()
PX.Objects.CA	CATran	set_ReconNbr(String)
PX.Objects.CA	CATran	get_CuryTranAmt()
PX.Objects.CA	CATran	set_CuryTranAmt(Nullable<Decimal>)
PX.Objects.CA	CATran	get_TranAmt()

Namespace	Simple Name	Name
PX.Objects.CA	CATran	set_TrnAmt(Nullable<Decimal>)
PX.Objects.CA	CATran	get_BatchNbr()
PX.Objects.CA	CATran	set_BatchNbr(String)
PX.Objects.CA	CATran	get_CuryID()
PX.Objects.CA	CATran	set_CuryID(String)
PX.Objects.CA	CATran	get_Cleared()
PX.Objects.CA	CATran	set_Cleared(Nullable<Boolean>)
PX.Objects.CA	CATran	get_ClearDate()
PX.Objects.CA	CATran	set_ClearDate(Nullable<DateTime>)
PX.Objects.CA	CATran	get_NotelID()
PX.Objects.CA	CATran	set_NotelID(Nullable<Guid>)
PX.Objects.CA	CATran	get_RefTranAccountID()
PX.Objects.CA	CATran	set_RefTranAccountID(Nullable<Int32>)
PX.Objects.CA	CATran	get_RefTranID()
PX.Objects.CA	CATran	set_RefTranID(Nullable<Int64>)
PX.Objects.CA	CATran	get_RefSplitLineNbr()
PX.Objects.CA	CATran	set_RefSplitLineNbr(Nullable<Int32>)
PX.Objects.CA	CATran	get_VoidedTranID()
PX.Objects.CA	CATran	set_VoidedTranID(Nullable<Int64>)

Namespace	Simple Name	Name
PX.Objects.CA	CATran	get_CreatedByID()
PX.Objects.CA	CATran	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	CATran	get_CreatedByScreenID()
PX.Objects.CA	CATran	set_CreatedByScreenID(String)
PX.Objects.CA	CATran	get_CreatedDateTime()
PX.Objects.CA	CATran	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CATran	get_LastModifiedByID()
PX.Objects.CA	CATran	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CATran	get_LastModifiedByScreenID()
PX.Objects.CA	CATran	set_LastModifiedByScreenID(String)
PX.Objects.CA	CATran	get_LastModifiedDateTime()
PX.Objects.CA	CATran	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CATran	get_tstamp()
PX.Objects.CA	CATran	set_tstamp(Byte[])
PX.Objects.CA	CASplit	get_TransDate()
PX.Objects.CA	CASplit	set_TransDate(Nullable<DateTime>)
PX.Objects.CA	CASetup	get_BatchNumberingID()
PX.Objects.CA	CASetup	set_BatchNumberingID(String)
PX.Objects.CA	CASetup	get_RegisterNumberingID()

Namespace	Simple Name	Name
PX.Objects.CA	CASetup	set_RegisterNumberingID(String)
PX.Objects.CA	CASetup	get_TransferNumberingID()
PX.Objects.CA	CASetup	set_TransferNumberingID(String)
PX.Objects.CA	CASetup	get_CABatchNumberingID()
PX.Objects.CA	CASetup	set_CABatchNumberingID(String)
PX.Objects.CA	CASetup	get_CASatementNumberingID()
PX.Objects.CA	CASetup	set_CASatementNumberingID(String)
PX.Objects.CA	CASetup	get_CAImportPaymentsNumberingID()
PX.Objects.CA	CASetup	set_CAImportPaymentsNumberingID(String)
PX.Objects.CA	CASetup	get_TransitAcctId()
PX.Objects.CA	CASetup	set_TransitAcctId(Nullable<Int32>)
PX.Objects.CA	CASetup	get_TransitSubID()
PX.Objects.CA	CASetup	set_TransitSubID(Nullable<Int32>)
PX.Objects.CA	CASetup	get_RequireControlTotal()
PX.Objects.CA	CASetup	set_RequireControlTotal(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_HoldEntry()
PX.Objects.CA	CASetup	set_HoldEntry(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_CuryRateTypeID()
PX.Objects.CA	CASetup	set_CuryRateTypeID(String)

Namespace	Simple Name	Name
PX.Objects.CA	CASetup	get_ReleaseAP()
PX.Objects.CA	CASetup	set_ReleaseAP(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_ReleaseAR()
PX.Objects.CA	CASetup	set_ReleaseAR(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_CalcBalDebitUnclearedUnreleased()
PX.Objects.CA	CASetup	set_CalcBalDebitUnclearedUnreleased(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_CalcBalDebitClearedUnreleased()
PX.Objects.CA	CASetup	set_CalcBalDebitClearedUnreleased(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_CalcBalDebitUnclearedReleased()
PX.Objects.CA	CASetup	set_CalcBalDebitUnclearedReleased(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_CalcBalCreditUnclearedUnreleased()
PX.Objects.CA	CASetup	set_CalcBalCreditUnclearedUnreleased(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_CalcBalCreditClearedUnreleased()
PX.Objects.CA	CASetup	set_CalcBalCreditClearedUnreleased(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_CalcBalCreditUnclearedReleased()
PX.Objects.CA	CASetup	set_CalcBalCreditUnclearedReleased(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_AutoPostOption()
PX.Objects.CA	CASetup	set_AutoPostOption(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_DateRangeDefault()

Namespace	Simple Name	Name
PX.Objects.CA	CASetup	set_DateRangeDefault(String)
PX.Objects.CA	CASetup	get_RequestApproval()
PX.Objects.CA	CASetup	set_RequestApproval(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_ReceiptTranDaysBefore()
PX.Objects.CA	CASetup	set_ReceiptTranDaysBefore(Nullable<Int32>)
PX.Objects.CA	CASetup	get_ReceiptTranDaysAfter()
PX.Objects.CA	CASetup	set_ReceiptTranDaysAfter(Nullable<Int32>)
PX.Objects.CA	CASetup	get_DisbursementTranDaysBefore()
PX.Objects.CA	CASetup	set_DisbursementTranDaysBefore(Nullable<Int32>)
PX.Objects.CA	CASetup	get_DisbursementTranDaysAfter()
PX.Objects.CA	CASetup	set_DisbursementTranDaysAfter(Nullable<Int32>)
PX.Objects.CA	CASetup	get_RefNbrCompareWeight()
PX.Objects.CA	CASetup	set_RefNbrCompareWeight(Nullable<Decimal>)
PX.Objects.CA	CASetup	get_DateCompareWeight()
PX.Objects.CA	CASetup	set_DateCompareWeight(Nullable<Decimal>)
PX.Objects.CA	CASetup	get_PayeeCompareWeight()
PX.Objects.CA	CASetup	set_PayeeCompareWeight(Nullable<Decimal>)
PX.Objects.CA	CASetup	get_DateMeanOffset()
PX.Objects.CA	CASetup	set_DateMeanOffset(Nullable<Decimal>)

Namespace	Simple Name	Name
PX.Objects.CA	CASetup	get_DateSigma()
PX.Objects.CA	CASetup	set_DateSigma(Nullable<Decimal>)
PX.Objects.CA	CASetup	get_MatchInSelection()
PX.Objects.CA	CASetup	set_MatchInSelection(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_IgnoreCuryCheckOnImport()
PX.Objects.CA	CASetup	set_IgnoreCuryCheckOnImport(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_ImportToSingleAccount()
PX.Objects.CA	CASetup	set_ImportToSingleAccount(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_AllowEmptyFITID()
PX.Objects.CA	CASetup	set_AllowEmptyFITID(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_AllowMatchingToUnreleasedBatch()
PX.Objects.CA	CASetup	set_AllowMatchingToUnreleasedBatch(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_UnknownPaymentEntryTypeID()
PX.Objects.CA	CASetup	set_UnknownPaymentEntryTypeID(String)
PX.Objects.CA	CASetup	get_StatementImportTypeName()
PX.Objects.CA	CASetup	set_StatementImportTypeName(String)
PX.Objects.CA	CASetup	get_SkipVoided()
PX.Objects.CA	CASetup	set_SkipVoided(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_RequireExtRefNbr()

Namespace	Simple Name	Name
PX.Objects.CA	CASetup	set_RequireExtRefNbr(Nullable<Boolean>)
PX.Objects.CA	CASetup	get_tstamp()
PX.Objects.CA	CASetup	set_tstamp(Byte[])
PX.Objects.CA	CASetup	get_CreatedByID()
PX.Objects.CA	CASetup	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	CASetup	get_CreatedByScreenID()
PX.Objects.CA	CASetup	set_CreatedByScreenID(String)
PX.Objects.CA	CASetup	get_CreatedDateTime()
PX.Objects.CA	CASetup	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CASetup	get_LastModifiedByID()
PX.Objects.CA	CASetup	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CASetup	get_LastModifiedByScreenID()
PX.Objects.CA	CASetup	set_LastModifiedByScreenID(String)
PX.Objects.CA	CASetup	get_LastModifiedDateTime()
PX.Objects.CA	CASetup	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CashAccountETDetail	get_AccountID()
PX.Objects.CA	CashAccountETDetail	set_AccountID(Nullable<Int32>)
PX.Objects.CA	CashAccountETDetail	get_EntryTypeID()
PX.Objects.CA	CashAccountETDetail	set_EntryTypeID(String)

Namespace	Simple Name	Name
PX.Objects.CA	CashAccountETDetail	get_OffsetAccountID()
PX.Objects.CA	CashAccountETDetail	set_OffsetAccountID(Nullable<Int32>)
PX.Objects.CA	CashAccountETDetail	get_OffsetSubID()
PX.Objects.CA	CashAccountETDetail	set_OffsetSubID(Nullable<Int32>)
PX.Objects.CA	CashAccountETDetail	get_OffsetBranchID()
PX.Objects.CA	CashAccountETDetail	set_OffsetBranchID(Nullable<Int32>)
PX.Objects.CA	CashAccountETDetail	get_OffsetCashAccountID()
PX.Objects.CA	CashAccountETDetail	set_OffsetCashAccountID(Nullable<Int32>)
PX.Objects.CA	CashAccountETDetail	get_TaxZoneID()
PX.Objects.CA	CashAccountETDetail	set_TaxZoneID(String)
PX.Objects.CA	CashAccountETDetail	get_tstamp()
PX.Objects.CA	CashAccountETDetail	set_tstamp(Byte[])
PX.Objects.CA	CashAccountETDetail	get_CreatedByID()
PX.Objects.CA	CashAccountETDetail	set_CreatedByID(Nullable<Guid>)
PX.Objects.CA	CashAccountETDetail	get_CreatedByScreenID()
PX.Objects.CA	CashAccountETDetail	set_CreatedByScreenID(String)
PX.Objects.CA	CashAccountETDetail	get_CreatedDateTime()
PX.Objects.CA	CashAccountETDetail	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.CA	CashAccountETDetail	get_LastModifiedByID()

Namespace	Simple Name	Name
PX.Objects.CA	CashAccountETDetail	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.CA	CashAccountETDetail	get_LastModifiedByScreenID()
PX.Objects.CA	CashAccountETDetail	set_LastModifiedByScreenID(String)
PX.Objects.CA	CashAccountETDetail	get_LastModifiedDateTime()
PX.Objects.CA	CashAccountETDetail	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.CA	CashAccountPaymentMethodDetail	get_AccountID()
PX.Objects.CA	CashAccountPaymentMethodDetail	set_AccountID(Nullable<Int32>)
PX.Objects.CA	CashAccountPaymentMethodDetail	get_PaymentMethodID()
PX.Objects.CA	CashAccountPaymentMethodDetail	set_PaymentMethodID(String)
PX.Objects.CA	CashAccountPaymentMethodDetail	get_DetailID()
PX.Objects.CA	CashAccountPaymentMethodDetail	set_DetailID(String)
PX.Objects.CA	CashAccountPaymentMethodDetail	get_DetailValue()
PX.Objects.CA	CashAccountPaymentMethodDetail	set_DetailValue(String)
PX.Objects.CA	CAReconEntry	Cancel(PXAdapter)
PX.Objects.CA	CAReconEntry	Delete(PXAdapter)
PX.Objects.CA	CAReconEntry	First(PXAdapter)
PX.Objects.CA	CAReconEntry	Prev(PXAdapter)
PX.Objects.CA	CAReconEntry	Next(PXAdapter)
PX.Objects.CA	CAReconEntry	Last(PXAdapter)

Namespace	Simple Name	Name
PX.Objects.CA	CATranExt	get_SkipCount()
PX.Objects.CA	CATranExt	set_SkipCount(Nullable<Boolean>)
PX.Objects.CA.Light	ARPayment	get_ExtRefNbr()
PX.Objects.CA.Light	ARPayment	set_ExtRefNbr(String)
PX.Objects.CA.Light	ARPayment	get_PaymentMethodID()
PX.Objects.CA.Light	ARPayment	set_PaymentMethodID(String)
PX.Objects.CA.Light	ARPayment	get_PMInstanceID()
PX.Objects.CA.Light	ARPayment	set_PMInstanceID(Nullable<Int32>)
PX.Objects.CA.Light	ARPayment	get_CashAccountID()
PX.Objects.CA.Light	ARPayment	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA.Light	ARPayment	get_CATranID()
PX.Objects.CA.Light	ARPayment	set_CATranID(Nullable<Int64>)
PX.Objects.CA.Light	ARPayment	get_DepositAsBatch()
PX.Objects.CA.Light	ARPayment	set_DepositAsBatch(Nullable<Boolean>)
PX.Objects.CA.Light	ARPayment	get_DepositAfter()
PX.Objects.CA.Light	ARPayment	set_DepositAfter(Nullable<DateTime>)
PX.Objects.CA.Light	ARPayment	get_DepositDate()
PX.Objects.CA.Light	ARPayment	set_DepositDate(Nullable<DateTime>)
PX.Objects.CA.Light	ARPayment	get_Deposited()

Namespace	Simple Name	Name
PX.Objects.CA.Light	ARPayment	set_Deposited(Nullable<Boolean>)
PX.Objects.CA.Light	ARPayment	get_DepositType()
PX.Objects.CA.Light	ARPayment	set_DepositType(String)
PX.Objects.CA.Light	ARPayment	get_DepositNbr()
PX.Objects.CA.Light	ARPayment	set_DepositNbr(String)
PX.Objects.CA.Light	APPayment	get_ExtRefNbr()
PX.Objects.CA.Light	APPayment	set_ExtRefNbr(String)
PX.Objects.CA.Light	APPayment	get_PaymentMethodID()
PX.Objects.CA.Light	APPayment	set_PaymentMethodID(String)
PX.Objects.CA.Light	APPayment	get_CashAccountID()
PX.Objects.CA.Light	APPayment	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA.Light	APPayment	get_CATranID()
PX.Objects.CA.Light	APPayment	set_CATranID(Nullable<Int64>)
PX.Objects.CA.Light	APPayment	get_DepositAsBatch()
PX.Objects.CA.Light	APPayment	set_DepositAsBatch(Nullable<Boolean>)
PX.Objects.CA.Light	APPayment	get_DepositAfter()
PX.Objects.CA.Light	APPayment	set_DepositAfter(Nullable<DateTime>)
PX.Objects.CA.Light	APPayment	get_Deposited()
PX.Objects.CA.Light	APPayment	set_Deposited(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.CA.Light	APPayment	get_DepositDate()
PX.Objects.CA.Light	APPayment	set_DepositDate(Nullable<DateTime>)
PX.Objects.CA.Light	APPayment	get_DepositType()
PX.Objects.CA.Light	APPayment	set_DepositType(String)
PX.Objects.CA.Light	APPayment	get_DepositNbr()
PX.Objects.CA.Light	APPayment	set_DepositNbr(String)
PX.Objects.CA.Light	ARInvoice	get_DocType()
PX.Objects.CA.Light	ARInvoice	set_DocType(String)
PX.Objects.CA.Light	ARInvoice	get_RefNbr()
PX.Objects.CA.Light	ARInvoice	set_RefNbr(String)
PX.Objects.CA.Light	ARInvoice	get_CustomerID()
PX.Objects.CA.Light	ARInvoice	set_CustomerID(Nullable<Int32>)
PX.Objects.CA.Light	ARInvoice	get_InvoiceNbr()
PX.Objects.CA.Light	ARInvoice	set_InvoiceNbr(String)
PX.Objects.CA.Light	ARRegister	get_DocType()
PX.Objects.CA.Light	ARRegister	set_DocType(String)
PX.Objects.CA.Light	ARRegister	get_RefNbr()
PX.Objects.CA.Light	ARRegister	set_RefNbr(String)
PX.Objects.CA.Light	ARRegister	get_DocDate()

Namespace	Simple Name	Name
PX.Objects.CA.Light	ARRegister	set_DocDate(Nullable<DateTime>)
PX.Objects.CA.Light	ARRegister	get_FinPeriodID()
PX.Objects.CA.Light	ARRegister	set_FinPeriodID(String)
PX.Objects.CA.Light	ARRegister	get_CustomerID()
PX.Objects.CA.Light	ARRegister	set_CustomerID(Nullable<Int32>)
PX.Objects.CA.Light	ARRegister	get_CuryID()
PX.Objects.CA.Light	ARRegister	set_CuryID(String)
PX.Objects.CA.Light	ARRegister	get_CuryInfoID()
PX.Objects.CA.Light	ARRegister	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CA.Light	ARRegister	get_CuryDocBal()
PX.Objects.CA.Light	ARRegister	set_CuryDocBal(Nullable<Decimal>)
PX.Objects.CA.Light	ARRegister	get_DocBal()
PX.Objects.CA.Light	ARRegister	set_DocBal(Nullable<Decimal>)
PX.Objects.CA.Light	ARRegister	get_DocDesc()
PX.Objects.CA.Light	ARRegister	set_DocDesc(String)
PX.Objects.CA.Light	ARRegister	get_Released()
PX.Objects.CA.Light	ARRegister	set_Released(Nullable<Boolean>)
PX.Objects.CA.Light	ARRegister	get_OpenDoc()
PX.Objects.CA.Light	ARRegister	set_OpenDoc(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.CA.Light	ARRegister	get_Voided()
PX.Objects.CA.Light	ARRegister	set_Voided(Nullable<Boolean>)
PX.Objects.CA.Light	BAccount	get_BAccountID()
PX.Objects.CA.Light	BAccount	set_BAccountID(Nullable<Int32>)
PX.Objects.CA.Light	BAccount	get_AcctName()
PX.Objects.CA.Light	BAccount	set_AcctName(String)
PX.Objects.CA.Light	CABankTranAdjustment	get_TranID()
PX.Objects.CA.Light	CABankTranAdjustment	set_TranID(Nullable<Int32>)
PX.Objects.CA.Light	CABankTranAdjustment	get_AdjdModule()
PX.Objects.CA.Light	CABankTranAdjustment	set_AdjdModule(String)
PX.Objects.CA.Light	CABankTranAdjustment	get_AdjdDocType()
PX.Objects.CA.Light	CABankTranAdjustment	set_AdjdDocType(String)
PX.Objects.CA.Light	CABankTranAdjustment	get_AdjdRefNbr()
PX.Objects.CA.Light	CABankTranAdjustment	set_AdjdRefNbr(String)
PX.Objects.CA.Light	CABankTranAdjustment	get_AdjNbr()
PX.Objects.CA.Light	CABankTranAdjustment	set_AdjNbr(Nullable<Int32>)
PX.Objects.CA.Light	CABankTranAdjustment	get_Released()
PX.Objects.CA.Light	CABankTranAdjustment	set_Released(Nullable<Boolean>)
PX.Objects.CA.Light	CABankTranAdjustment	get_Voided()

Namespace	Simple Name	Name
PX.Objects.CA.Light	CABankTranAdjustment	set_Voided(Nullable<Boolean>)
PX.Objects.CA.Light	ARAdjust	get_AdjgDocType()
PX.Objects.CA.Light	ARAdjust	set_AdjgDocType(String)
PX.Objects.CA.Light	ARAdjust	get_AdjgRefNbr()
PX.Objects.CA.Light	ARAdjust	set_AdjgRefNbr(String)
PX.Objects.CA.Light	ARAdjust	get_AdjdDocType()
PX.Objects.CA.Light	ARAdjust	set_AdjdDocType(String)
PX.Objects.CA.Light	ARAdjust	get_AdjdRefNbr()
PX.Objects.CA.Light	ARAdjust	set_AdjdRefNbr(String)
PX.Objects.CA.Light	ARAdjust	get_AdjNbr()
PX.Objects.CA.Light	ARAdjust	set_AdjNbr(Nullable<Int32>)
PX.Objects.CA.Light	ARAdjust	get_Released()
PX.Objects.CA.Light	ARAdjust	set_Released(Nullable<Boolean>)
PX.Objects.CA.Light	ARAdjust	get_Voided()
PX.Objects.CA.Light	ARAdjust	set_Voided(Nullable<Boolean>)
PX.Objects.CA.Light	APInvoice	get_DocType()
PX.Objects.CA.Light	APInvoice	set_DocType(String)
PX.Objects.CA.Light	APInvoice	get_RefNbr()
PX.Objects.CA.Light	APInvoice	set_RefNbr(String)

Namespace	Simple Name	Name
PX.Objects.CA.Light	APInvoice	get_VendorID()
PX.Objects.CA.Light	APInvoice	set_VendorID(Nullable<Int32>)
PX.Objects.CA.Light	APInvoice	get_InvoiceNbr()
PX.Objects.CA.Light	APInvoice	set_InvoiceNbr(String)
PX.Objects.CA.Light	APRegister	get_DocType()
PX.Objects.CA.Light	APRegister	set_DocType(String)
PX.Objects.CA.Light	APRegister	get_RefNbr()
PX.Objects.CA.Light	APRegister	set_RefNbr(String)
PX.Objects.CA.Light	APRegister	get_DocDate()
PX.Objects.CA.Light	APRegister	set_DocDate(Nullable<DateTime>)
PX.Objects.CA.Light	APRegister	get_FinPeriodID()
PX.Objects.CA.Light	APRegister	set_FinPeriodID(String)
PX.Objects.CA.Light	APRegister	get_VendorID()
PX.Objects.CA.Light	APRegister	set_VendorID(Nullable<Int32>)
PX.Objects.CA.Light	APRegister	get_CuryID()
PX.Objects.CA.Light	APRegister	set_CuryID(String)
PX.Objects.CA.Light	APRegister	get_CuryInfoID()
PX.Objects.CA.Light	APRegister	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CA.Light	APRegister	get_CuryDocBal()

Namespace	Simple Name	Name
PX.Objects.CA.Light	APRegister	set_CuryDocBal(Nullable<Decimal>)
PX.Objects.CA.Light	APRegister	get_DocBal()
PX.Objects.CA.Light	APRegister	set_DocBal(Nullable<Decimal>)
PX.Objects.CA.Light	APRegister	get_DocDesc()
PX.Objects.CA.Light	APRegister	set_DocDesc(String)
PX.Objects.CA.Light	APRegister	get_Released()
PX.Objects.CA.Light	APRegister	set_Released(Nullable<Boolean>)
PX.Objects.CA.Light	APRegister	get_OpenDoc()
PX.Objects.CA.Light	APRegister	set_OpenDoc(Nullable<Boolean>)
PX.Objects.CA.Light	APRegister	get_Voided()
PX.Objects.CA.Light	APRegister	set_Voided(Nullable<Boolean>)
PX.Objects.CA.Light	APAdjust	get_AdjgDocType()
PX.Objects.CA.Light	APAdjust	set_AdjgDocType(String)
PX.Objects.CA.Light	APAdjust	get_AdjgRefNbr()
PX.Objects.CA.Light	APAdjust	set_AdjgRefNbr(String)
PX.Objects.CA.Light	APAdjust	get_AdjdDocType()
PX.Objects.CA.Light	APAdjust	set_AdjdDocType(String)
PX.Objects.CA.Light	APAdjust	get_AdjdRefNbr()
PX.Objects.CA.Light	APAdjust	set_AdjdRefNbr(String)

Namespace	Simple Name	Name
PX.Objects.CA.Light	APAdjust	get_AdjNbr()
PX.Objects.CA.Light	APAdjust	set_AdjNbr(Nullable<Int32>)
PX.Objects.CA.Light	APAdjust	get_Released()
PX.Objects.CA.Light	APAdjust	set_Released(Nullable<Boolean>)
PX.Objects.CA.Light	APAdjust	get_Voided()
PX.Objects.CA.Light	APAdjust	set_Voided(Nullable<Boolean>)
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef	get_Selected()
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef	set_Selected(Nullable<Boolean>)
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef	get_RefNbr()
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef	set_RefNbr(String)
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef	get_LineNbr()
PX.Objects.CA.BankStatementHelpers	CABankStmtDetailDocRef	set_LineNbr(Nullable<Int32>)
PX.Objects.CA.BankStatementHelpers	CATranExt	get_Released()
PX.Objects.CA.BankStatementHelpers	CATranExt	set_Released(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.CA.BankStatementHelpers	StatementMatching	EvaluateMatching(String,String,Boolean)
PX.Objects.CA.BankStatementHelpers	StatementMatching	EvaluateTideMatching(String,String,Boolean)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	get_Selected()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	set_Selected(Nullable<Boolean>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	get_TrainID()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	set_TrainID(Nullable<Int32>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	get_CATrainID()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	set_CATrainID(Nullable<Int64>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	get_DocModule()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	set_DocModule(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	get_DocType()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	set_DocType(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	get_DocRefNbr()

Namespace	Simple Name	Name
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	set_DocRefNbr(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	get_ReferenceID()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	set_ReferenceID(Nullable<Int32>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	get_CashAccountID()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	get_MatchRelevance()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranDocRef	set_MatchRelevance(Nullable<Decimal>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_IsMatched()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_IsMatched(Nullable<Boolean>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_MatchRelevance()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_MatchRelevance(Nullable<Decimal>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_IsBestMatch()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_IsBestMatch(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_OrigModule()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_OrigModule(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_OrigTranType()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_OrigTranType(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_OrigRefNbr()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_OrigRefNbr(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_ExtRefNbr()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_ExtRefNbr(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_CashAccountID()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_TranDate()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_TranDate(Nullable<DateTime>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_DrCr()

Namespace	Simple Name	Name
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_DrCr(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_ReferenceID()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_ReferenceID(Nullable<Int32>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_ReferenceName()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_ReferenceName(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_TranDesc()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_TranDesc(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_FinPeriodID()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_FinPeriodID(String)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_CuryInfoID()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_CuryInfoID(Nullable<Int64>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_CuryID()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_CuryID(String)

Namespace	Simple Name	Name
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_Released()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_Released(Nullable<Boolean>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_CuryTranAmt()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_CuryTranAmt(Nullable<Decimal>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_TranAmt()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_TranAmt(Nullable<Decimal>)
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	get_DueDate()
PX.Objects.CA.BankStatementProtoHelpers	CABankTranInvoiceMatch	set_DueDate(Nullable<DateTime>)
PX.Objects.CR	CampaignFilter	get_Status()
PX.Objects.CR	CampaignFilter	set_Status(String)
PX.Objects.CR	CRMarketingListMember	get_Activated()
PX.Objects.CR	CRMarketingListMember	set_Activated(Nullable<Boolean>)
PX.Objects.CR	CRMassMailMaint	CRCampaign_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.CR	CampaignMaint	campaignMembers()
PX.Objects.CR	CampaignMaint	SelCampaignMembers_Status_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)

Namespace	Simple Name	Name
PX.Objects.CR	CampaignMaint	SelCampaignMembers_CampaignID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	CampaignMaint	SelCampaignMembers_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.CR	CampaignMaint	MultipleInsert(PXAdapter)
PX.Objects.CR	CampaignMaint	MultipleDelete(PXAdapter)
PX.Objects.CR	CampaignMaint	SelCampaignMembers_RowInserting(PXCache,PXRowInsertingEventArgs)
PX.Objects.CR	CampaignMaint	SelCampaignMembers_RowSelecting(PXCache,PXRowSelectingEventArgs)
PX.Objects.CR	CRMMassMailCampaign	get_TargetStatus()
PX.Objects.CR	CRMMassMailCampaign	set_TargetStatus(String)
PX.Objects.CR	CRMMassMailCampaign	get_DestinationStatus()
PX.Objects.CR	CRMMassMailCampaign	set_DestinationStatus(String)
PX.Objects.CR	ProjectTaskActivities	SetCommandCondition()
PX.Objects.CR	ProjectTaskActivities	NewActivityByType(PXAdapter,String)
PX.Objects.CR	ProjectTaskActivities	NewMailActivity(PXAdapter)
PX.Objects.CR	ProjectTaskActivities	NewTask(PXAdapter)
PX.Objects.CR	ProjectActivities	SetCommandCondition()
PX.Objects.CR	ProjectActivities	NewActivityByType(PXAdapter,String)
PX.Objects.CR	ProjectActivities	NewMailActivity(PXAdapter)
PX.Objects.CR	ProjectActivities	NewTask(PXAdapter)
PX.Objects.CR	OpportunityActivities	SetCommandCondition()

Namespace	Simple Name	Name
PX.Objects.CR	CRChildActivityList	SetCommandCondition()
PX.Objects.CR	CRActivityListBase	SetCommandCondition()
PX.Objects.CR	CRDuplicateContactList	MergeContacts(Int32,List<Contact>,List<FieldValue>)
PX.Objects.CR	CRMarketingListMaint	Process(PXAdapter)
PX.Objects.CR	CRMarketingListMaint	ProcessAll(PXAdapter)
PX.Objects.CR	CRMarketingListMaint	Details(PXAdapter)
PX.Objects.CR	CRMarketingListMaint	GenerateActivation(PXAdapter)
PX.Objects.CR	CRMarketingListMaint	RemoveRecipient(PXAdapter)
PX.Objects.CR	CRMarketingListMaint	BAccountR_AcctCD_CacheAttached(PXCache)
PX.Objects.CR	CRMarketingListMaint	Persist()
PX.Objects.CR	CRMarketingListMaint	PerformAction(List<Contact>)
PX.Objects.CR	CRMarketingListMaint	Contact_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.CR	CRMarketingListMaint	CRMarketingList_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.CR	CRMarketingListMaint	DoActivate(String)
PX.Objects.CR	CRCampaign	get_DefaultMemberStatus()
PX.Objects.CR	CRCampaign	set_DefaultMemberStatus(String)
PX.Objects.CR	CRCampaign	get_ActualCost()
PX.Objects.CR	CRCampaign	set_ActualCost(Nullable<Decimal>)
PX.Objects.CR	CRCampaign	get_LeadsGenerated()

Namespace	Simple Name	Name
PX.Objects.CR	CRCampaign	set_LeadsGenerated(Nullable<Int32>)
PX.Objects.CR	CRCampaign	get_LeadsConverted()
PX.Objects.CR	CRCampaign	set_LeadsConverted(Nullable<Int32>)
PX.Objects.CR	CRCampaign	get_Contacts()
PX.Objects.CR	CRCampaign	set_Contacts(Nullable<Int32>)
PX.Objects.CR	CRCampaign	get_Responses()
PX.Objects.CR	CRCampaign	set_Responses(Nullable<Int32>)
PX.Objects.CR	CRCampaign	get_Opportunities()
PX.Objects.CR	CRCampaign	set_Opportunities(Nullable<Int32>)
PX.Objects.CR	CRCampaign	get_ClosedOpportunities()
PX.Objects.CR	CRCampaign	set_ClosedOpportunities(Nullable<Int32>)
PX.Objects.CR	CRCampaign	get_OpportunitiesValue()
PX.Objects.CR	CRCampaign	set_OpportunitiesValue(Nullable<Decimal>)
PX.Objects.CR	CRCampaign	get_ClosedOpportunitiesValue()
PX.Objects.CR	CRCampaign	set_ClosedOpportunitiesValue(Nullable<Decimal>)
PX.Objects.CR	CRCampaign	get_TargetStatus()
PX.Objects.CR	CRCampaign	set_TargetStatus(String)
PX.Objects.CR	CRCampaign	get_DestinationStatus()
PX.Objects.CR	CRCampaign	set_DestinationStatus(String)

Namespace	Simple Name	Name
PX.Objects.CR	CRCampaignMembers	get_Status()
PX.Objects.CR	CRCampaignMembers	set_Status(String)
PX.Objects.CR	CRMarketingList	get_IsSelfManaged()
PX.Objects.CR	CRMarketingList	set_IsSelfManaged(Nullable<Boolean>)
PX.Objects.CR	LeadMaint	ConvertToAccount(Contact,LeadMaint+AccountsFilter)
PX.Objects.CR	StateAttribute	GetSubscriber<ISubscriber>(List<ISubscriber>)
PX.Objects.CR	StateAttribute	get_Filterable()
PX.Objects.CR	StateAttribute	set_Filterable(Boolean)
PX.Objects.CR	StateAttribute	get_DescriptionField()
PX.Objects.CR	StateAttribute	set_DescriptionField(Type)
PX.Objects.CR	StateAttribute	get_CacheGlobal()
PX.Objects.CR	StateAttribute	set_CacheGlobal(Boolean)
PX.Objects.CR	StateAttribute	FindCountry(PXCache,Object)
PX.Objects.CR	OperationParam	get_Action()
PX.Objects.CR	OperationParam	set_Action(String)
PX.Objects.CR	OperationParam	get_AssignmentMapID()
PX.Objects.CR	OperationParam	set_AssignmentMapID(Nullable<Int32>)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_DiscPct_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_CuryDiscAmt_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)

Namespace	Simple Name	Name
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_CuryUnitPrice_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_InventoryID_FieldUpdating(PXCache,PXFieldUpdatingEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_InventoryID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_IsFree_FieldUpdating(PXCache,PXFieldUpdatingEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_IsFree_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_UOM_FieldUpdating(PXCache,PXFieldUpdatingEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_UOM_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_Quantity_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunityProducts_RowDeleted(PXCache,PXRowDeletedEventArgs)
PX.Objects.CR	OpportunityMaint	CurrencyInfo_CuryID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	CurrencyInfo_CuryRateTypeID_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	CurrencyInfo_CuryEffDate_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	CurrencyInfo_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CR	OpportunityMaint	CRTaxTran_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CR	OpportunityMaint	CRTaxTran_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.CR	BusinessAccountMaint	SOOrder_OrderNbr_CacheAttached(PXCache)
PX.Objects.CR	BusinessAccountMaint	CRMarketingListMember_MarketingListID_CacheAttached(PXCache)

Namespace	Simple Name	Name
PX.Objects.CR	AttributeExt	.ctor(CRAttribute+Attribute,String,Boolean)
PX.Objects.CR	CRSetupMaint	CRSetup_RowInserted(PXCache,PXRowInsertedEventArgs)
PX.Objects.CR	CROpportunityStagesAttribute	.ctor()
PX.Objects.CM	CurrencyRateByDate	get_NextEffDate()
PX.Objects.CM	CurrencyRateByDate	set_NextEffDate(Nullable<DateTime>)
PX.Objects.Common.DataIntegrity	DataIntegrityException	.ctor(String)
PX.Objects.Common.DataIntegrity	DataIntegrityException	.ctor(String,Object[])
PX.Objects.AR	ARAddItemSelected	set_ItemClassID(String)
PX.Objects.AR	ARCashSaleEntry	ARPaymentChargeTran_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.AR	ARDunningLetterPrint	PrintParameters_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.AR	PrintParameters	get_Action()
PX.Objects.AR	PrintParameters	set_Action(Nullable<Int32>)
PX.Objects.AR	PrintParameters	get_BeginDate()
PX.Objects.AR	PrintParameters	set_BeginDate(Nullable<DateTime>)
PX.Objects.AR	PrintParameters	get_EndDate()
PX.Objects.AR	PrintParameters	set_EndDate(Nullable<DateTime>)
PX.Objects.AR	PrintParameters	get_ShowAll()
PX.Objects.AR	PrintParameters	set_ShowAll(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.AR	DetailsResult	get_Selected()
PX.Objects.AR	DetailsResult	set_Selected(Nullable<Boolean>)
PX.Objects.AR	DetailsResult	get_DunningLetterID()
PX.Objects.AR	DetailsResult	set_DunningLetterID(Nullable<Int32>)
PX.Objects.AR	DetailsResult	get_BranchID()
PX.Objects.AR	DetailsResult	set_BranchID(Nullable<Int32>)
PX.Objects.AR	DetailsResult	get_CustomerId()
PX.Objects.AR	DetailsResult	set_CustomerId(Nullable<Int32>)
PX.Objects.AR	DetailsResult	get_DunningLetterDate()
PX.Objects.AR	DetailsResult	set_DunningLetterDate(Nullable<DateTime>)
PX.Objects.AR	DetailsResult	get_DunningLetterLevel()
PX.Objects.AR	DetailsResult	set_DunningLetterLevel(Nullable<Int32>)
PX.Objects.AR	DetailsResult	get_DocBal()
PX.Objects.AR	DetailsResult	set_DocBal(Nullable<Decimal>)
PX.Objects.AR	DetailsResult	get_LastLevel()
PX.Objects.AR	DetailsResult	set_LastLevel(Nullable<Boolean>)
PX.Objects.AR	DetailsResult	get_DontPrint()
PX.Objects.AR	DetailsResult	set_DontPrint(Nullable<Boolean>)
PX.Objects.AR	DetailsResult	get_Printed()

Namespace	Simple Name	Name
PX.Objects.AR	DetailsResult	set_Printed(Nullable<Boolean>)
PX.Objects.AR	DetailsResult	get_DontEmail()
PX.Objects.AR	DetailsResult	set_DontEmail(Nullable<Boolean>)
PX.Objects.AR	DetailsResult	get_Emailed()
PX.Objects.AR	DetailsResult	set_Emailed(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetterProcess	DistinctBy<TSource,TKey>(IEnumerable<TSource>,Func<TSource,TKey>)
PX.Objects.AR	ARInvoiceWithDL	get_CustomerID()
PX.Objects.AR	ARInvoiceWithDL	set_CustomerID(Nullable<Int32>)
PX.Objects.AR	ARInvoiceWithDL	get_BranchID()
PX.Objects.AR	ARInvoiceWithDL	set_BranchID(Nullable<Int32>)
PX.Objects.AR	ARInvoiceWithDL	get_DocBal()
PX.Objects.AR	ARInvoiceWithDL	set_DocBal(Nullable<Decimal>)
PX.Objects.AR	ARInvoiceWithDL	get_DueDate()
PX.Objects.AR	ARInvoiceWithDL	set_DueDate(Nullable<DateTime>)
PX.Objects.AR	ARInvoiceWithDL	get_Released()
PX.Objects.AR	ARInvoiceWithDL	set_Released(Nullable<Boolean>)
PX.Objects.AR	ARInvoiceWithDL	get_OpenDoc()
PX.Objects.AR	ARInvoiceWithDL	set_OpenDoc(Nullable<Boolean>)
PX.Objects.AR	ARInvoiceWithDL	get_Voided()

Namespace	Simple Name	Name
PX.Objects.AR	ARInvoiceWithDL	set_Voided(Nullable<Boolean>)
PX.Objects.AR	ARInvoiceWithDL	get_Revoked()
PX.Objects.AR	ARInvoiceWithDL	set_Revoked(Nullable<Boolean>)
PX.Objects.AR	ARInvoiceWithDL	get_DocType()
PX.Objects.AR	ARInvoiceWithDL	set_DocType(String)
PX.Objects.AR	ARInvoiceWithDL	get_RefNbr()
PX.Objects.AR	ARInvoiceWithDL	set_RefNbr(String)
PX.Objects.AR	ARInvoiceWithDL	get_DunningLetterLevel()
PX.Objects.AR	ARInvoiceWithDL	set_DunningLetterLevel(Nullable<Int32>)
PX.Objects.AR	ARInvoiceWithDL	get_DunningLetterDate()
PX.Objects.AR	ARInvoiceWithDL	set_DunningLetterDate(Nullable<DateTime>)
PX.Objects.AR	ARInvoiceWithDL	get_DocDate()
PX.Objects.AR	ARInvoiceWithDL	set_DocDate(Nullable<DateTime>)
PX.Objects.AR	ARInvoiceWithDL	get_CuryID()
PX.Objects.AR	ARInvoiceWithDL	set_CuryID(String)
PX.Objects.AR	ARInvoiceWithDL	get_CuryOrigDocAmt()
PX.Objects.AR	ARInvoiceWithDL	set_CuryOrigDocAmt(Nullable<Decimal>)
PX.Objects.AR	ARInvoiceWithDL	get_OrigDocAmt()
PX.Objects.AR	ARInvoiceWithDL	set_OrigDocAmt(Nullable<Decimal>)

Namespace	Simple Name	Name
PX.Objects.AR	ARInvoiceWithDL	get_CuryDocBal()
PX.Objects.AR	ARInvoiceWithDL	set_CuryDocBal(Nullable<Decimal>)
PX.Objects.AR	ARDunningLetterRecordsParameters	get_CustomerClassID()
PX.Objects.AR	ARDunningLetterRecordsParameters	set_CustomerClassID(String)
PX.Objects.AR	ARDunningLetterRecordsParameters	get_DocDate()
PX.Objects.AR	ARDunningLetterRecordsParameters	set_DocDate(Nullable<DateTime>)
PX.Objects.AR	ARDunningLetterRecordsParameters	get_IncludeNonOverdueDunning()
PX.Objects.AR	ARDunningLetterRecordsParameters	set_IncludeNonOverdueDunning(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetterRecordsParameters	get_IncludeType()
PX.Objects.AR	ARDunningLetterRecordsParameters	set_IncludeType(Nullable<Int32>)
PX.Objects.AR	ARDunningLetterRecordsParameters	get_LevelFrom()
PX.Objects.AR	ARDunningLetterRecordsParameters	set_LevelFrom(Nullable<Int32>)
PX.Objects.AR	ARDunningLetterRecordsParameters	get_LevelTo()
PX.Objects.AR	ARDunningLetterRecordsParameters	set_LevelTo(Nullable<Int32>)
PX.Objects.AR	ARDunningLetterList	get_Selected()
PX.Objects.AR	ARDunningLetterList	set_Selected(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetterList	get_CustomerClassID()
PX.Objects.AR	ARDunningLetterList	set_CustomerClassID(String)
PX.Objects.AR	ARDunningLetterList	get_BranchID()

Namespace	Simple Name	Name
PX.Objects.AR	ARDunningLetterList	set_BranchID(Nullable<Int32>)
PX.Objects.AR	ARDunningLetterList	get_BAccountID()
PX.Objects.AR	ARDunningLetterList	set_BAccountID(Nullable<Int32>)
PX.Objects.AR	ARDunningLetterList	get_DueDate()
PX.Objects.AR	ARDunningLetterList	set_DueDate(Nullable<DateTime>)
PX.Objects.AR	ARDunningLetterList	get_NumberOfDocuments()
PX.Objects.AR	ARDunningLetterList	set_NumberOfDocuments(Nullable<Int32>)
PX.Objects.AR	ARDunningLetterList	get_NumberOfOverdueDocuments()
PX.Objects.AR	ARDunningLetterList	set_NumberOfOverdueDocuments(Nullable<Int32>)
PX.Objects.AR	ARDunningLetterList	get_OrigDocAmt()
PX.Objects.AR	ARDunningLetterList	set_OrigDocAmt(Nullable<Decimal>)
PX.Objects.AR	ARDunningLetterList	get_DocBal()
PX.Objects.AR	ARDunningLetterList	set_DocBal(Nullable<Decimal>)
PX.Objects.AR	ARDunningLetterList	get_DunningLetterLevel()
PX.Objects.AR	ARDunningLetterList	set_DunningLetterLevel(Nullable<Int32>)
PX.Objects.AR	ARDunningLetterList	get_LastDunningLetterDate()
PX.Objects.AR	ARDunningLetterList	set_LastDunningLetterDate(Nullable<DateTime>)
PX.Objects.AR	ARDunningLetterList	get_DueDays()
PX.Objects.AR	ARDunningLetterList	set_DueDays(Nullable<Int32>)

Namespace	Simple Name	Name
PX.Objects.AR	ARDunningLetter	get_DunningLetterID()
PX.Objects.AR	ARDunningLetter	set_DunningLetterID(Nullable<Int32>)
PX.Objects.AR	ARDunningLetter	get_BranchID()
PX.Objects.AR	ARDunningLetter	set_BranchID(Nullable<Int32>)
PX.Objects.AR	ARDunningLetter	get_BAccountID()
PX.Objects.AR	ARDunningLetter	set_BAccountID(Nullable<Int32>)
PX.Objects.AR	ARDunningLetter	get_DunningLetterDate()
PX.Objects.AR	ARDunningLetter	set_DunningLetterDate(Nullable<DateTime>)
PX.Objects.AR	ARDunningLetter	get_Deadline()
PX.Objects.AR	ARDunningLetter	set_Deadline(Nullable<DateTime>)
PX.Objects.AR	ARDunningLetter	get_DunningLetterLevel()
PX.Objects.AR	ARDunningLetter	set_DunningLetterLevel(Nullable<Int32>)
PX.Objects.AR	ARDunningLetter	get_Printed()
PX.Objects.AR	ARDunningLetter	set_Printed(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetter	get_DontPrint()
PX.Objects.AR	ARDunningLetter	set_DontPrint(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetter	get_Released()
PX.Objects.AR	ARDunningLetter	set_Released(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetter	get_Voided()

Namespace	Simple Name	Name
PX.Objects.AR	ARDunningLetter	set_Voided(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetter	get_DetailsCount()
PX.Objects.AR	ARDunningLetter	set_DetailsCount(Nullable<Int32>)
PX.Objects.AR	ARDunningLetter	get_FeeDocType()
PX.Objects.AR	ARDunningLetter	set_FeeDocType(String)
PX.Objects.AR	ARDunningLetter	get_FeeRefNbr()
PX.Objects.AR	ARDunningLetter	set_FeeRefNbr(String)
PX.Objects.AR	ARDunningLetter	get_Emailed()
PX.Objects.AR	ARDunningLetter	set_Emailed(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetter	get_NoteID()
PX.Objects.AR	ARDunningLetter	set_NoteID(Nullable<Guid>)
PX.Objects.AR	ARDunningLetter	get_DontEmail()
PX.Objects.AR	ARDunningLetter	set_DontEmail(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetter	get_Consolidated()
PX.Objects.AR	ARDunningLetter	set_Consolidated(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetter	get_LastLevel()
PX.Objects.AR	ARDunningLetter	set_LastLevel(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetter	get_tstamp()
PX.Objects.AR	ARDunningLetter	set_tstamp(Byte[])

Namespace	Simple Name	Name
PX.Objects.AR	ARDunningLetterDetail	get_DunningLetterID()
PX.Objects.AR	ARDunningLetterDetail	set_DunningLetterID(Nullable<Int32>)
PX.Objects.AR	ARDunningLetterDetail	get_DocType()
PX.Objects.AR	ARDunningLetterDetail	set_DocType(String)
PX.Objects.AR	ARDunningLetterDetail	get_RefNbr()
PX.Objects.AR	ARDunningLetterDetail	set_RefNbr(String)
PX.Objects.AR	ARDunningLetterDetail	get_DocDate()
PX.Objects.AR	ARDunningLetterDetail	set_DocDate(Nullable<DateTime>)
PX.Objects.AR	ARDunningLetterDetail	get_DueDate()
PX.Objects.AR	ARDunningLetterDetail	set_DueDate(Nullable<DateTime>)
PX.Objects.AR	ARDunningLetterDetail	get_CuryOrigDocAmt()
PX.Objects.AR	ARDunningLetterDetail	set_CuryOrigDocAmt(Nullable<Decimal>)
PX.Objects.AR	ARDunningLetterDetail	get_CuryDocBal()
PX.Objects.AR	ARDunningLetterDetail	set_CuryDocBal(Nullable<Decimal>)
PX.Objects.AR	ARDunningLetterDetail	get_CuryID()
PX.Objects.AR	ARDunningLetterDetail	set_CuryID(String)
PX.Objects.AR	ARDunningLetterDetail	get_OrigDocAmt()
PX.Objects.AR	ARDunningLetterDetail	set_OrigDocAmt(Nullable<Decimal>)
PX.Objects.AR	ARDunningLetterDetail	get_DocBal()

Namespace	Simple Name	Name
PX.Objects.AR	ARDunningLetterDetail	set_DocBal(Nullable<Decimal>)
PX.Objects.AR	ARDunningLetterDetail	get_Overdue()
PX.Objects.AR	ARDunningLetterDetail	set_Overdue(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetterDetail	get_OverdueBal()
PX.Objects.AR	ARDunningLetterDetail	set_OverdueBal(Nullable<Decimal>)
PX.Objects.AR	ARDunningLetterDetail	get_Voided()
PX.Objects.AR	ARDunningLetterDetail	set_Voided(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetterDetail	get_Released()
PX.Objects.AR	ARDunningLetterDetail	set_Released(Nullable<Boolean>)
PX.Objects.AR	ARDunningLetterDetail	get_tstamp()
PX.Objects.AR	ARDunningLetterDetail	set_tstamp(Byte[])
PX.Objects.AR	ARDunningLetterDetail	get_DunningLetterLevel()
PX.Objects.AR	ARDunningLetterDetail	set_DunningLetterLevel(Nullable<Int32>)
PX.Objects.AR	ARDocumentEnq	Aggregate(ARDocumentEnq+ARDocumentFilter,ARCustomerBalanceEnq+ARHistoryResult)
PX.Objects.AR	ARCustomerBalanceEnq	filter()
PX.Objects.AR	ARCustomerBalanceEnq	Aggregate(ARCustomerBalanceEnq+ARHistoryFilter,ARCustomerBalanceEnq+ARHistoryResult)
PX.Objects.AR	ARCustomerBalanceEnq	RemoveZeroBalances(Dictionary<KeyValuePair<Int32,String>,ARCustomerBalanceEnq+ARHistoryResult>)
PX.Objects.AR	ARHistoryFilter	get_BranchID()

Namespace	Simple Name	Name
PX.Objects.AR	ARHistoryFilter	set_BranchID(Nullable<Int32>)
PX.Objects.AR	ARHistoryFilter	get_ARAcctID()
PX.Objects.AR	ARHistoryFilter	set_ARAcctID(Nullable<Int32>)
PX.Objects.AR	ARHistoryFilter	get_ARSubID()
PX.Objects.AR	ARHistoryFilter	set_ARSubID(Nullable<Int32>)
PX.Objects.AR	ARHistoryFilter	get_SubCD()
PX.Objects.AR	ARHistoryFilter	set_SubCD(String)
PX.Objects.AR	ARHistoryFilter	get_CuryID()
PX.Objects.AR	ARHistoryFilter	set_CuryID(String)
PX.Objects.AR	ARHistoryFilter	get_CustomerClassID()
PX.Objects.AR	ARHistoryFilter	set_CustomerClassID(String)
PX.Objects.AR	ARHistoryFilter	get_Status()
PX.Objects.AR	ARHistoryFilter	set_Status(String)
PX.Objects.AR	ARHistoryFilter	get_ShowWithBalanceOnly()
PX.Objects.AR	ARHistoryFilter	set_ShowWithBalanceOnly(Nullable<Boolean>)
PX.Objects.AR	ARHistoryFilter	get_Period()
PX.Objects.AR	ARHistoryFilter	set_Period(String)
PX.Objects.AR	ARHistoryFilter	get_ByFinancialPeriod()
PX.Objects.AR	ARHistoryFilter	set_ByFinancialPeriod(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.AR	ARHistoryFilter	get_CuryDepositsSummary()
PX.Objects.AR	ARHistoryFilter	set_CuryDepositsSummary(Nullable<Decimal>)
PX.Objects.AR	ARHistoryFilter	get_DepositsSummary()
PX.Objects.AR	ARHistoryFilter	set_DepositsSummary(Nullable<Decimal>)
PX.Objects.AR	ARHistoryFilter	get_CustomerID()
PX.Objects.AR	ARHistoryFilter	set_CustomerID(Nullable<Int32>)
PX.Objects.AR	ARHistoryFilter	get_SplitByCurrency()
PX.Objects.AR	ARHistoryFilter	set_SplitByCurrency(Nullable<Boolean>)
PX.Objects.AR	ARHistoryFilter	ClearSummary()
PX.Objects.AR	ARHistoryResult	get_CustomerID()
PX.Objects.AR	ARHistoryResult	set_CustomerID(Nullable<Int32>)
PX.Objects.AR	ARHistoryResult	get_AcctCD()
PX.Objects.AR	ARHistoryResult	set_AcctCD(String)
PX.Objects.AR	ARHistoryResult	get_AcctName()
PX.Objects.AR	ARHistoryResult	set_AcctName(String)
PX.Objects.AR	ARHistoryResult	get_FinPeriodID()
PX.Objects.AR	ARHistoryResult	set_FinPeriodID(String)
PX.Objects.AR	ARHistoryResult	get_CuryID()
PX.Objects.AR	ARHistoryResult	set_CuryID(String)

Namespace	Simple Name	Name
PX.Objects.AR	ARHistoryResult	get_CuryBegBalance()
PX.Objects.AR	ARHistoryResult	set_CuryBegBalance(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_BegBalance()
PX.Objects.AR	ARHistoryResult	set_BegBalance(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CuryEndBalance()
PX.Objects.AR	ARHistoryResult	set_CuryEndBalance(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_EndBalance()
PX.Objects.AR	ARHistoryResult	set_EndBalance(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CuryBalance()
PX.Objects.AR	ARHistoryResult	set_CuryBalance(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_Balance()
PX.Objects.AR	ARHistoryResult	set_Balance(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CurySales()
PX.Objects.AR	ARHistoryResult	set_CurySales(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_Sales()
PX.Objects.AR	ARHistoryResult	set_Sales(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CuryPayments()
PX.Objects.AR	ARHistoryResult	set_CuryPayments(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_Payments()

Namespace	Simple Name	Name
PX.Objects.AR	ARHistoryResult	set_Payments(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CuryDiscount()
PX.Objects.AR	ARHistoryResult	set_CuryDiscount(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_Discount()
PX.Objects.AR	ARHistoryResult	set_Discount(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_RGOL()
PX.Objects.AR	ARHistoryResult	set_RGOL(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CuryCrAdjustments()
PX.Objects.AR	ARHistoryResult	set_CuryCrAdjustments(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CrAdjustments()
PX.Objects.AR	ARHistoryResult	set_CrAdjustments(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CuryDrAdjustments()
PX.Objects.AR	ARHistoryResult	set_CuryDrAdjustments(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_DrAdjustments()
PX.Objects.AR	ARHistoryResult	set_DrAdjustments(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_COGS()
PX.Objects.AR	ARHistoryResult	set_COGS(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_FinPtdRevaluated()
PX.Objects.AR	ARHistoryResult	set_FinPtdRevaluated(Nullable<Decimal>)

Namespace	Simple Name	Name
PX.Objects.AR	ARHistoryResult	get_CuryFinCharges()
PX.Objects.AR	ARHistoryResult	set_CuryFinCharges(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_FinCharges()
PX.Objects.AR	ARHistoryResult	set_FinCharges(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CuryDeposits()
PX.Objects.AR	ARHistoryResult	set_CuryDeposits(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_Deposits()
PX.Objects.AR	ARHistoryResult	set_Deposits(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_CuryDepositsBalance()
PX.Objects.AR	ARHistoryResult	set_CuryDepositsBalance(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_DepositsBalance()
PX.Objects.AR	ARHistoryResult	set_DepositsBalance(Nullable<Decimal>)
PX.Objects.AR	ARHistoryResult	get_Converted()
PX.Objects.AR	ARHistoryResult	set_Converted(Nullable<Boolean>)
PX.Objects.AR	ARHistoryResult	get_NoteID()
PX.Objects.AR	ARHistoryResult	set_NoteID(Nullable<Guid>)
PX.Objects.AR	ARFinChargesApplyParameters	get_StatementCycle()
PX.Objects.AR	ARFinChargesApplyParameters	set_StatementCycle(String)
PX.Objects.AR	ARFinChargesApplyParameters	get_CustomerClassID()

Namespace	Simple Name	Name
PX.Objects.AR	ARFinChargesApplyParameters	set_CustomerClassID(String)
PX.Objects.AR	ARFinChargesApplyParameters	get_CustomerID()
PX.Objects.AR	ARFinChargesApplyParameters	set_CustomerID(Nullable<Int32>)
PX.Objects.AR	ARFinChargesApplyParameters	get_FinChargeDate()
PX.Objects.AR	ARFinChargesApplyParameters	set_FinChargeDate(Nullable<DateTime>)
PX.Objects.AR	ARFinChargesApplyParameters	get_FinPeriodID()
PX.Objects.AR	ARFinChargesApplyParameters	set_FinPeriodID(String)
PX.Objects.AR	ARFinChargesDetails	get_DocType()
PX.Objects.AR	ARFinChargesDetails	set_DocType(String)
PX.Objects.AR	ARFinChargesDetails	get_RefNbr()
PX.Objects.AR	ARFinChargesDetails	set_RefNbr(String)
PX.Objects.AR	ARFinChargesDetails	get_DocDate()
PX.Objects.AR	ARFinChargesDetails	set_DocDate(Nullable<DateTime>)
PX.Objects.AR	ARFinChargesDetails	get_DueDate()
PX.Objects.AR	ARFinChargesDetails	set_DueDate(Nullable<DateTime>)
PX.Objects.AR	ARFinChargesDetails	get_LastPaymentDate()
PX.Objects.AR	ARFinChargesDetails	set_LastPaymentDate(Nullable<DateTime>)
PX.Objects.AR	ARFinChargesDetails	get_LastChargeDate()
PX.Objects.AR	ARFinChargesDetails	set_LastChargeDate(Nullable<DateTime>)

Namespace	Simple Name	Name
PX.Objects.AR	ARFinChargesDetails	get_CustomerID()
PX.Objects.AR	ARFinChargesDetails	set_CustomerID(Nullable<Int32>)
PX.Objects.AR	ARFinChargesDetails	get_CuryID()
PX.Objects.AR	ARFinChargesDetails	set_CuryID(String)
PX.Objects.AR	ARFinChargesDetails	get_CuryOrigDocAmt()
PX.Objects.AR	ARFinChargesDetails	set_CuryOrigDocAmt(Nullable<Decimal>)
PX.Objects.AR	ARFinChargesDetails	get_CuryDocBal()
PX.Objects.AR	ARFinChargesDetails	set_CuryDocBal(Nullable<Decimal>)
PX.Objects.AR	ARFinChargesDetails	get_OverdueDays()
PX.Objects.AR	ARFinChargesDetails	set_OverdueDays(Nullable<Int16>)
PX.Objects.AR	ARFinChargesDetails	get_FinChargeID()
PX.Objects.AR	ARFinChargesDetails	set_FinChargeID(String)
PX.Objects.AR	ARFinChargesDetails	get_FinChargeCuryID()
PX.Objects.AR	ARFinChargesDetails	set_FinChargeCuryID(String)
PX.Objects.AR	ARFinChargesDetails	get_FinChargeAmt()
PX.Objects.AR	ARFinChargesDetails	set_FinChargeAmt(Nullable<Decimal>)
PX.Objects.AR	ARFinChargesDetails	get_ARAccountID()
PX.Objects.AR	ARFinChargesDetails	set_ARAccountID(Nullable<Int32>)
PX.Objects.AR	ARFinChargesDetails	get_ARSubID()

Namespace	Simple Name	Name
PX.Objects.AR	ARFinChargesDetails	set_ARSubID(Nullable<Int32>)
PX.Objects.AR	ARFinChargesDetails	get_CuryRate()
PX.Objects.AR	ARFinChargesDetails	set_CuryRate(Nullable<Decimal>)
PX.Objects.AR	ARFinChargesDetails	get_CuryMultDiv()
PX.Objects.AR	ARFinChargesDetails	set_CuryMultDiv(String)
PX.Objects.AR	ARFinChargesDetails	get_CuryRateTypeID()
PX.Objects.AR	ARFinChargesDetails	set_CuryRateTypeID(String)
PX.Objects.AR	ARFinChargesDetails	get_HasUnreleasedCharges()
PX.Objects.AR	ARFinChargesDetails	set_HasUnreleasedCharges(Nullable<Boolean>)
PX.Objects.AR	ARFinChargesDetails	get_LastFCDocType()
PX.Objects.AR	ARFinChargesDetails	set_LastFCDocType(String)
PX.Objects.AR	ARFinChargesDetails	get_LastFCRefNbr()
PX.Objects.AR	ARFinChargesDetails	set_LastFCRefNbr(String)
PX.Objects.AR	ARFinChargesDetails	get_FinChargeDate()
PX.Objects.AR	ARFinChargesDetails	set_FinChargeDate(Nullable<DateTime>)
PX.Objects.AR	ARFinChargesDetails	get_FinPeriodID()
PX.Objects.AR	ARFinChargesDetails	set_FinPeriodID(String)
PX.Objects.AR	ARPaymentEntry	ARInvoice_CuryRUTROTUndistributedAmt_CacheAttached(PXCache)
PX.Objects.AR	ARPaymentEntry	ARPaymentChargeTran_RowPersisting(PXCache,PXRowPersistingEventArgs)

Namespace	Simple Name	Name
PX.Objects.AR	ARAdjust	get_AdjdRefNbr()
PX.Objects.AR	ARAdjust	set_AdjdRefNbr(String)
PX.Objects.AR	ARAdjust	set_AdjgTBSign(Nullable<Decimal>)
PX.Objects.AR	ARAdjust	set_AdjdTBSign(Nullable<Decimal>)
PX.Objects.AR	ARAdjust2	get_AdjdRefNbr()
PX.Objects.AR	ARAdjust2	set_AdjdRefNbr(String)
PX.Objects.AR	ARFinCharge	get_FinChargeID()
PX.Objects.AR	ARFinCharge	set_FinChargeID(String)
PX.Objects.AR	ARFinCharge	get_FinChargeDesc()
PX.Objects.AR	ARFinCharge	set_FinChargeDesc(String)
PX.Objects.AR	ARFinCharge	get_TermsID()
PX.Objects.AR	ARFinCharge	set_TermsID(String)
PX.Objects.AR	ARFinCharge	get_BaseCurFlag()
PX.Objects.AR	ARFinCharge	set_BaseCurFlag(Nullable<Boolean>)
PX.Objects.AR	ARFinCharge	get_MinFinChargeFlag()
PX.Objects.AR	ARFinCharge	set_MinFinChargeFlag(Nullable<Boolean>)
PX.Objects.AR	ARFinCharge	get_MinFinChargeAmount()
PX.Objects.AR	ARFinCharge	set_MinFinChargeAmount(Nullable<Decimal>)
PX.Objects.AR	ARFinCharge	get_MinChargeDocumentAmt()

Namespace	Simple Name	Name
PX.Objects.AR	ARFinCharge	set_MinChargeDocumentAmt(Nullable<Decimal>)
PX.Objects.AR	ARFinCharge	get_PercentFlag()
PX.Objects.AR	ARFinCharge	set_PercentFlag(Nullable<Boolean>)
PX.Objects.AR	ARFinCharge	get_FinChargeAccountID()
PX.Objects.AR	ARFinCharge	set_FinChargeAccountID(Nullable<Int32>)
PX.Objects.AR	ARFinCharge	get_FinChargeSubID()
PX.Objects.AR	ARFinCharge	set_FinChargeSubID(Nullable<Int32>)
PX.Objects.AR	ARFinCharge	get_TaxCategoryID()
PX.Objects.AR	ARFinCharge	set_TaxCategoryID(String)
PX.Objects.AR	ARFinCharge	get_FeeAccountID()
PX.Objects.AR	ARFinCharge	set_FeeAccountID(Nullable<Int32>)
PX.Objects.AR	ARFinCharge	get_FeeSubID()
PX.Objects.AR	ARFinCharge	set_FeeSubID(Nullable<Int32>)
PX.Objects.AR	ARFinCharge	get_FeeAmount()
PX.Objects.AR	ARFinCharge	set_FeeAmount(Nullable<Decimal>)
PX.Objects.AR	ARFinCharge	get_FeeDesc()
PX.Objects.AR	ARFinCharge	set_FeeDesc(String)
PX.Objects.AR	ARFinCharge	get_CalculationMethod()
PX.Objects.AR	ARFinCharge	set_CalculationMethod(Nullable<Int32>)

Namespace	Simple Name	Name
PX.Objects.AR	ARFinCharge	get_tstamp()
PX.Objects.AR	ARFinCharge	set_tstamp(Byte[])
PX.Objects.AR	ARFinCharge	get_NoteID()
PX.Objects.AR	ARFinCharge	set_NoteID(Nullable<Guid>)
PX.Objects.AR	ARFinCharge	get_CreatedByID()
PX.Objects.AR	ARFinCharge	set_CreatedByID(Nullable<Guid>)
PX.Objects.AR	ARFinCharge	get_CreatedByScreenID()
PX.Objects.AR	ARFinCharge	set_CreatedByScreenID(String)
PX.Objects.AR	ARFinCharge	get_CreatedDateTime()
PX.Objects.AR	ARFinCharge	set_CreatedDateTime(Nullable<DateTime>)
PX.Objects.AR	ARFinCharge	get_LastModifiedByID()
PX.Objects.AR	ARFinCharge	set_LastModifiedByID(Nullable<Guid>)
PX.Objects.AR	ARFinCharge	get_LastModifiedByScreenID()
PX.Objects.AR	ARFinCharge	set_LastModifiedByScreenID(String)
PX.Objects.AR	ARFinCharge	get_LastModifiedDateTime()
PX.Objects.AR	ARFinCharge	set_LastModifiedDateTime(Nullable<DateTime>)
PX.Objects.AR	ARInvoiceEntry	ARInvoice_DontPrint_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.AR	ARInvoiceEntry	ARInvoice_DontEmail_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.AR	ARInvoiceEntry	ARInvoice_Hold_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)

Namespace	Simple Name	Name
PX.Objects.AR	ARCashTranIDAttribute	.ctor()
PX.Objects.AR	ARCashSaleCashTranIDAttribute	.ctor()
PX.Objects.AR	ARPaymentChargeCashTranIDAttribute	.ctor()
PX.Objects.AR	ARInvoice	get_BillContactID()
PX.Objects.AR	ARInvoice	set_BillContactID(Nullable<Int32>)
PX.Objects.AR	ARInvoice	get_TermsID()
PX.Objects.AR	ARInvoice	set_TermsID(String)
PX.Objects.AR	ARRegister	get_BatchNbr()
PX.Objects.AR	ARRegister	set_BatchNbr(String)
PX.Objects.AR	ARRegister	get_OrigRefNbr()
PX.Objects.AR	ARRegister	set_OrigRefNbr(String)
PX.Objects.AR	ARTran	get_PMTranID()
PX.Objects.AR	ARTran	set_PMTranID(Nullable<Int64>)
PX.Objects.AR	ARTran	get_InventoryID()
PX.Objects.AR	ARTran	set_InventoryID(Nullable<Int32>)
PX.Objects.AR	ARTran	get_Qty()
PX.Objects.AR	ARTran	set_Qty(Nullable<Decimal>)
PX.Objects.AR	ARTran	get_CuryUnitPrice()

Namespace	Simple Name	Name
PX.Objects.AR	ARTran	set_CuryUnitPrice(Nullable<Decimal>)
PX.Objects.AR	ARTran	get_UnitPrice()
PX.Objects.AR	ARTran	set_UnitPrice(Nullable<Decimal>)
PX.Objects.AR	ARTran	get_TranDate()
PX.Objects.AR	ARTran	set_TranDate(Nullable<DateTime>)
PX.Objects.AR	ARTran	get_Date()
PX.Objects.AR	ARTran	set_Date(Nullable<DateTime>)
PX.Objects.AR	LineEntitiesFields	set_InventoryID(Nullable<Int32>)
PX.Objects.AR	LineEntitiesFields	set_CustomerID(Nullable<Int32>)
PX.Objects.AR	LineEntitiesFields	set_SiteID(Nullable<Int32>)
PX.Objects.AR	LineEntitiesFields	set_BranchID(Nullable<Int32>)
PX.Objects.AR	LineEntitiesFields	set_VendorID(Nullable<Int32>)
PX.Objects.AR	SalesPriceItem	.ctor(String,Decimal,String)
PX.Objects.AR	ARSalesPriceFilter	get_ItemClassID()
PX.Objects.AR	ARSalesPriceFilter	set_ItemClassID(String)
PX.Objects.AR	ARStatementProcess	CalcStatementDayBefore(DateTime,string,Nullable<Int32>,Nullable<Int32>)
PX.Objects.AR	ARStatementProcess	CalcNextStatementDate(DateTime,string,Nullable<Int32>,Nullable<Int32>)
PX.Objects.AR	ARStatementProcess	FindNextStatementDate(DateTime,ARStatementCycle)
PX.Objects.AR	ARStatementProcess	FindNextStatementDateAfter(DateTime,ARStatementCycle)

Namespace	Simple Name	Name
PX.Objects.AR	ARStatementPrint	Copy(ARStatement, Customer)
PX.Objects.AR	ARStatementPrint	Append(DetailsResult)
PX.Objects.AR	ARStatementPrint	ResetToBaseCury(string)
PX.Objects.AR	StatementCycleProcessBO	GenerateCustomerStatement (StatementCreateBO, ARStatementCycle, Customer, DateTime, Dictionary<Tuple<Int32,String,Int,DateTime>,ARStatement>, IList<PXResult<ARRegister,ARInvoice>>)
PX.Objects.AR	StatementCycleProcessBO	GenerateStatementForCustomerFamily (StatementCreateBO, ARStatementCycle, IEnumerable<Customer>, DateTime, bool)
PX.Objects.AR	StatementCycleProcessBO	AddARStatement (Dictionary<StatementKey,ARStatement>, StatementKey, ARStatementCycle, Customer, DateTime)
PX.Objects.AR	StatementCycleProcessBO	AccumulateAgeBalancesIntoStatements (IEnumerable<PXResult<ARRegister,ARInvoice>>,IDictionary<StatementKey,ARStatement>, bool)
PX.Objects.AR	StatementCycleProcessBO	DeleteCustomerStatement(ARStatementCycle,Customer,DateTime)
PX.Objects.AR.CCPaymentProcessing	CCCCustomerInformationManager	get_Context()
PX.Objects.AR.CCPaymentProcessing	CCCCustomerInformationManager	set_Context(ProcessingContext)
PX.Objects.AR.CCPaymentProcessing	CCCCustomerInformationManager	.ctor(String,CCProcessingFeature,ProcessingContext)
PX.Objects.AR.CCPaymentProcessing	CCCCustomerInformationManager	ProcessAPIResponse(APIResponse)
PX.Objects.AR.CCPaymentProcessing	CCCCustomerInformationManager	SetNewContext(ProcessingContext)

Namespace	Simple Name	Name
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	CreateCustomer()
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	CheckCustomerID()
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	DeleteCustomerID()
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	CreatePaymentMethod()
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	GetPaymentMethod()
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	DeletePaymentMethod()
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	CreatePaymentMethodHostedForm()
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	SynchronizePaymentMethods()
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	ManagePaymentMethodHostedForm()
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	CreatePaymentMethodHF<TPaymentMethodType>(PXGraph,PXSelectBase<TPaymentMethodType>,TPaymentMethodType)
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	SyncPaymentMethodsHF<TPaymentMethodType,TDetailsType>(PXGraph,PXSelectBase<TPaymentMethodType>,PXSelectBase<TDetailsType>,TPaymentMethodType)
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	ManagePaymentMethodHF<TPaymentMethodType>(PXGraph,TPaymentMethodType)
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	SyncNewPMI<TPaymentMethodType,TDetailsType>(PXGraph,PXSelectBase<TPaymentMethodType>,PXSelectBase<TDetailsType>)

Namespace	Simple Name	Name
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	SyncExistingPMI(PXGraph,PXSelectBase<CustomerPaymentMethod>,PXSelectBase<CustomerPaymentMethodDetail>)
PX.Objects.AR.CCPaymentProcessing	CCCustomerInformationManager	SyncDeletePMI(PXGraph,PXSelectBase<CustomerPaymentMethod>,PXSelectBase<CustomerPaymentMethodDetail>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	FormatCCPaymentState(CCPaymentState)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	ResolveCCPaymentState(IEnumerable<PXResult<CCProcTran>>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	ResolveCCPaymentState(IEnumerable<PXResult<CCProcTran>>,CCProcTran&)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	HasSuccessfulCCTrans(PXSelectBase<CCProcTran>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	HasUnfinishedCCTrans(PXGraph,CustomerPaymentMethod)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	UpdateCapturedState<T>(T,IEnumerable<PXResult<CCProcTran>>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	UpdateCCPaymentState<T>(T,IEnumerable<PXResult<CCProcTran>>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	IsExpired(CCProcTran)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	HasOpenCCTran(PXSelectBase<CCProcTran>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	HasCCTransactions(PXSelectBase<CCProcTran>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	findCCPreAuthorizing(IEnumerable<PXResult<CCProcTran>>)

Namespace	Simple Name	Name
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	findCapturing(PXSelectBase<CCProcTran>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	findCCLastSuccessfulTran(PXSelectBase<CCProcTran>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	ProcessCCTransaction(ICCPayment,CCProcTran,CCTranType)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	AuthorizeCCPayment<TNode>(TNode,PXSelectBase<CCProcTran>,CCPaymentEntry+UpdateDocStateDelegate)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	VoidCCPayment<TNode>(TNode,PXSelectBase<CCProcTran>,CCPaymentEntry+ReleaseDelegate,CCPaymentEntry+UpdateDocStateDelegate)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	CreditCCPayment<TNode>(TNode,String,PXSelectBase<CCProcTran>,CCPaymentEntry+ReleaseDelegate,CCPaymentEntry+UpdateDocStateDelegate)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	CaptureCCPayment<TNode>(TNode,PXSelectBase<CCProcTran>,CCPaymentEntry+ReleaseDelegate,CCPaymentEntry+UpdateDocStateDelegate)
PX.Objects.AR.CCPaymentProcessing	CCPaymentEntry	CaptureOnlyCCPayment<TNode>(TNode,String,PXSelectBase<CCProcTran>,CCPaymentEntry+ReleaseDelegate,CCPaymentEntry+UpdateDocStateDelegate)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	Authorize(Int32,Boolean,String,Decimal,String,String,Int32&)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	IsFeatureSupported(Type,CCProcessingFeature)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	IsFeatureSupported(CCProcessingCenter,CCProcessingFeature)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	ReadProcessingCenterDefinition(String)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	findProcessingCenter(Nullable<Int32>,String)

Namespace	Simple Name	Name
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	findProcessingCenter(String)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	findProcessingCenterFromPM(String)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	checkProcessingCenter(CCPaymentProcessing)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	findTransaction(Nullable<Int32>)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	CreateCCPaymentProcessorInstance(CCPaymentProcessing)
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	ExtractStreetAddress(Address)
PX.Objects.AR.Standalone	ARCashSale	get_TermsID()
PX.Objects.AR.Standalone	ARCashSale	set_TermsID(String)
PX.Objects.AR.Standalone	ARCashSale	get_BatchNbr()
PX.Objects.AR.Standalone	ARCashSale	set_BatchNbr(String)
PX.Objects.AR.Standalone	ARCashSale	get_BillContactID()
PX.Objects.AR.Standalone	ARCashSale	set_BillContactID(Nullable<Int32>)
PX.Objects.AR.Standalone	ARCashSale	get_CATranID()
PX.Objects.AR.Standalone	ARCashSale	set_CATranID(Nullable<Int64>)
PX.Objects.AR.Standalone	ARCashSale	get_DepositAfter()
PX.Objects.AR.Standalone	ARCashSale	set_DepositAfter(Nullable<DateTime>)

Namespace	Simple Name	Name
PX.Objects.AP	ARAddItemSelected	set_ItemClassID(String)
PX.Objects.AP	APQuickCheckEntry	APPaymentChargeTran_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.AP	APDocumentEnq	Aggregate(APDocumentEnq+APDocumentFilter,APVendorBalanceEnq+APHistoryResult)
PX.Objects.AP	APPaymentEntry	ViewCurrentBatch(PXAdapter)
PX.Objects.AP	APPaymentEntry	APPayment_Hold_FieldUpdating(PXCache,PXFieldUpdatingEventArgs)
PX.Objects.AP	APPaymentEntry	APPayment_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.AP	APPaymentEntry	APPaymentChargeTran_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.AP	LinkLineFilter	get_POOrderNbr()
PX.Objects.AP	LinkLineFilter	set_POOrderNbr(String)
PX.Objects.AP	PORceiptFilter	get_OrderNbr()
PX.Objects.AP	PORceiptFilter	set_OrderNbr(String)
PX.Objects.AP	APAdjust	get_AdjdRefNbr()
PX.Objects.AP	APAdjust	set_AdjdRefNbr(String)
PX.Objects.AP	APVendorBalanceEnq	filter()
PX.Objects.AP	APVendorBalanceEnq	Aggregate(APVendorBalanceEnq+APHistoryFilter,APVendorBalanceEnq+APHistoryResult)
PX.Objects.AP	APVendorBalanceEnq	RemoveZeroBalances(Dictionary<KeyValuePair<Int32,String>,APVendorBalanceEnq+APHistoryResult>)
PX.Objects.AP	APHistoryFilter	get_SplitByCurrency()
PX.Objects.AP	APHistoryFilter	set_SplitByCurrency(Nullable<Boolean>)

Namespace	Simple Name	Name
PX.Objects.AP	APHistoryFilter	get_CuryBalanceSummary()
PX.Objects.AP	APHistoryFilter	set_CuryBalanceSummary(Nullable<Decimal>)
PX.Objects.AP	APHistoryFilter	get_BalanceSummary()
PX.Objects.AP	APHistoryFilter	set_BalanceSummary(Nullable<Decimal>)
PX.Objects.AP	APHistoryFilter	get_CuryDepositsSummary()
PX.Objects.AP	APHistoryFilter	set_CuryDepositsSummary(Nullable<Decimal>)
PX.Objects.AP	APHistoryFilter	get_DepositsSummary()
PX.Objects.AP	APHistoryFilter	set_DepositsSummary(Nullable<Decimal>)
PX.Objects.AP	APHistoryFilter	ClearSummary()
PX.Objects.AP	APHistoryResult	get_CuryDepositsBalance()
PX.Objects.AP	APHistoryResult	set_CuryDepositsBalance(Nullable<Decimal>)
PX.Objects.AP	APHistoryResult	get_DepositsBalance()
PX.Objects.AP	APHistoryResult	set_DepositsBalance(Nullable<Decimal>)
PX.Objects.AP	APVendorPriceFilter	get_ItemClassID()
PX.Objects.AP	APVendorPriceFilter	set_ItemClassID(String)
PX.Objects.AP	APPriceWorksheetDetail	get_PendingPrice()
PX.Objects.AP	APPriceWorksheetDetail	set_PendingPrice(Nullable<Decimal>)
PX.Objects.AP	APPriceWorksheetDetail	get_CuryID()
PX.Objects.AP	APPriceWorksheetDetail	set_CuryID(String)

Namespace	Simple Name	Name
PX.Objects.AP	APVendorPrice	get_VendorID()
PX.Objects.AP	APVendorPrice	set_VendorID(Nullable<Int32>)
PX.Objects.AP	APVendorPrice	get_SalesPrice()
PX.Objects.AP	APVendorPrice	set_SalesPrice(Nullable<Decimal>)
PX.Objects.AP	APPaymentChargeTran	get_CashTranID()
PX.Objects.AP	APPaymentChargeTran	set_CashTranID(Nullable<Int64>)
PX.Objects.AP	APAdjust	get_AdjdRefNbr()
PX.Objects.AP	APAdjust	set_AdjdRefNbr(String)
PX.Objects.AP	APInvoice	get_TermsID()
PX.Objects.AP	APInvoice	set_TermsID(String)
PX.Objects.AP	APInvoice	get_TaxZoneID()
PX.Objects.AP	APInvoice	set_TaxZoneID(String)
PX.Objects.AP	APPayment	get_RemitContactID()
PX.Objects.AP	APPayment	set_RemitContactID(Nullable<Int32>)
PX.Objects.AP	APPayment	get_PrintCheck()
PX.Objects.AP	APPayment	set_PrintCheck(Nullable<Boolean>)
PX.Objects.AP	APPayment	get_CATranID()
PX.Objects.AP	APPayment	set_CATranID(Nullable<Int64>)
PX.Objects.AP	APPayment	get_Approved()

Namespace	Simple Name	Name
PX.Objects.AP	APPayment	set_Aproved(Nullable<Boolean>)
PX.Objects.AP	APPayment	get_DontApprove()
PX.Objects.AP	APPayment	set_DontApprove(Nullable<Boolean>)
PX.Objects.AP	APRegister	get_BatchNbr()
PX.Objects.AP	APRegister	set_BatchNbr(String)
PX.Objects.AP	APRegister	get_RequestApproval()
PX.Objects.AP	APRegister	set_RequestApproval(Nullable<Boolean>)
PX.Objects.AP	APRegister	get_OrigRefNbr()
PX.Objects.AP	APRegister	set_OrigRefNbr(String)
PX.Objects.AP	SetStatusAttribute	RowSelecting(PXCache,PXRowSelectingEventArgs)
PX.Objects.AP	APSetup	get_InvoiceRequestApproval()
PX.Objects.AP	APSetup	set_InvoiceRequestApproval(Nullable<Boolean>)
PX.Objects.AP	APTran	get_TranDate()
PX.Objects.AP	APTran	set_TranDate(Nullable<DateTime>)
PX.Objects.AP	APTran	get_Date()
PX.Objects.AP	APTran	set_Date(Nullable<DateTime>)
PX.Objects.AP	Vendor	get_EnableTaxStartDate()
PX.Objects.AP	Vendor	set_EnableTaxStartDate(Nullable<Boolean>)
PX.Objects.AP	Vendor	get_TaxYearStartDate()

Namespace	Simple Name	Name
PX.Objects.AP	Vendor	set_TaxYearStartDate(Nullable<DateTime>)
PX.Objects.AP	APSetupMaint	APSetup_InvoiceRequestApproval_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.AP	APSetupMaint	APSetup_HoldEntry_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.AP	APSetupMaint	APSetup_InvoiceRequestApproval_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AP	APQuickCheckCashTranIDAttribute	.ctor()
PX.Objects.AP	APCashTranIDAttribute	.ctor()
PX.Objects.AP	APPaymentChargeCashTranIDAttribute	.ctor()
PX.Objects.AP	VendorMaint	Vendor_TaxPeriodType_FieldUpdating(PXCache,PXFieldUpdatingEventArgs)
PX.Objects.AP	VendorMaint	Vendor_RowUpdating(PXCache,PXRowUpdatingEventArgs)
PX.Objects.AP	VendorMaint	Vendor_EnableTaxStartDate_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.AP	VendorMaint	Vendor_TaxYearStartDate_FieldSelecting(PXCache,PXFieldSelectingEventArgs)
PX.Objects.AP	VendorMaint	Vendor_TaxYearStartDate_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.AP.Standalone	APQuickCheck	get_RemitContactID()
PX.Objects.AP.Standalone	APQuickCheck	set_RemitContactID(Nullable<Int32>)
PX.Objects.AP.Standalone	APQuickCheck	get_TermsID()
PX.Objects.AP.Standalone	APQuickCheck	set_TermsID(String)
PX.Objects.AP.Standalone	APQuickCheck	get_BatchNbr()
PX.Objects.AP.Standalone	APQuickCheck	set_BatchNbr(String)

Namespace	Simple Name	Name
PX.Objects.AP.Standalone	APQuickCheck	get_Hold()
PX.Objects.AP.Standalone	APQuickCheck	set_Hold(Nullable<Boolean>)
PX.Objects.AP.Standalone	APQuickCheck	get_CATranID()
PX.Objects.AP.Standalone	APQuickCheck	set_CATranID(Nullable<Int64>)
PX.Objects.AP.Standalone	APQuickCheck	get_Approved()
PX.Objects.AP.Standalone	APQuickCheck	set_Approved(Nullable<Boolean>)
PX.Objects.AP.Standalone	APQuickCheck	get_DontApprove()
PX.Objects.AP.Standalone	APQuickCheck	set_DontApprove(Nullable<Boolean>)
PX.Common	EnumerableExtensions	ToHashSet<T>(IEnumerable<T>)
PX.Common	EnumerableExtensions	IsIn<T>(T,T,T,T,T,T,T,T)
PX.SM	UPSSnapshot	get_Size()
PX.Data	Context	.ctor(PXView,PXView+PXSearchColumn[],PXFilterRow[],Object[],Object[],Boolean,Int32,Int32,RestrictedFieldsSet)
PX.Data	BqlFormulaEvaluator	Evaluate(PXCache,Object,Dictionary<Type,Object>)
PX.Data	PXAccess	GetChildBranchIDs(String)
PX.Data	PXAccess	GetMasterBranchID(Nullable<Int32>)
PX.Data	MasterCollection	TryGetValue(String,Int32[]&)
PX.Data	PXFilterableAttribute	GetFilterRows(PXGraph,String,Int32,Boolean)
PX.Data	GLDescription	get_ForceAggregates()

Namespace	Simple Name	Name
PX.Data	GIDescription	set_ForceAggregates(Boolean)
PX.Data	PXGenericInqGrph	DoLEPSelect(PXQueryDescription)
PX.Data	PXGenericInqGrph	CreateInstance(Guid,Boolean,Boolean)
PX.Data	PXGenericInqGrph	CreateInstance(String,String,Dictionary<String,String>,Boolean,Boolean)
PX.Data	PXGenericInqGrph	CreateInstance(String,Boolean)
PX.Data	PXGenericInqGrph	CreateInstance(PXSiteMapNode,Boolean,Boolean)
PX.Data	PXGenericInqGrph	SetViewInfo(Guid,PXGenericInqGrph+GIViewInfo)
PX.Data	PXFileTraceProvider	Initialize(String,NameValueCollection)
PX.Data	PXFileTraceProvider	TraceEventInternal(PXTrace+Event)
PX.Data	PXFileTraceProvider	.ctor()
PX.Data	PXTraceSection	get_Providers()
PX.Data	PXTraceSection	get_MinimumLevel()
PX.Data	PXTraceSection	get_Properties()
PX.Data	PXTraceSection	OnDeserializeUnrecognizedAttribute(String,String)
PX.Data	PXTraceSection	.ctor()
PX.Data	DummyListProvider	ResetListNavigation(String)
PX.Data	DummyListProvider	GetListView(String)
PX.Data	DummyListProvider	GetListFilters(String,String)
PX.Data	DummyListProvider	SaveListFilters(String,String,PXFilterTuple)

Namespace	Simple Name	Name
PX.Data	IListProvider	ResetListNavigation(String)
PX.Data	IListProvider	GetListView(String)
PX.Data	IListProvider	GetListFilters(String,String)
PX.Data	IListProvider	SaveListFilters(String,String,PXFilterTuple)
PX.Data	GListProvider	ResetListNavigation(String)
PX.Data	GListProvider	GetListView(String)
PX.Data	GListProvider	GetListFilters(String,String)
PX.Data	GListProvider	SaveListFilters(String,String,PXFilterTuple)
PX.Data	PXLegacyUIListProvider	ResetListNavigation(String)
PX.Data	PXLegacyUIListProvider	GetListView(String)
PX.Data	PXLegacyUIListProvider	GetListFilters(String,String)
PX.Data	PXLegacyUIListProvider	SaveListFilters(String,String,PXFilterTuple)
PX.Data	PXListProvider	ResetListNavigation(String)
PX.Data	PXListProvider	GetListView(String)
PX.Data	PXListProvider	GetListFilters(String,String)
PX.Data	PXListProvider	SaveListFilters(String,String,PXFilterTuple)
PX.Data	PXSessionTraceProvider	Initialize(String,NameValueCollection)
PX.Data	PXSessionTraceProvider	get_DefaultMinimumLevel()
PX.Data	PXSessionTraceProvider	TraceEventInternal(PXTrace+Event)

Namespace	Simple Name	Name
PX.Data	PXSessionTraceProvider	.ctor()
PX.Data	Event	get_TraceException()
PX.Data	Event	.ctor(TraceEventType)
PX.Data	Event	ToString(Boolean)
PX.Data	PXDatabaseProviderBase	Select(PXGraph,BqlCommand,Int64,PXView,PXDataValue[])
PX.Data	MsSqlDialect	limitRowsBeingSelected(String,Int64)
PX.Data	PXFirstChanceExceptionLogger	Initialise()
PX.Data	PXReadBranchRestrictedScope	.ctor(String[])
PX.Data	PXReadBranchRestrictedScope	.ctor(Nullable<Int32>[])
PX.Data	PXDialogRequiredException	get_RepaintControls()
PX.Data	PXRedirectRequiredException	get_RepaintControls()
PX.Data	PXRedirectRequiredException	set_RepaintControls(Boolean)
PX.Data	PXRedirectToUrlException	get_RepaintControls()
PX.Data	PXRedirectToUrlException	set_RepaintControls(Boolean)
PX.Data.EP	NotificationSenderProvider	Register(INotificationSender)
PX.Data.Wiki.Parser	PXTemplateContentParser	GetPropertyOf(EntityHelper,Object,String,String)
PX.Data.Description.GI	PXQueryDescription	get_ApplyAggregates()
PX.Data.Description.GI	PXQueryDescription	set_ApplyAggregates(Boolean)
PX.Data.Maintenance.GI	GIDesign	get_PagerStyle()

Namespace	Simple Name	Name
PX.Data.Maintenance.GI	GIDesign	set_PagerStyle(Nullable<Boolean>)
PX.Data.Database.Common	PXDatabaseDummyProvider	Select(PXGraph,BqlCommand,Int64,PXView,PXDataValue[])
PX.PushNotifications.Source s	IIInCodeNotificationDefinition s	GetSourceSelect()
PX.PushNotifications.Source s	IIInCodeNotificationDefinition s	GetRestrictedFields()
PX.Objects.RUTROT	BranchMaintRUTROT	IsActive()
PX.Objects.RUTROT	BranchMaintRUTROT	BranchBAccount_AllowsRUTROT_FieldUpdated (PXCache,PXFieldUpdatedEventArgs)
PX.Objects.RUTROT	BranchMaintRUTROT	BranchBAccount_RUTROTClaimNextRefNbr_FieldUpdating (PXCache,PXFieldUpdatingEventArgs)
PX.Objects.RUTROT	BranchMaintRUTROT	BranchBAccount_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.PM	PMProforma	get_CuryDetailTotal()
PX.Objects.PM	PMProforma	set_CuryDetailTotal(Nullable<Decimal>)
PX.Objects.PM	PMProforma	get_DetailTotal()
PX.Objects.PM	PMProforma	set_DetailTotal(Nullable<Decimal>)
PX.Objects.PM	PXRefNoteAttribute	GetEntityRowID(PXCache,Object[])
PX.Objects.PM	PXRefNoteAttribute	GetEntityRowID(PXCache,Object[],String)
PX.Objects.PM	ProjectBalance	CalculateRollupQty<T>(T,PMBudget)
PX.Objects.PM	ProjectBalance	CalculateRollupQty<T>(T,PMBudget,Nullable<Decimal>)
PX.Objects.PM	PMBillEngine	InsertNewInvoiceDocument (String,String,Customer,PMProject,DateTime,String)

Namespace	Simple Name	Name
PX.Objects.PM	PMBillEngine	GetDocType(List<PMBillEngine+BillingData>)
PX.Objects.PM	PMPProject	get_CampaignID()
PX.Objects.PM	PMPProject	set_CampaignID(String)
PX.Objects.PM	PMTask	get_RetainagePct()
PX.Objects.PM	PMTask	set_RetainagePct(Nullable<Decimal>)
PX.Objects.PM	PMSetup	get_CommitmentTracking()
PX.Objects.PM	PMSetup	set_CommitmentTracking(Nullable<Boolean>)
PX.Objects.PM	CostCodeAttribute	.ctor(Type,Type,Type)
PX.Objects.TX	TaxPeriod	get_BranchID()
PX.Objects.TX	TaxPeriod	set_BranchID(Nullable<Int32>)
PX.Objects.TX	TaxYear	get_BranchID()
PX.Objects.TX	TaxYear	set_BranchID(Nullable<Int32>)
PX.Objects.TX	TaxPeriodFilter	get_BranchID()
PX.Objects.TX	TaxPeriodFilter	set_BranchID(Nullable<Int32>)
PX.Objects.TX	TaxPeriodPlusOpen	get_BranchID()
PX.Objects.TX	TaxPeriodPlusOpen	set_BranchID(Nullable<Int32>)
PX.Objects.TX	TaxPeriodForReportShowing	get_BranchID()
PX.Objects.TX	TaxPeriodForReportShowing	set_BranchID(Nullable<Int32>)
PX.Objects.TX	TaxPeriodEffective	get_BranchID()

Namespace	Simple Name	Name
PX.Objects.TX	TaxPeriodEffective	set_BranchID(Nullable<Int32>)
PX.Objects.TX	ReportTax	GetEarliestNotReportedTaxTran(PXGraph, Vendor)
PX.Objects.TX	ReportTax	GetEarliestNotReportedTaxTranByField<TOrderByField>(PXGraph, Nullable<Int32>)
PX.Objects.TX	ReportTaxProcess	CurrentRevisionId(PXGraph, Nullable<Int32>, Nullable<Int32>, String)
PX.Objects.TX	ReportTaxProcess	CheckForUnprocessedPPD(PXGraph, Nullable<Int32>, Nullable<Int32>, Nullable<DateTime>)
PX.Objects.TX	ReportTaxProcess	CheckForUnprocessedSVAT(PXGraph, Nullable<Int32>, Vendor, Nullable<DateTime>)
PX.Objects.TX	CreationParams	get_BranchID()
PX.Objects.TX	CreationParams	set_BranchID(Int32)
PX.Objects.TX	TaxCalendar	FillCalendarDataWhenLastBranchTaxYearDoesNotExist(Int32, Vendor, TaxCalendar+CreationParams)
PX.Objects.TX	TaxYearMaint	ReportRedirectionButtonFieldSelectingHandler(PXCache, PXFieldSelectingEventArgs)
PX.Objects.TX	TaxYearMaint	GetBranchIDForRedirection()
PX.Objects.TX	TaxYearFilter	get_BranchID()
PX.Objects.TX	TaxYearFilter	set_BranchID(Nullable<Int32>)
PX.Objects.TX	TaxHistorySumManager	UpdateTaxHistorySums(PXGraph, RoundingManager, String, Nullable<Int32>, Nullable<Int32>, Func<TaxReportLine, Boolean>)
PX.Objects.SO	SOOrderShipment	op_Implicit(PXResult<SOOrder, POReceiptLine>)

Namespace	Simple Name	Name
PX.Objects.SO	PXRefNoteAttribute	GetEntityRowID(PXCache,Object[])
PX.Objects.SO	PXRefNoteAttribute	GetEntityRowID(PXCache,Object[],String)
PX.Objects.SO	SOOrder	get_CampaignID()
PX.Objects.SO	SOOrder	set_CampaignID(String)
PX.Objects.SO	LSSOLine	SelectInvoicedRecords(String)
PX.Objects.SO	SOInvoiceEntry	ARTran_LineType_FieldDefaulting(PXCache,PXFieldDefaultingEventArgs)
PX.Objects.SO	SOOrderEntry	opportunityBackReference()
PX.Objects.SO	SOOrderEntry	SOOrder_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.IN	INRegister	get_OrigShipmentType()
PX.Objects.IN	INRegister	set_OrigShipmentType(String)
PX.Objects.IN	INRegister	get_OrigShipmentNbr()
PX.Objects.IN	INRegister	set_OrigShipmentNbr(String)
PX.Objects.Extensions.Sales Price	SalesPriceGraph	SelectCurrencyInfo(Document)
PX.Objects.CT	CTBillEngine	GetDescriptionMessageForInventory (CTBillEngine+InventoryAction,InventoryItem)
PX.Objects.CT	CTBillEngine	GetInvoiceDescription(String,Contract,Customer)
PX.Objects.CT	CTBillEngine	GetTransactionDescriptionWithPrefix(String,String)
PX.Objects.CT	CTBillEngine	UpdateReferencePMTran2ARTran (ARInvoiceEntry,Dictionary<Int32,List<TranNotePair>>,List<UsageData>)

Namespace	Simple Name	Name
PX.Objects.FA	AccBalanceByAssetFilter	get_BranchID()
PX.Objects.FA	AccBalanceByAssetFilter	set_BranchID(Nullable<Int32>)
PX.Objects.CS	BuildingMaint	Branch_BranchCD_CacheAttached(PXCache)
PX.Objects.CS	FeaturesSet	get_ProjectModule()
PX.Objects.CS	FeaturesSet	set_ProjectModule(Nullable<Boolean>)
PX.Objects.CS	FeaturesSet	get_CostCodes()
PX.Objects.CS	FeaturesSet	set_CostCodes(Nullable<Boolean>)
PX.Objects.CS	RMDDataSourceGL	get_StartBranch()
PX.Objects.CS	RMDDataSourceGL	set_StartBranch(String)
PX.Objects.CS	RMDDataSourceGL	get_EndBranch()
PX.Objects.CS	RMDDataSourceGL	set_EndBranch(String)
PX.Objects.CS	BranchMaint	GetBranchesWithLedgerID(PXGraph,Nullable<Int32>)
PX.Objects.CS	BranchMaint	ValidateAddresses(PXAdapter)
PX.Objects.CS	BranchMaint	ViewContact(PXAdapter)
PX.Objects.CS	BranchMaint	NewContact(PXAdapter)
PX.Objects.CS	BranchMaint	SetDefault(PXAdapter)
PX.Objects.CS	BranchMaint	Cancel(PXAdapter)
PX.Objects.CS	BranchMaint	Currency_CuryID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RealGainAcctID_CacheAttached(PXCache)

Namespace	Simple Name	Name
PX.Objects.CS	BranchMaint	Currency_RealGainSubID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RealLossAcctID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RealLossSubID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RevalGainAcctID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RevalGainSubID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RevalLossAcctID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RevalLossSubID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_TranslationGainAcctID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_TranslationGainSubID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_TranslationLossAcctID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_TranslationLossSubID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_UnrealizedGainAcctID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_UnrealizedGainSubID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_UnrealizedLossAcctID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_UnrealizedLossSubID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RoundingGainAcctID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RoundingGainSubID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RoundingLossAcctID_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	Currency_RoundingLossSubID_CacheAttached(PXCache)

Namespace	Simple Name	Name
PX.Objects.CS	BranchMaint	Contact_DisplayName_CacheAttached(PXCache)
PX.Objects.CS	BranchMaint	CommonSetup_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CS	BranchMaint	BranchBAccount_LedgerID_FieldDefaulting (PXCache,PXFieldDefaultingEventArgs)
PX.Objects.CS	BranchMaint	commonsetup()
PX.Objects.CS	BranchMaint	Company_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CS	BranchMaint	Company_BaseCuryID_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.CS	BranchMaint	Company_BaseCuryID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.CS	BranchMaint	SetBranchParentID(Branch,Nullable<Int32>)
PX.Objects.CS	BranchBAccount	get_MainBranchLogoName()
PX.Objects.CS	BranchBAccount	set_MainBranchLogoName(String)
PX.Objects.CS	BranchBAccount	get_TCC()
PX.Objects.CS	BranchBAccount	set_TCC(String)
PX.Objects.CS	BranchBAccount	get_ForeignEntity()
PX.Objects.CS	BranchBAccount	set_ForeignEntity(Nullable<Boolean>)
PX.Objects.CS	BranchBAccount	get_CFSFiler()
PX.Objects.CS	BranchBAccount	set_CFSFiler(Nullable<Boolean>)
PX.Objects.CS	BranchBAccount	get_ContactName()
PX.Objects.CS	BranchBAccount	set_ContactName(String)

Namespace	Simple Name	Name
PX.Objects.CS	BranchBAccount	get_CTelNumber()
PX.Objects.CS	BranchBAccount	set_CTelNumber(String)
PX.Objects.CS	BranchBAccount	get_CEmail()
PX.Objects.CS	BranchBAccount	set_CEmail(String)
PX.Objects.CS	BranchBAccount	get_NameControl()
PX.Objects.CS	BranchBAccount	set_NameControl(String)
PX.Objects.CS	BranchBAccount	get_Reporting1099()
PX.Objects.CS	BranchBAccount	set_Reporting1099(Nullable<Boolean>)
PX.Objects.CS	CompanyBAccount	get_MasterBranchID()
PX.Objects.CS	CompanyBAccount	set_MasterBranchID(Nullable<Int32>)
PX.Objects.CS	CompanyBAccount1099	get_MasterBranchID()
PX.Objects.CS	CompanyBAccount1099	set_MasterBranchID(Nullable<Int32>)
PX.Objects.CS	CompanyBAccount1099	get_LogoName()
PX.Objects.CS	CompanyBAccount1099	set_LogoName(String)
PX.Objects.CR	CampaignDocuments	salesOrders()
PX.Objects.CR	CampaignDocuments	aRInvoices()
PX.Objects.CR	CampaignDocuments	SOOrderAlias_RowUpdated(PXCache,PXRowUpdatedEventArgs)
PX.Objects.CR	CampaignDocuments	SOOrderAlias_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CR	CampaignDocuments	ARInvoiceAlias_RowUpdated(PXCache,PXRowUpdatedEventArgs)

Namespace	Simple Name	Name
PX.Objects.CR	CampaignDocuments	ARInvoiceAlias_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CR	CampaignDocuments	SOOrderAlias_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.CR	CampaignDocuments	ARInvoiceAlias_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.CR	OUPportunity	get_CROpportunityClassID()
PX.Objects.CR	OUPportunity	set_CROpportunityClassID(String)
PX.Objects.CR	OUPportunity	get_OpportunityName()
PX.Objects.CR	OUPportunity	set_OpportunityName(String)
PX.Objects.CR	CampaignMaint	ViewCampaignDocuments(PXAdapter)
PX.Objects.CR	CROpportunityProducts	get_CROpportunityProductID()
PX.Objects.CR	CROpportunityProducts	set_CROpportunityProductID(Nullable<Int32>)
PX.Objects.CR	CROpportunityProducts	get_CROpportunityID()
PX.Objects.CR	CROpportunityProducts	set_CROpportunityID(String)
PX.Objects.CR	CROpportunityProducts	get_TransactionDescription()
PX.Objects.CR	CROpportunityProducts	set_TransactionDescription(String)
PX.Objects.CR	CROpportunityProducts	get_OpportunityLocationIDChanged()
PX.Objects.CR	CROpportunityProducts	set_OpportunityLocationIDChanged(Nullable<Boolean>)
PX.Objects.CR	CROpportunityProducts	get_OpportunityCloseDateChanged()
PX.Objects.CR	CROpportunityProducts	set_OpportunityCloseDateChanged(Nullable<Boolean>)
PX.Objects.CR	CROpportunityTax	get_OpportunityProductID()

Namespace	Simple Name	Name
PX.Objects.CR	CROpportunityTax	set_OpportunityProductID(Nullable<Int32>)
PX.Objects.CR	CRTaxTran	get_OpportunityProductID()
PX.Objects.CR	CRTaxTran	set_OpportunityProductID(Nullable<Int32>)
PX.Objects.CR	CROpportunity	get_OpportunityNumber()
PX.Objects.CR	CROpportunity	set_OpportunityNumber(Nullable<Int32>)
PX.Objects.CR	CROpportunity	get_BranchID()
PX.Objects.CR	CROpportunity	set_BranchID(Nullable<Int32>)
PX.Objects.CR	CROpportunity	get_CROpportunityClassID()
PX.Objects.CR	CROpportunity	set_CROpportunityClassID(String)
PX.Objects.CR	CROpportunity	get_OpportunityName()
PX.Objects.CR	CROpportunity	set_OpportunityName(String)
PX.Objects.CR	CROpportunity	get_Description()
PX.Objects.CR	CROpportunity	set_Description(String)
PX.Objects.CR	CROpportunity	get_DiscTot()
PX.Objects.CR	CROpportunity	set_DiscTot(Nullable<Decimal>)
PX.Objects.CR	CROpportunity	get_CuryDiscTot()
PX.Objects.CR	CROpportunity	set_CuryDiscTot(Nullable<Decimal>)
PX.Objects.CR	CROpportunity	get_ProductsAmount()
PX.Objects.CR	CROpportunity	get_CuryProductsAmount()

Namespace	Simple Name	Name
PX.Objects.CR	CROpportunity	get_ARRefNbr()
PX.Objects.CR	CROpportunity	set_ARRefNbr(String)
PX.Objects.CR	CROpportunity	get_OrderType()
PX.Objects.CR	CROpportunity	set_OrderType(String)
PX.Objects.CR	CROpportunity	get_OrderNbr()
PX.Objects.CR	CROpportunity	set_OrderNbr(String)
PX.Objects.CR	CROpportunity	get_LastActivity()
PX.Objects.CR	CROpportunity	set_LastActivity(Nullable<DateTime>)
PX.Objects.CR	CROpportunity	get_CuryDocDiscTot()
PX.Objects.CR	CROpportunity	set_CuryDocDiscTot(Nullable<Decimal>)
PX.Objects.CR	CROpportunity	get_LastModified()
PX.Objects.CR	CROpportunity	set_LastModified(Nullable<DateTime>)
PX.Objects.CR	CROpportunity	get_ClassID()
PX.Objects.CR	CRRelationContactSelectorAttribute	IsBAccountRelation(PXCache,CRRelation)
PX.Objects.CR	OpportunityMaint	DoCreateInvoice()
PX.Objects.CR	OpportunityMaint	ViewInvoice(PXAdapter)
PX.Objects.CR	OpportunityMaint	DoCreateSalesOrder()
PX.Objects.CR	OpportunityMaint	ViewSalesOrder(PXAdapter)
PX.Objects.CR	OpportunityMaint	CROpportunity_CROpportunityClassID_FieldDefaulting

Namespace	Simple Name	Name
		(PXCACHE,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunity_LocationID_FieldUpdated (PXCACHE,PXFieldUpdatedEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunity_AllowOverrideContactAddress_FieldDefaulting (PXCACHE,PXFieldDefaultingEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunity_AllowOverrideContactAddress_FieldUpdated (PXCACHE,PXFieldUpdatedEventArgs)
PX.Objects.CR	OpportunityMaint	CROpportunity_AllowOverrideContactAddress_FieldSelecting (PXCACHE,PXFieldSelectingEventArgs)
PX.Objects.CR.DAC.Standalone	CRCampaign	get_OrderTotal()
PX.Objects.CR.DAC.Standalone	CRCampaign	set_OrderTotal(Nullable<Decimal>)
PX.Objects.GL	BranchAttribute	get_IsDetail()
PX.Objects.GL	BranchAttribute	set_IsDetail(Boolean)
PX.Objects.GL	BranchAttribute	get_IsEnabledWhenOneBranchIsAccessible()
PX.Objects.GL	BranchAttribute	set_IsEnabledWhenOneBranchIsAccessible(Boolean)
PX.Objects.GL	BranchAttribute	Suppress()
PX.Objects.GL	BranchAttribute	CacheAttached(PXCACHE)
PX.Objects.GL	BranchAttribute	GetSubscriber<ISubscriber>(List<ISubscriber>)
PX.Objects.GL	BranchAttribute	FieldSelecting(PXCACHE,PXFieldSelectingEventArgs)
PX.Objects.GL	AccountHistoryEnq	GLHistoryEnqFilter_BranchID_CacheAttached(PXCACHE)

Namespace	Simple Name	Name
PX.Objects.GL	AccountByPeriodEnq	AccountByPeriodFilter_BranchID_CacheAttached(PXCache)
PX.Objects.GL	GLHistoryEnqFilter	get_BranchID()
PX.Objects.GL	GLHistoryEnqFilter	set_BranchID(Nullable<Int32>)
PX.Objects.GL	GLTran	get_Reclassified()
PX.Objects.GL	GLTran	set_Reclassified(Nullable<Boolean>)
PX.Objects.GL	GeneralLedgerMaint	FindLedgerByID(PXGraph,Nullable<Int32>)
PX.Objects.GL	GeneralLedgerMaint	Ledger_BalanceType_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.GL	GeneralLedgerMaint	Ledger_DefBranchID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.GL	GeneralLedgerMaint	Ledger_RowPersisting(PXCache,PXRowPersistingEventArgs)
PX.Objects.GL	GeneralLedgerMaint	Ledger_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.GL	GeneralLedgerMaint	UpdateBranchesParents(Ledger)
PX.Objects.GL	JournalEntry	GLTran_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.GL	GLBranchAcctMapMaint	Branch_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.GL	GLBranchAcctMapMaint	Branch_LedgerID_FieldUpdated(PXCache,PXFieldUpdatedEventArgs)
PX.Objects.GL.Reclassification.UI	ReclassifyTransactionsProcess	GLTranForReclassification_NewTranDate_FieldVerifying(PXCache,PXFieldVerifyingEventArgs)
PX.Objects.GL.Reclassification.UI	ReclassifyTransactionsProcess	LoadTransactionsProc()
PX.Objects.GL.Reclassification.UI	ReclassifyTransactionsProcess	TryOpenForReclassification<TTran>(PXGraph,IEnumerable<TTran>,Ledger,Func<TTran,String>,PXView,

Namespace	Simple Name	Name
		String,String,PXBaseRedirectException+WindowMode)
PX.Objects.EP	EPExpenseClaim	get_APDocType()
PX.Objects.EP	EPExpenseClaim	set_APDocType(String)
PX.Objects.EP	EPExpenseClaim	get_APRefNbr()
PX.Objects.EP	EPExpenseClaim	set_APRefNbr(String)
PX.Objects.EP	EPExpenseClaim	get_APStatus()
PX.Objects.EP	EPExpenseClaim	set_APStatus(String)
PX.Objects.EP	EPExpenseClaimDetails	get_ProjectDescription()
PX.Objects.EP	EPExpenseClaimDetails	set_ProjectDescription(String)
PX.Objects.EP	EPExpenseClaimDetails	get_ProjectTaskDescription()
PX.Objects.EP	EPExpenseClaimDetails	set_ProjectTaskDescription(String)
PX.Objects.EP	EPExpenseClaimDetails	get_ByCorporateCard()
PX.Objects.EP	EPExpenseClaimDetails	set_ByCorporateCard(Nullable<Boolean>)
PX.Objects.EP	EPExpenseClaimDetails	get_Submitted()
PX.Objects.EP	EPExpenseClaimDetails	set_Submitted(Nullable<Boolean>)
PX.Objects.CA	IStatementReader	ExportTo(FileInfo,CABankStatementEntry,List<CABankStatement>&)
PX.Objects.CA	CABatch	get_OwnerID()
PX.Objects.CA	CABatch	set_OwnerID(Nullable<Guid>)
PX.Objects.CA	CABatch	get_Processing()

Namespace	Simple Name	Name
PX.Objects.CA	CABatch	set_Processing(Nullable<Boolean>)
PX.Objects.CA	CABatch	get_CuryTotal()
PX.Objects.CA	CABatch	set_CuryTotal(Nullable<Decimal>)
PX.Objects.CA	CADeposit	get_EntryTypeID()
PX.Objects.CA	CADeposit	set_EntryTypeID(String)
PX.Objects.CA	CABankTran	get_PayeeMatched()
PX.Objects.CA	CABankTran	set_PayeeMatched(Nullable<Boolean>)
PX.Objects.CA	CABankTran	get_CuryReconciledDebit()
PX.Objects.CA	CABankTran	set_CuryReconciledDebit(Nullable<Decimal>)
PX.Objects.CA	CABankTran	get_CuryReconciledCredit()
PX.Objects.CA	CABankTran	set_CuryReconciledCredit(Nullable<Decimal>)
PX.Objects.CA	CABankTran	get_ShowCreateDocument()
PX.Objects.CA	CABankTran	set_ShowCreateDocument(Nullable<Boolean>)
PX.Objects.CA	CABankTran	get_ShowInvoiceMatches()
PX.Objects.CA	CABankTran	set_ShowInvoiceMatches(Nullable<Boolean>)
PX.Objects.CA	CABankTran	get_CountDebit()
PX.Objects.CA	CABankTran	set_CountDebit(Nullable<Int32>)
PX.Objects.CA	CABankTran	get_CountCredit()
PX.Objects.CA	CABankTran	set_CountCredit(Nullable<Int32>)

Namespace	Simple Name	Name
PX.Objects.CA	CABankTran	get_ReconciledCountDebit()
PX.Objects.CA	CABankTran	set_ReconciledCountDebit(Nullable<Int32>)
PX.Objects.CA	CABankTran	get_ReconciledCountCredit()
PX.Objects.CA	CABankTran	set_ReconciledCountCredit(Nullable<Int32>)
PX.Objects.CA	CABankTran	get_ShowMatches()
PX.Objects.CA	CABankTran	set_ShowMatches(Nullable<Boolean>)
PX.Objects.CA	CABankTran	get_CuryOrigAmt()
PX.Objects.CA	CABankTran	set_CuryOrigAmt(Nullable<Decimal>)
PX.Objects.CA	CAReconFilter	get_ReconNbr()
PX.Objects.CA	CAReconFilter	set_ReconNbr(String)
PX.Objects.CA	CAReconFilter	get_CashAccountID()
PX.Objects.CA	CAReconFilter	set_CashAccountID(Nullable<Int32>)
PX.Objects.CA	CAReconFilter	get_StartDate()
PX.Objects.CA	CAReconFilter	set_StartDate(Nullable<DateTime>)
PX.Objects.CA	CAReconFilter	get_EndDate()
PX.Objects.CA	CAReconFilter	set_EndDate(Nullable<DateTime>)
PX.Objects.CA	CABankTransactionsMaint	MatchSettings_RowSelected(PXCache,PXRowSelectedEventArgs)
PX.Objects.CA	OFXStatementReader	ExportTo(CABankStatementEntry,List<CABankStatement>)
PX.Objects.CA	OFXStatementReader	ExportTo(FileInfo,CABankStatementEntry,List<CABankStatement>&)

Namespace	Simple Name	Name
PX.Objects.CA	OFXStatementReader	Export(CABankStatementEntry,OFXReaderBase+STMTRS,Boolean)
PX.Objects.CA	OFXStatementReader	Copy(CABankStatement,OFXReaderBase+STMTRS)
PX.Objects.CA	OFXStatementReader	Copy(CABankStatementDetail,OFXReaderBase+STMTRN)
PX.Objects.CA	OFXStatementReader	CopyForUpdate(CABankStatementDetail,OFXReaderBase+STMTRN)
PX.Objects.CA	CashAccountMaint	ViewPTInstance(PXAdapter)
PX.Objects.CA	CashAccountMaint	AddPTInstance(PXAdapter)
PX.Objects.CA	PaymentMethodAccount2	get_UseForAP()
PX.Objects.CA	PaymentMethodAccount2	set_UseForAP(Nullable<Boolean>)
PX.Objects.CA	CASplit	get_ReferenceID()
PX.Objects.CA	CASplit	set_ReferenceID(Nullable<Int32>)
PX.Objects.CA	CASetup	get_CuryRateTypeID()
PX.Objects.CA	CASetup	set_CuryRateTypeID(String)
PX.Objects.CA	CASetup	get_MatchInSelection()
PX.Objects.CA	CASetup	set_MatchInSelection(Nullable<Boolean>)
PX.Objects.CA	CATransfer	get_LineCntr()
PX.Objects.CA	CATransfer	set_LineCntr(Nullable<Int32>)
PX.Objects.CA	CATranExt	get_ProcessedFromStatement()
PX.Objects.CA	CATranExt	set_ProcessedFromStatement(Nullable<Boolean>)
PX.Objects.CA.Light	ARPayment	get_DocType()

Namespace	Simple Name	Name
PX.Objects.CA.Light	ARPayment	set_DocType(String)
PX.Objects.CA.Light	ARPayment	get_RefNbr()
PX.Objects.CA.Light	ARPayment	set_RefNbr(String)
PX.Objects.CA.Light	ARPayment	get_Voided()
PX.Objects.CA.Light	ARPayment	set_Voided(Nullable<Boolean>)
PX.Objects.CA.Light	APPayment	get_DocType()
PX.Objects.CA.Light	APPayment	set_DocType(String)
PX.Objects.CA.Light	APPayment	get_RefNbr()
PX.Objects.CA.Light	APPayment	set_RefNbr(String)
PX.Objects.CA.Light	APPayment	get_BranchID()
PX.Objects.CA.Light	APPayment	set_BranchID(Nullable<Int32>)
PX.Objects.CA.Light	APPayment	get_Voided()
PX.Objects.CA.Light	APPayment	set_Voided(Nullable<Boolean>)
PX.Objects.CA.Light	ARInvoice	get_DocType()
PX.Objects.CA.Light	ARInvoice	set_DocType(String)
PX.Objects.CA.Light	ARInvoice	get_RefNbr()
PX.Objects.CA.Light	ARInvoice	set_RefNbr(String)
PX.Objects.CA.Light	ARInvoice	get_CustomerID()
PX.Objects.CA.Light	ARInvoice	set_CustomerID(Nullable<Int32>)

Namespace	Simple Name	Name
PX.Objects.CA.Light	APInvoice	get_DocType()
PX.Objects.CA.Light	APInvoice	set_DocType(String)
PX.Objects.CA.Light	APInvoice	get_RefNbr()
PX.Objects.CA.Light	APInvoice	set_RefNbr(String)
PX.Objects.CA.Light	APInvoice	get_VendorID()
PX.Objects.CA.Light	APInvoice	set_VendorID(Nullable<Int32>)
PX.Objects.CA.BankStatementHelpers	IMatchSettings	get_MatchInSelection()
PX.Objects.CA.BankStatementHelpers	IMatchSettings	set_MatchInSelection(Nullable<Boolean>)
PX.Objects.CA.BankStatementHelpers	MatchSettings	get_MatchInSelection()
PX.Objects.CA.BankStatementHelpers	MatchSettings	set_MatchInSelection(Nullable<Boolean>)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_RefNbr()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_RefNbr(String)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_OrigModule()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_OrigModule(String)

Namespace	Simple Name	Name
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_DocType()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_DocType(String)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_DocDate()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_DocDate(Nullable<DateTime>)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_FinPeriodID()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_FinPeriodID(String)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_BAccountID()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_BAccountID(Nullable<Int32>)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_LocationID()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_LocationID(Nullable<Int32>)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_CuryID()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_CuryID(String)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_CuryOrigDocAmt()

Namespace	Simple Name	Name
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_CuryOrigDocAmt(Nullable<Decimal>)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_CuryDocBal()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_CuryDocBal(Nullable<Decimal>)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_Status()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_Status(String)
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	get_DueDate()
PX.Objects.CA.BankStatementHelpers	GeneralInvoice	set_DueDate(Nullable<DateTime>)
PX.Objects.CA.BankStatementHelpers	StatementMatching	GetDateRangeForMatch(CABankStatementDetail,IMatchSettings)
PX.Objects.AR	ARDocumentEnq	HandleDocument(ARDocumentEnq+ARDocumentResult,ARPayment,ARInvoice,ARDocumentEnq+ARDocumentFilter,PXSelectBase<ARAdjust>,PXSelectBase<ARAdjust>,Boolean)
PX.Objects.AR	ARDocumentFilter	get_BranchID()
PX.Objects.AR	ARDocumentFilter	set_BranchID(Nullable<Int32>)
PX.Objects.AR	ARInvoiceEntry	opportunityBackReference()
PX.Objects.AR	ARInvoiceEntry	ARInvoice_RowPersisted(PXCache,PXRowPersistedEventArgs)
PX.Objects.AR	ARTaxAttribute	CalcLineTotal(PXCache,Object)

Namespace	Simple Name	Name
PX.Objects.AR	ARTran	get_SubItemID()
PX.Objects.AR	ARTran	set_SubItemID(Nullable<Int32>)
PX.Objects.AP	AP1099YearMaster	get_FinYear()
PX.Objects.AP	AP1099YearMaster	set_FinYear(String)
PX.Objects.AP	AP1099YearMaster	get_MasterBranchID()
PX.Objects.AP	AP1099YearMaster	set_MasterBranchID(Nullable<Int32>)
PX.Objects.AP	AP1099DetailEnq	AP1099YearMaster_MasterBranchID_FieldDefaulting (PXCache, PXFieldDefaultingEventArgs)
PX.Objects.AP	APDocumentFilter	get_BranchID()
PX.Objects.AP	APDocumentFilter	set_BranchID(Nullable<Int32>)
PX.Objects.AP	APPaymentEntry	PTInstTran_PTInstancelD_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_OrigModule_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_OrigTranType_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_OrigRefNbr_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_ExtRefNbr_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_CashAccountID_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_TranDate_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_TranDesc_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_DrCr_CacheAttached(PXCache)

Namespace	Simple Name	Name
PX.Objects.AP	APPaymentEntry	PTInstTran_CuryID_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_CuryInfoID_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_CuryTranAmt_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_TranAmt_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_Hold_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_VendorID_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	PTInstTran_TranSource_CacheAttached(PXCache)
PX.Objects.AP	APPaymentEntry	APAdjust_CuryAdjgDiscAmt_FieldVerifying (PXCache,PXFieldVerifyingEventArgs)
PX.Objects.AP	APAdjust	get_CuryAdjAmt()
PX.Objects.AP	APAdjust	set_CuryAdjAmt(Nullable<Decimal>)
PX.Objects.AP	APHistoryFilter	get_BranchID()
PX.Objects.AP	APHistoryFilter	set_BranchID(Nullable<Int32>)
PX.Objects.AP	AP1099Year	get_BranchID()
PX.Objects.AP	AP1099Year	set_BranchID(Nullable<Int32>)
PX.Objects.AP	MISC1099EFileFilter	get_MasterBranchID()
PX.Objects.AP	MISC1099EFileFilter	set_MasterBranchID(Nullable<Int32>)
PX.Objects.AP	MISC1099EFileProcessing	get_MarkedBranches()
PX.Objects.AP	MISC1099EFileProcessing	CreateTransmitterRecord(BranchMaint+BranchBAccount,Contact,Address,MISC1099EFileFilter,Int32)

Namespace	Simple Name	Name
PX.Objects.AP	MISC1099EFileProcessing	CreatePayerARecord(BranchMaint+BranchBAccount,Contact,Address,LocationExtAddress,Contact,MISC1099EFileFilter)
PX.Objects.AP	MISC1099EFileProcessing	CreatePayeeBRecord(BranchMaint,BranchMaint+BranchBAccount,MISC1099EFileProcessingInfo,MISC1099EFileFilter)
PX.Objects.AP	MISC1099EFileProcessingInfoRaw	get_PayerBranchID()
PX.Objects.AP	MISC1099EFileProcessingInfoRaw	set_PayerBranchID(Nullable<Int32>)
PX.Objects.AP	APAdjust	get_CuryAdjAmt()
PX.Objects.AP	APAdjust	set_CuryAdjAmt(Nullable<Decimal>)
PX.Objects.AP	APPayment	get_PTInstanceID()
PX.Objects.AP	APPayment	set_PTInstanceID(Nullable<Int32>)
PX.Objects.AP	APTaxAttribute	CalcLineTotal(PXCache,Object)
PX.Objects.AP.Standalone	APQuickCheck	get_PTInstanceID()
PX.Objects.AP.Standalone	APQuickCheck	set_PTInstanceID(Nullable<Int32>)
PX.Objects.AP.Standalone	APPayment	get_PTInstanceID()
PX.Objects.AP.Standalone	APPayment	set_PTInstanceID(Nullable<Int32>)
PX.Objects.AP.DAC.ReportParameters	AP1099ReportParameters	get_MasterBranchID()
PX.Objects.AP.DAC.ReportParameters	AP1099ReportParameters	set_MasterBranchID(Nullable<Int32>)

Other Breaking Fields

Namespace	Simple Name	Name
PX.Common	TimeZoneNames	GMTM1100A
PX.Common	TimeZoneNames	GMTM0430A
PX.Common	TimeZoneNames	GMTP0300Y
PX.Common	TimeZoneNames	GMTP0600A
PX.Translation	PXControlPropertiesCollector	language
PX.Translation	PXTranslator	language
PX.SM	WikiFileProvider	FileInScreen
PX.SM	WikiFileMaintenance	ViewScreen
PX.SM	WikiFileMaintenance	FilesInScreensRecords
PX.SM	WikiSetupMaint	KBSetup
PX.Data	GILast	_navAction
PX.Data	GIFirst	_navAction
PX.Data	GIPrevious	_navAction
PX.Data	GINext	_navAction
PX.Data.Auth	ExternalAuthenticationModule	ROOT_PAGE
PX.Api.Services	EntityToGuidBindService	Separator
PX.SM	MyProfileMaint	LanguageSearchSettings
PX.Objects.RUTROT	ARTranRUTROT	_RUTROTItemType

Namespace	Simple Name	Name
PX.Objects.RUTROT	ARTranRUTROT	_RUTROTWorkTypeID
PX.Objects.RUTROT	InventoryItemRUTROT	_RUTROTType
PX.Objects.RUTROT	InventoryItemRUTROT	_RUTROTItemType
PX.Objects.RUTROT	InventoryItemRUTROT	_RUTROTWorkTypeID
PX.Objects.RUTROT	SOLineRUTROT	_RUTROTItemType
PX.Objects.RUTROT	SOLineRUTROT	_RUTROTWorkTypeID
PX.Objects.RUTROT	RUTROTMessages	PaymentMustCoverDeductible
PX.Objects.RUTROT	RUTExport	AvailableWorkTypes
PX.Objects.RUTROT	RUTROTWorkTypesMaint	rUTROTsetup
PX.Objects.RUTROT	RUTROTWorkTypesMaint	filter
PX.TM	CompanyTreeMaint	Items
PX.TM	CompanyTreeMaint	UpdateTree
PX.TM	CompanyTreeMaint	Item
PX.TM	CompanyTreeMaint	left
PX.TM	CompanyTreeMaint	right
PX.Objects.PM	ExternalCommitmentEntry	projectstatus
PX.Objects.PM	ProjectBalanceMaint	History2
PX.Objects.PM	AllocationProcessByProject	pmAllocation
PX.Objects.PM	ProjectBalanceValidationProcess	ProjectStatus

Namespace	Simple Name	Name
PX.Objects.PM	ProjectBalanceValidationProcess	History2
PX.Objects.PM	TemplateGlobalTaskMaint	ProjectStatus
PX.Objects.PM	TemplateGlobalTaskMaint	pmAccountGroup
PX.Objects.PM	AllocationProcess	pmAllocation
PX.Objects.PM	TemplateTaskMaint	ProjectStatus
PX.Objects.PM	TemplateTaskMaint	pmAccountGroup
PX.Objects.PM	TemplateMaint	Status
PX.Objects.PM	TemplateMaint	pmRateTable
PX.Objects.PM	TemplateMaint	pmAllocation
PX.Objects.PM	TemplateMaint	pmBilling
PX.Objects.PM	PMAccountSource	Resource
PX.Objects.PM	RegisterEntry	pmAccountGroup
PX.Objects.PM	PMInventorySelectorAttribute	EmptyInventoryID
PX.Objects.PM	Messages	DuplicateProjectStatus
PX.Objects.PM	Messages	DuplicateProjectStatus_Task
PX.Objects.PM	PMExpressionContext	step
PX.Objects.PM	ProjectEntry	ProjectStatus
PX.Objects.PM	ProjectEntry	InternalProjectStatus
PX.Objects.PM	ProjectEntry	History2

Namespace	Simple Name	Name
PX.Objects.PM	ProjectEntry	viewBalance
PX.Objects.PM	ProjectTaskEntry	ProjectStatus
PX.Objects.PM	ProjectTaskEntry	History2
PX.Objects.PM	ProjectTaskEntry	viewBalance
PX.Objects.PM	ProjectTaskEntry	viewCommitments
PX.Objects.PM	ProjectTaskEntry	viewTransactions
PX.Objects.PM	ProjectTaskEntry	autoBudget
PX.Objects.PM	TransactionInquiry	viewAllocation
PX.Objects.PO	POLineRPlanIDAttribute	_Current
PX.Objects.PO	POReceiptLineSplitPlanIDAttribute	_Current
PX.Objects.PO	Messages	NotApprover
PX.Objects.PO	Messages	VendorUpdateNone
PX.Objects.PO	Messages	VendorUpdatePurchase
PX.Objects.PO	Messages	VendorUpdateReceipt
PX.Objects.PO	Messages	VendorUpdateReceiptRelease
PX.Objects.PO	Messages	VendorUpdateAPBillRelease
PX.Objects.TX	ReportTaxDetail	Current
PX.Objects.SO	SOLineSplit2PlanIDAttribute	_Current
PX.Objects.SO	SOShipLineSplitPlanIDAttribute	_Current

Namespace	Simple Name	Name
PX.Objects.DR	DRSchedulePrimary	update
PX.Objects.DR	SchedulesInq	viewSchedule
PX.Objects.DR	ScheduleTransInq	viewSchedule
PX.Objects.IN	PIGenerator	pistatus
PX.Objects.IN	INPIEntry	PIStatus
PX.Objects.IN	Messages	DropshipItemMustRequireReceipt
PX.Objects.IN	InventoryAttribute	DimensionName
PX.Objects.IN	InventoryItemMaint	pmprojectstatuses
PX.Objects.CS	NumberingDetector	setupNumberingSequences
PX.Objects.CS	Messages	BudgetPTDAmount
PX.Objects.CS	Messages	BudgetPTDQuantity
PX.Objects.CS	Messages	RevisedPTDAmount
PX.Objects.CS	Messages	RevisedPTDQuantity
PX.Objects.CS.Email	EmailsSyncMaint	Reset
PX.Objects.EP	ExpenseClaimDetailEntry	_CuryID
PX.Objects.EP	ExpenseClaimDetailEntry	_RefNbr
PX.Objects.GL	GLTranType	_valueLabelPairs
PX.Objects.GL	AcctSubAttribute	_IsDBField
PX.Objects.GL	JournalEntry	ProjectStatus

Namespace	Simple Name	Name
PX.Objects.CA	CATranType	_valueLabelPairs
PX.Objects.CA	CATranType	_depositValueLabelPairs
PX.Objects.CA	CATranType	_fullValueLabelPairs
PX.Objects.CA	CashTransferEntry	ARSetup
PX.Objects.CA	EntryTypeMaint	account
PX.Objects.CA	Messages	ExpDateParseFailed
PX.Objects.CA	CAReconEntry	cancel
PX.Objects.CA	CAReconEntry	delete
PX.Objects.CA	CAReconEntry	first
PX.Objects.CA	CAReconEntry	prev
PX.Objects.CA	CAReconEntry	next
PX.Objects.CA	CAReconEntry	last
PX.Objects.CR	CREmailActivityMaint	Activities
PX.Objects.CR	CampaignMaint	multipleInsert
PX.Objects.CR	CampaignMaint	multipleDelete
PX.Objects.CR	CRMarketingListMaint	Leads
PX.Objects.CR	CRMarketingListMaint	BAccountR
PX.Objects.CR	CRMarketingListMaint	process
PX.Objects.CR	CRMarketingListMaint	processAll

Namespace	Simple Name	Name
PX.Objects.CR	CRMarketingListMaint	NewMailSubscriptions
PX.Objects.CR	CRMarketingListMaint	Subscriptions
PX.Objects.CR	CRMarketingListMaint	Unsubscriptions
PX.Objects.CR	CRMarketingListMaint	MailListsSubscription
PX.Objects.CR	CRMarketingListMaint	details
PX.Objects.CR	CRMarketingListMaint	generateActivation
PX.Objects.CR	CRMarketingListMaint	removeRecipient
PX.Objects.CR	CRSetupMaint	OpportunityProbabilities
PX.Objects.CR	CROpportunityStagesAttribute	_PROSPECT
PX.Objects.CR	CROpportunityStagesAttribute	_NURTURE
PX.Objects.CR	CROpportunityStagesAttribute	_QUALIFY
PX.Objects.CR	CROpportunityStagesAttribute	_DEVELOP
PX.Objects.CR	CROpportunityStagesAttribute	_SOLUTION
PX.Objects.CR	CROpportunityStagesAttribute	_PROOF
PX.Objects.CR	CROpportunityStagesAttribute	_CLOSE
PX.Objects.CR	CROpportunityStagesAttribute	_DEPLOY
PX.Objects.CR	StateAttribute	_SelAttrIndex
PX.Objects.CR	StateAttribute	_CountryID
PX.Objects.CR	OpportunityMaint	currencyinfo

Namespace	Simple Name	Name
PX.Objects.CR	OpportunityMaint	CurrencyView
PX.Objects.CR	OpportunityMaint	DiscountDetails
PX.Objects.CR	Messages	Prepared
PX.Objects.CR	Messages	Started
PX.Objects.CR	Messages	Finished
PX.Objects.CR	Messages	Canceled
PX.Objects.AR	ARInvoiceEntry	RefPMTran
PX.Objects.AR	Messages	PaymentIsRefunded
PX.Objects.AR	Messages	UnableToCalculateNextStatementDatePeriodsNotDefined
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	procTran
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	pmInstance
PX.Objects.AR.CCPaymentProcessing	CCPaymentProcessing	pmICVVDetail
PX.Objects.AP	APQuickCheckEntry	apsetup
PX.Objects.AP	APPaymentEntry	viewCurrentBatch
PX.Objects.AP	Messages	PaymentIsRefunded
PX.Objects.AP	Messages	CannotDisableHoldBecauseApprovalsRequested
PX.Objects.AP	Messages	PurchaseOrderBelongAnotherVendor
PX.Data	PXSessionStatePXData	GLViewInfo
PX.Data	ErrorMessages	GLCannotNavigateWhenSortByVirtualField

Namespace	Simple Name	Name
PX.Data.Reports	CompanyGraph	BranchContacts
PX.Objects.PM	CostCodeAttribute	account
PX.Objects.SO	SOOrderEntry	OpportunityBackReference
PX.Objects.CT	InventoryAction	value__
PX.Objects.CT	InventoryAction	Setup
PX.Objects.CT	InventoryAction	ActivateRenew
PX.Objects.CT	InventoryAction	SetupUpgrade
PX.Objects.CT	InventoryAction	UpgradeActivation
PX.Objects.CS	RMDDataSourceGL	_StartBranch
PX.Objects.CS	RMDDataSourceGL	_EndBranch
PX.Objects.CS	BranchMaint	Files
PX.Objects.CS	BranchMaint	glsetup
PX.Objects.CS	BranchMaint	Company
PX.Objects.CS	BranchMaint	Commonsetup
PX.Objects.CS	BranchMaint	CompanyCurrency
PX.Objects.CS	BranchMaint	FinancialCurrency
PX.Objects.CR	CampaignDocuments	Campaign
PX.Objects.CR	CampaignDocuments	Order
PX.Objects.CR	CampaignDocuments	Invoice

Namespace	Simple Name	Name
PX.Objects.CR	CampaignDocuments	SalesOrders
PX.Objects.CR	CampaignDocuments	ARInvoices
PX.Objects.CR	CampaignDocuments	FilterView
PX.Objects.CR	CampaignDocuments	SalesOrders_Select
PX.Objects.CR	CampaignDocuments	ARInvoices_Select
PX.Objects.CR	CampaignDocuments	Save
PX.Objects.CR	CampaignDocuments	Cancel
PX.Objects.CR	CampaignMaint	Inquiry
PX.Objects.CR	CampaignMaint	viewCampaignDocuments
PX.Objects.CR	OpportunityMaint	ConvertedInfo
PX.Objects.CR	OpportunityMaint	isAutoNumberOn
PX.Objects.CR	OpportunityMaint	Action
PX.Objects.CR	OpportunityMaint	Inquiry
PX.Objects.CR	OpportunityMaint	viewInvoice
PX.Objects.CR	OpportunityMaint	viewSalesOrder
PX.Objects.CR	Messages	NeedOrderInsteadOfInvoice
PX.Objects.GL	BranchAttribute	_FieldClass
PX.Objects.GL	BranchAttribute	_DimensionName
PX.Objects.GL	Messages	GLHistoryValidate

Namespace	Simple Name	Name
PX.Objects.GL	Messages	GLNumberCodesMaint
PX.Objects.GL	GeneralLedgerMaint	Save
PX.Objects.GL	GeneralLedgerMaint	Cancel
PX.Objects.GL	GeneralLedgerMaint	BranchView
PX.Objects.EP	Messages	MarkAsRead
PX.Objects.CA	CashAccountMaint	viewPTInstance
PX.Objects.CA	CashAccountMaint	addPTInstance
PX.Objects.CA	CashAccountMaint	PTInstances
PX.Objects.CA	Messages	PaymentTypeInstanceMaint
PX.Objects.CA	Messages	CABankStatementEntry
PX.Objects.CA	Messages	PaymentTypeInstance
PX.Objects.CA	Messages	PaymentTypeInstanceDetail
PX.Objects.CA	Messages	PTInstTran
PX.Objects.AR	ARInvoiceEntry	OpportunityBackReference
PX.Objects.AP	APPaymentEntry	ptInstanceTrans
PX.Objects.AP	include	AllMarkedBranches
PX.Objects.AP	APReleaseProcess	ptInstanceTrans
PX.Objects.AP	Messages	CABankStatementAdjustment
PX.Objects.AP	Messages	AllMarkedBranches

